

2002
DODGE RAM STANDARD CAB
(BR)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	3 = Built in Mexico by DaimlerChrysler de Mexico
2	Make	B = Dodge
3	Vehicle type	7 = Truck
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs)
5	Vehicle Line	C = Ram Chassis Cab/Ram Pick Up (4x2) F = Ram Chassis Cab/Ram Pick Up (4x4)
6	Series	2,7 = 2500 3,8 = 3500
7	Body Style	6 = Standard Cab
8	Engine	7 = 5.9L 6 Cyl. (ETH) 6 = 5.9L 6 Cyl. (ETC) 5 = 5.9L 8 Cyl. (EMM) Z = 5.9L 8 Cyl. (EML) W = 8.0L 10 Cyl (EWA)
9	Check Digit	
10	Model Year	2 = 2002
11	Assembly Plant	M =Lago Alberto
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001

Component Parts for Mopar Accessories



001-100 Audio & Electronics	001-200 Carriers & Cargo Hauling	001-300 Driving Convenience	001-400 Exterior Appearance
001-500 Exterior Protection	001-600 Fog Lights & Electrical	001-900 Security	001-1000 4 - Wheeling & Off Road

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title Group-Fig. No.

Audio & Electronics

Player Kit - 6 Disc	Fig. 001-110
Player Kit - 12 Disc	Fig. 001-120

Carriers & Cargo Hauling

Cover Kit - Tonneau - Sport With Frame- Vinyl	Fig. 001-210
Cover Kit - Tonneau - Folding	Fig. 001-212
Cover Kit - Tonneau - Hard	Fig. 001-216
Mirror Package - Trailer Tow	Fig. 001-230
Wiring Kit - Trailer Tow 7 Way	Fig. 001-240
Wiring Kit - Trailer Tow 4 Way	Fig. 001-242
Adapter Kit - Ball Mount	Fig. 001-250

Driving Convenience

Speed Control Kit	Fig. 001-310
-------------------------	--------------

Exterior Appearance

Step Bumper	Fig. 001-410
Grill Guard	Fig. 001-440

Exterior Protection

Moulding Kit Wheel Lip Opening	Fig. 001-510
Shield Kit - Air Front	Fig. 001-520
Plate Package - Skid Transfer Case	Fig. 001-530

Fog Lights & Electrical

Fog Lamp Kit - Fascia	Fig. 001-622
Installation Kit - Off Road Lamps	Fig. 001-630
Heater Kit	Fig. 001-640


Security

Alarms - EVS II Without Power Door Locks	Fig. 001-910
Alarms - EVS II With Power Door Locks	Fig. 001-912
Alarms - EVS II For Factory Keyless Entry	Fig. 001-914

4 - Wheeling & Off Road

Winch Kit - Power	Fig. 001-1010
-------------------------	---------------

Player Kit - 6 Disc
Figure 001-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Use with CD-Controlled radios. For radios without CD Changer controls, use FM-Modulator Kit 82202292

1	8220 2700	1	PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1	MAGAZINE, CD Changer

DODGE RAM STANDARD CAB (BR)

EDGE RAM STAND
SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Player Kit - 12 Disc
 Figure 001-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; For radio without CD controls. Pentastar Logo, Includes RF Modulator, Power Cord, Din Cord, Hand Held and IR Remote Controller and Operating manual, 12 Disc Magazine.


1	8220 4730	1							PLAYER KIT, CD Changer - 12 Disc, Consists of: Items 2 thru 9
2	5013 804AA	1							MODULATOR, FM
-3	5013 800AA-	1							HARDWARE KIT, Mounting
4	5013 806AA	1							CHANGER, CD
5	5013 802AA	1							CONTROLLER, CD Wireless
6	5013 805AA	1							MAGAZINE, CD Changer
7	5013 803AA	1							CONTROLLER, CD Wired
8	4465 117	1							ADAPTOR, A/C
9	5013 801AA	1							DIN CORD, CD Player

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit - Tonneau - Sport With Frame- Vinyl
Figure 001-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Not for use with OverRail Bedliners. Cover Kits have new material and new bow system.

1									COVER, Tonneau
	8220 3124	1			61				6.5 Foot Bed
	8220 3125	1			62				8 Foot Bed
2									COVER KIT, Tonneau with Frame-
	8240 1379	1			61				Vinyl, Contains Rail and Snap Kits
	8240 1380	1			62				6.5 Foot Bed
									8 Foot Bed
-3									SNAP KIT, Tonneau Cover, Package
									of 10
	5017 515AA-	1			61				
		1			62				
4									RAIL KIT, Tonneau - Rear Mounting,
									Includes Snap Kit
	5017 802AA	1			61				
		1			62				

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cover Kit - Tonneau - Folding
Figure 001-212

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3921	1			62				COVER KIT, Tonneau-Folding, 8 Foot Bed
-2	5018 118AA-	1			62				LOCK KIT, folding-tonneau
-3	5018 386AA-	1			62				KEY, Master
-4	8220 3246	1			61				HARDWARE KIT, Tonneau - Folding, 6.5 Foot Bed




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Cover Kit - Tonneau - Hard
Figure 001-216

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Call Oeliner with Lock Number to get the correct Key.


1									COVER KIT, Tonneau-Hard
	8220 4378	1			61				White [PW7]
	8220 4380	1			61				Black [PX8]
	8220 4382	1			61				Flame Red [PR4]
-2	5018 117AA-	1			61				LOCK KIT, hard-tonneau
-3	5018 343AA-	1			61				KEY, Master
-4	5018 067AA-	1			61				GAS PROP KIT, tonneau-hard



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Mirror Package - Trailer Tow
Figure 001-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8240 1002	1							MIRROR PACKAGE, Exterior
-2	6031 438	1							NUT AND SEALER, .250-20
3									COVER, Mirror Flag
	5507 5444	1							Right
	5507 5445	1							Left
4	5507 4917	1							MIRROR KIT, Trailor Tow
5	4746 372	1							MIRROR, Outside Rearview
6									BRACKET, Mirror
	4746 368	1							Upper Right
	4746 369	1							Upper Left
7									BRACKET, Mirror
	4746 374	1							Lower Right
	4746 375	1							Lower Left
8	4746 373	1							WASHER, Mirror, Black
9	4746 376	1							BOLT, Mirror
10	4723 110	1							WASHER, Outside Mirror, Phenolic
11	4723 109	1							WASHER, Outside Mirror
-12	5513 5182	2							SEAL, Mirror Opening
13									SCREW, Hex Head, .25-20x.75, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Kit - Trailer Tow 7 Way
Figure 001-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Will not fit Chassis Cab. Built in Running Light Relay.

1	8220 4724	1			61, 62				WIRING KIT, Trailer Tow - 7 Way
2	6015 756	1							STRAP, Tie
3	0154 633	4							SCREW, .164-18x.625
4	56038 366AB	1			61, 62				CONNECTOR, 7 Way
-5	5600 7078	1			61, 62				RELAY, Electrical

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Wiring Kit - Trailer Tow 4 Way
Figure 001-242



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;


Molded cap with Mopar Logo.

1	8220 4641	1							WIRING KIT, Trailer Tow
2	6016 155	1							STRAP, Tie
3									WIRING, Trailer Tow, Serviced in Kit, (NOT SERVICED) (Not Serviced)
4	8220 4602	1							BRACKET KIT, Trailer Tow

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Adapter Kit - Ball Mount
Figure 001-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADAPTER KIT, Ball Mount
	8220 0248	1							2000# Tow Rate - 3/4' shank
	8220 1148	1							5000# Tow Rate - 1' shank 1' Drop
	8220 1149	1							5000# Tow Rate - 1' shank 2.25' Drop
2	5016 666AA	1							PIN, Hitch
3									BALL KIT, Trailer Tow
	8240 1106	1							2' Dia. Ball
	8240 1216	1			61, 62				1' Dia. Ball

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Speed Control Kit
Figure 001-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									CONTROL PACKAGE, Speed
	8220 4652	1							Control
	8220 4654	1							5.9L Gas Engine
-2									Diesel Engine
									SWITCH, Speed Control
	56021 332AB-	1							Right
	56021 333AB-	1							Left
-3	56045 455AG-	1							CLOCKSPRING
4	4669 977	1							SERVO, Speed Control
5	5207 8598	1							CABLE, Speed Control, 5.9L Gas
									Engine
6	5300 7958	1							BRACKET, Speed Control Servo
7	5207 8320	1							HARNESS, Vacuum Speed Control,
									5.9L Gas Engine
8	6100 775	2							NUT, Hex Flange, M5x.8
9	5503 5614	1							RESERVOIR, Vacuum
10	6025 867	1							CLIP, Cable to Servo Attach
11	6502 493	2							NUT, Hex Flange Serration, M6x1
12	5207 8479	1							CLIP, Vacuum Harness
13	6503 441	1							CLIP, Cruise Control
14	6032 988	3							SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Step Bumper
Figure 001-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8240 1316	1			61, 62				BUMPER KIT, Step Rear, Chromed
2	55076 634AE	1							BUMPER, Rear, Chromed
3									BRACKET, Rear Bumper Side
	5527 4868	1							Right, Outer
	5527 4869	1							Left, Outer
4	5527 4863	2							BRACKET, Rear Bumper, Right and Left, Center
-5	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
-6	6505 099AA-	8							NUT, Hex Flange Lock, M12x1.75, Quantity of 10
-7	6504 122	2							BOLT, m12x1.75x35.00
-8	6100 055	4							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75
-9	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
10	8240 1107	1							PANEL PACKAGE, License Plate With Light
11	5507 6850	1			62				PANEL, License Plate
-12	5505 4891	2			62				LENS, License Lamp
-13	5601 8807	2			62				WIRING, Liscense Lamp
-14	9425 542	2			62				BULB, 168

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Grill Guard Figure 001-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GUARD KIT, Grille
	8220 2692	1							Chromed
	8220 2853	1							Black Painted Steel
	8220 2854	1							Silver Aluminum
	8220 2855	1							Black Aluminum
2									COVER, Grille Guard Side
	4778 110	1							Right
	4778 111	1							Left
3	5066 242AA	1							CROSSTUBE, Grille Guard,
									Chromed, used with 82202692

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Moulding Kit Wheel Lip Opening
Figure 001-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING KIT, Wheel Lip Opening
	8220 4931	1			61, 62				White
	8220 4933	1			61, 62				Black
	8220 4937	1			61, 62				Forest Green
	8220 4939	1			61, 62				Flat Black, Paintable
2									SCREW, (NOT SERVICED) (Not Serviced)
-3									MOLDING KIT, Wheel Lip Opening
	5017 966AA-	1			61, 62				[P.A.R.], Replacement, Front Right
	5017 967AA-	1			61, 62				[P.A.R.], Replacement, Front Left
	5017 968AA-	1			61, 62				[P.A.R.], Replacement, Rear Right
	5017 969AA-	1			61, 62				[P.A.R.], Replacement, Rear Left
4	8220 7387	1			62				BEDLINER KIT, Under Rail
5	8220 7159	1			62				BEDLINER KIT, Over Rail
-6	5011 297AA-	1							INSTALL KIT, Bedliner - Under Rail
-7	5011 298AA-	1							INSTALL KIT, Bedliner - Over Rail
8	8220 5217	1			61, 62				COVER KIT, Tailgate-Molded

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Shield Kit - Air Front
Figure 001-520


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD KIT, Air - Front
	8220 4324	1							Sport Model, Contains 2-Fender and 1-Hood Shields
	8220 4738	1							
2	5014 754AA	1							SPACER, Air Deflector, Services all deflectors



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Plate Package - Skid Transfer Case
 Figure 001-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	6101 340	2	7, 8						U-NUT, M10-1.50
2	52058 674AD	1	7, 8						SKID PLATE, Front
3	6505 524AA	2	7, 8						RETAINER
-4	6506 164AA-	2	7, 8						SCREW AND WASHER, Hex Head



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Fog Lamp Kit - Fascia
Figure 001-622


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5656	1							LIGHT PACKAGE, Fog, With Cargo Lamp
2	4641 780	1							STRAP, Tie
3	6035 422	4							BOLT, Square Head, .312-18x.875
4	6035 423	4							NUT AND WASHER, Hex Coned, .312-18
5	6503 938	4							RIVET, Blind, .25xM4/M7
6	55076 786AB	1							SHIELD, Bumper, Right
7	55076 787AB	1							SHIELD, Bumper, Left
8									WIRING, Fog/Driving Light, Serviced in Package, (NOT SERVICED) (Not Serviced)
-9	4638 271	1			61, 62				RELAY PACKAGE, Electrical
10	5269 430	1			61, 62				SWITCH, Fog Lamp
11	55076 940AB	1							LAMP, Fog, Right
12	55076 941AB	1							LAMP, Fog, Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Installation Kit - Off Road Lamps
Figure 001-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 5342	1			61, 62				INSTALL PACKAGE, Off Road Light
2	0154 552	1							SCREW, Hex Head, .190-16x.625
-3	5269 430	1			61, 62				SWITCH, Fog Lamp
4									WIRING, Fog Lamp, Serviced in Package, (NOT SERVICED) (Not Serviced)
5	4638 271	1			61, 62				RELAY PACKAGE, Electrical
6	4641 780	1							STRAP, Tie
7									WIRING, Light Bar, Serviced in Package, (NOT SERVICED) (Not Serviced)
8									WIRING, Off Road Light, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Heater Kit
Figure 001-640

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Serviced as a Kit Only.									
1	8230 0749	1							HEATER KIT, Engine Block
2	4798 276AC	1							HEATER PACKAGE, Engine Block
-3									O RING, Engine Block Heater
	6501 445	AR							11/64 inch width
	6501 446	1							9/64 inch width
4	5602 0061	1							CORD, Engine Block Heater
5									STRAP, Tie, Serviced in package, (NOT SERVICED) (Not Serviced)




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alarms - EVS II Without Power Door Locks
Figure 001-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyless
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	5012 164AA	1							MODULE, Security Alarm
-6	4886 259AA-	1							INDICATOR, Valet Status
-7	4886 258AA-	1							SWITCH, Programing Bypass

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Alarms - EVS II With Power Door Locks
Figure 001-912



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8230 0985	1							MODULE KIT, Alarm with Keyless, Add to OEM Power Locks
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4883 255	1							MODULE, Security Alarm
-5	4886 258AA-	1							SWITCH, Programing Bypass
-6	4886 259AA-	1							INDICATOR, Valet Status
7	4886 374AA	1							TRANSMITTER, Alarm or Keyless
8	4886 260AA	1							SENSOR, Shock, With Terminals
-9	8220 4681	1							WIRING KIT, Alarm with Keyless

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Alarms - EVS II For Factory Keyless Entry
Figure 001-914



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 4268	1							MODULE, Security Alarm
2	8220 3198	1							SIREN, Alarm
-3	4886 259AA-	1							INDICATOR, Valet Status
4	5011 619AA	1							MODULE, Security Alarm
5	4886 261AA	1							SENSOR, Shock, With Connector
-6	8220 3765	1							WIRING KIT, Alarm without Keyless, Required for Installation

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Winch Kit - Power
Figure 001-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINCH KIT, Power
	8220 6401	1	6, 7, 8						Pro Plus 9000R Series
	8220 6402	1	6, 7, 8						Pro Plus 6000H Series
	8220 6403	1	6, 7, 8						Pro Plus 8000H Series
	8220 6404	1	6, 7, 8						Pro Plus 8000HX Series
2	5018 221AA	1	6, 7, 8						CABLE KIT, Winch
3									SOLENOID, Winch
	5018 363AA	1	6, 7, 8						
	5018 366AA	1	6, 7, 8						Used with 8000HX

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Group – 002
Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,BR 2,3	Fig. 002-110
Upper and Lower Control Arms,Springs and Shocks,BR 3 [with Z3B],BR 7,8	Fig. 002-120
Front Stabilizer Bar,BR 2,3 BR 2,3	Fig. 002-130
Front Stabilizer Bar and Track Bar,BR 3 [with Z3B],BR 7,8 BR 3,7,8	Fig. 002-140

Front Axle Drive Shafts

Front Axle Shafts,Dana M60/248MM [DJF],BR 7,8	Fig. 002-210
---	--------------

Front Axle Housing

Front Axle Housing,Dana M60/248MM [DJF],BR 3 with [Z3B],BR 7,8	Fig. 002-310
--	--------------

Front Axle Assembly


Axle Assy,Front,Dana M60/248MM [DJF],BR 7,8	Fig. 002-410
---	--------------

Front Axle Disconnect

Vacuum Lines,Front Axle and Transfer Case	Fig. 002-510
---	--------------


Front Axle Differential

Differential, Front Axle,Dana M60/248MM [DJF],BR 7,8	Fig. 002-610
--	--------------



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>	<div>002-300</div> <div>Front Axle Housing</div> <div></div>	<div>002-400</div> <div>Front Axle Assembly</div> <div></div>
<div>002-500</div> <div>Front Axle Disconnect</div> <div></div>	<div>002-600</div> <div>Front Axle Differential</div> <div></div>		

Upper and Lower Control Arms,Springs and Shocks,BR 2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[ET0]=Engines - All 5.9L Turbo Diesel									
[EW0]=Engines - All 8.0L Gas									
[ZAJ] Throught [ZXJ] Spring Sales Codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.									
1	6502 749	2	2, 3		62, 65				NUT, Castle, M14x1.5, UCA Ball Joint, Mounting
2									KNUCKLE, Front Right
	52106 220AB	1	2, 3		62, 65				Left
	52106 221AB	1	2, 3		62, 65				
3	6502 857	2	2, 3		62, 65				NUT, Hex, LCA Ball Joint, Mounting
4	6503 029	2							NUT, Hex, M12x1.25, Shock Upper, Mounting
5	52106 432AA	2	2, 3		62, 65				RETAINER, Shock Absorber, Upper
6	52106 543AA	2	2, 3		62, 65				GROMMET, Shock Absorber, Upper
7	52106 983AA	2	2, 3		62, 65				GROMMET, Shock Absorber, Lower
8	52106 431AA	2	2, 3		62, 65				RETAINER, Shock Absorber
9									SHOCK ABSORBER PACKAGE, Suspension, Front
	5017 608AC	2	2		62	EM0			
	5017 609AC	2	2		62	EW0			
	5017 610AC	2	2		62	ET0			
	5017 611AC	2	2, 3		62, 65	EM0, EW0			
	5017 612AC	2	2, 3		62, 65	ET0			
10	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Lower Shock, Mounting
11	6502 817	2							LOCK NUT, M14-2.00, Lower Shock, Mounting
12									BALL JOINT, Lower Control Arm, (NOT SERVICED) (Not Serviced)
13									SNAP RING, Control Arm, (NOT SERVICED) (Not Serviced)
14									ARM, Lower Control, Front Right
	52113 678AA	1	2, 3		62, 65				Left
	52113 679AA	1	2, 3		62, 65				
15									SPRING, Front Coil
	5203 9018	1							[ZHA,ZWA] Tag #018
	5203 9019	1							[ZHB,ZWB] Tag #019
	5203 9020	1							[ZHC,ZWC] Tag #020
	5203 9021	1							[ZHD,ZWD] Tag #021
	5203 9022	1							[ZHE,ZWE] Tag #022


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 2,3
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5203 9023	1							[ZHF,ZWF] Tag #023
	5203 9024	1							[ZHG,ZWG] Tag #024
	5203 9026	1							[ZJA,ZXA] Tag #026
	5203 9027	1							[ZJB,ZXB] Tag #027
	5203 9035	1							[ZJC,ZXC] Tag #035
	5203 9036	1							[ZJD,ZXD] Tag #036
	5203 9037	1							[ZJE,ZXE] Tag #037
	5203 9038	1							[ZJF,ZXF] Tag #038
	5203 9039	1							[ZJG,ZXG] Tag #039
	5203 9046	1							[ZJH,ZXH] Tag #046
	5203 9047	1							[ZJJ,ZXJ] Tag #047
	5203 9134	1							[ZHH,ZWH] Tag #134
	52106 225AA	1							[ZHH,ZWH] Tag #225AA
	52106 228AA	1							[ZHK,ZWK] Tag #228AA
	52106 229AA	1							[ZHL,ZWL] Tag #229AA
	52106 230AA	1							[ZJL,ZXL] Tag #230AA
	52106 231AA	1							[ZAJ,ZNJ] Tag #231AA
	52106 232AA	1							ZCE,ZRE] Tag #232AA[
	52106 233AA	1							ZCF,ZRF] Tag #233AA
	52106 240AA	1							[ZDJ,ZSJ] Tag #240AA
	52106 241AA	1							[ZDH,ZSH] Tag #241AA
	52113 005AA	1							[ZFF,ZUF] Tag #005AA
	52113 006AA	1							[ZFG,ZUG] Tag #006AA
	52113 007AA	1							[ZFH,ZUH] Tag #007AA
	52113 008AA	1							[ZFJ,ZUJ] Tag #008AA
	52113 077AA	1							[ZFD,ZUD] Tag #077AA
	52113 078AA	1							[ZFE,ZUE] Tag #078AA
	52113 165AA	1							[ZEA,ZTA] Tag #165AA
	52113 166AA	1							[ZEB,ZTB] Tag #166AA
	52113 167AA	1							[ZEC,ZTC] Tag #167AA
	52113 168AA	1							[ZED,ZTD] Tag #168AA
	52113 169AA	1							[ZEE,ZTE] Tag #169AA
	52113 170AA	1							[ZEF,ZTF] Tag #170AA
	52113 171AA	1							[[ZEG,ZTG] Tag #171AA
	52113 172AA	1							[[ZEH,ZTH] Tag #172
	52113 173AA	1							[ZEJ,ZTJ] Tag #173AA
	52113 174AA	1							[ZFA,ZUA] Tag #174AA
	52113 175AA	1							[ZFB,ZUB] Tag #175AA
	52113 176AA	1							[ZFC,ZUC] Tag #176AA
16	5203 7718	2	2, 3		62, 65				ISOLATOR, Spring
17	6503 047	4	2, 3		62, 65				BOLT, Hex Flange Head, M16x2. 00x135, LCA To Frame, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Upper and Lower Control Arms,Springs and Shocks,BR 2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6502 396	4	2, 3		62, 65				NUT, Hex Flange Lock, LCA To
									Frame, Mounting
19	6505 804AA	4	2, 3		62, 65				BOLT AND RETAINER, Suspension
									Arm
20	5203 7673	4	2, 3		62, 65				BUSHING, Control Arm, Upper
21	6505 476AA	4	2, 3		62, 65				NUT, Upper
22	5203 8241	4	2, 3		62, 65				WASHER, Control Arm Shaft, Upper
23	6502 396	4	2, 3		62, 65				NUT, Hex Flange Lock, UCA To
									Frame, Mounting
24	52106 678AA	2	2, 3		62, 65				ARM, Upper Control, Front
25									BALL JOINT, Upper Control Arm,
									(NOT SERVICED) (Not Serviced)
26	52106 301AA	2	2, 3		62, 65				SHAFT, Control Arm, Upper
27									NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5, (NOT
									SERVICED) (Not Serviced)
28	5208 7636	2	2, 3		62, 65				BUMPER, Jounce
29	0120 123	2	2, 3		62, 65				PIN, Cotter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Upper and Lower Control Arms,Springs and Shocks,BR 3 [with Z3B],BR 7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesel

[EW0]=Engines - All 8.0L Gas

[ZAJ] Throught [ZXJ] Spring Sales Codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.

1	6503 029	2							NUT, Hex, M12x1.25, Shock Mounting, Upper
2	5203 8257	2	3, 7, 8						RETAINER, Shock Absorber, Shock Mounting, Upper
3	52106 742AA	2	3, 7, 8						GROMMET, Shock Absorber, Shock Mounting, Upper
4	6502 696	6	3, 7, 8						NUT, Hex Flange Lock, M10x1.5, Shock Bracket to Frame, Mounting
5	5203 8111	2	3, 7, 8						BRACKET, Upper Shock Cup
6	5203 8105	2	3, 7, 8						RING, Shock Absorber, With Studs
7	5203 7719	2	3, 7, 8						ISOLATOR, Spring
8	5203 8838	2	3, 7, 8						BUMPER, Jounce
9	52106 799AA	2	3, 7, 8						ARM, Control, With Bushings, Upper
10									NUT, Hex Flange Lock
	6502 698	2	3, 7, 8						UCA To Axle, Mounting
		2	3, 7, 8						UCA To Frame
11	6504 989AA	2	3, 7, 8						SCREW AND WASHER, Hex Head, M14-2x95, UCA To Frame, Mounting
12									NUT, Hex Flange Lock
	6502 396	2	3, 7, 8						LCA To Axle, Mounting
		2	3, 7, 8						LCA To Frame, Mounting
13	6505 444AA	2	3, 7, 8						SCREW, Hex Flange Head, LCA To Frame, Mounting
14	52106 778AA	2	3, 7, 8						ARM, Control, With Bushings, Lower
15	6505 741AA	2	3, 7, 8						WASHER, Flat, LCA To Axle, Mounting
16	6505 742AA	2	3, 7, 8						SCREW, LCA To Axle, Mounting
17	6504 989AA	2	3, 7, 8						SCREW AND WASHER, Hex Head, M14-2x95, UCA To Axle, Mounting
18	6502 818	2							BOLT, Hex Flange Head, M14x2. 00x80, Shock Mounting, Lower
19	6502 817	1	3, 7, 8						LOCK NUT, M14-2.00, Shock Mounting, Lower
20									SHOCK ABSORBER PACKAGE, Suspension, Front


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 [with Z3B],BR 7,8
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 471AE	2	3, 8		63, 64				
	4897 468AE	2	7		62	EM0, EW0 ET0			
	4897 469AE	2	7		62				
	4897 464AE	2	7, 8		62, 65				
21	5203 8258	2	3, 7, 8						RETAINER, Shock Absorber, Lower
22	52106 747AA	2	3, 7, 8						GROMMET, Shock Absorber, Lower
23									SPRING, Front Coil
	5203 9018	1							Tag #018,ZWA,ZHA
	5203 9019	1							Tag #019,ZWB,ZHB
	5203 9020	1							Tag #020,ZWC,ZHC
	5203 9021	1							Tag #021,ZWD,ZHD
	5203 9022	1							Tag #022,ZWE,ZHE
	5203 9023	1							Tag #023,ZWF,ZHF
	5203 9024	1							Tag #024,ZWG,ZHG
	5203 9026	1							Tag #026,ZXA,ZJA
	5203 9027	1							Tag #027,ZXB,ZJB
	5203 9035	1							Tag #035,ZXC,ZJC
	5203 9036	1							Tag #036,ZXD,ZJD
	5203 9037	1							Tag #037,ZXE,ZJE
	5203 9038	1							Tag #038,ZXF,ZJF
	5203 9039	1							Tag #039,ZXG,ZJG
	5203 9046	1							Tag #046,ZXH,ZJH
	5203 9047	1							Tag #047,ZXJ,ZJJ
	5203 9134	1							Tag #134,ZHH,ZWH
	52106 225AA	1							Tag #225AA,ZHJ,ZWJ
	52106 228AA	1							Tag #228AA,ZHK,ZWK
	52106 229AA	1							Tag #229AA,ZHL,ZWL
	52106 230AA	1							Tag #230AA,ZJL,ZXL
	52106 231AA	1							Tag #231AA,ZAJ,ZNJ
	52106 232AA	1							Tag #232AA,ZCE,ZRE
	52106 233AA	1							Tag #233AA,ZCF,ZRF
	52106 240AA	1							Tag #240AA,ZDJ,ZSJ
	52106 241AA	1							Tag #241AA,ZDH,ZSH
	52113 005AA	1							Tag #005AA,ZFF,ZUF
	52113 006AA	1							Tag #006AA,ZFG,ZUG
	52113 007AA	1							Tag #007AA,ZFH,ZUH
	52113 008AA	1							Tag #008AA,ZFJ,ZUJ
	52113 077AA	1							Tag #077AA,ZFD,ZUD
	52113 078AA	1							Tag #078AA,ZFE,ZUE
	52113 165AA	1							Tag #165AA,ZEA,ZTA
	52113 166AA	1							Tag #166AA,ZEB,ZTB


DODGE RAM STANDARD CAB (BR)		DODGE RAM STANDARD CAB (BR)		DODGE RAM STANDARD CAB (BR)	
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Upper and Lower Control Arms,Springs and Shocks,BR 3 [with Z3B],BR 7,8
Figure 002-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 167AA	1							Tag #167AA,ZEC,ZTC
	52113 168AA	1							Tag #168AA,ZED,ZTD
	52113 169AA	1							Tag #169AA,ZEE,ZTE
	52113 170AA	1							Tag #170AA,ZEF,ZTF
	52113 171AA	1							Tag #171AA,ZEG,ZTG
	52113 172AA	1							Tag #172AA,ZEH,ZTH
	52113 174AA	1							Tag #174AA,ZFA,ZUA
	52113 175AA	1							Tag #175AA,ZFB,ZUB
	52113 176AA	1							Tag #176AA,ZFC,ZUC




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Stabilizer Bar, BR 2,3 BR 2,3
Figure 002-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame, Mounting
2	5203 8455	1	2, 3		62, 65				BAR, Front Sway
3	5203 8851	2	2, 3		62, 65				BUSHING, Sway Bar
4	5203 7710	2	2, 3		62, 65				RETAINER, Sway Bar
5	6101 687	4	2, 3		62, 65				NUT, Hex Lock, M10x1.5
6	5203 8115	4	2, 3		62, 65				RETAINER, Sway Bar, Upper
7	5203 7916	8	2, 3		62, 65				GROMMET, Link
8	5203 8116	4	2, 3		62, 65				RETAINER, Sway Bar, Lower
9	52037 712AB	2	2, 3		62, 65				LINK, Sway Eliminator

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Stabilizer Bar and Track Bar, BR 3 [with Z3B], BR 7,8 BR 3,7,8
Figure 002-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[Z3B]=GVW Rating - 11000#									
1	6503 861	1	3, 7, 8						NUT, Hex Flange, M14x1.5, Track Bar To Frame, Mounting
2	6505 649AA	2	3, 7, 8						NUT, Hex Lock, M12 x 1.25, Front Axle To Link, Mounting
3	5018 748AA	1	3, 7, 8						SEAL, Dust, Track Bar End
4	6101 687	2	3, 7, 8						NUT, Hex Lock, M10x1.5, Link To Stabilizer Bar, Mounting
5	5203 8115	2	3, 7, 8						RETAINER, Sway Bar, Grommet, Upper
6	5203 7916	4	3, 7, 8						GROMMET, Link
7	5203 8116	2	3, 7, 8						RETAINER, Sway Bar, Grommet, Lower
8	52106 481AA	1	3, 7, 8						LINK, Sway Eliminator
9	52113 551AA	1	3, 7, 8						BAR, Front Sway
10	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35
11	5203 7710	2	3, 7, 8						RETAINER, Sway Bar
12	52106 897AA	2	3, 7, 8						BUSHING, Sway Bar
13	6502 817	1	3, 7, 8						LOCK NUT, M14-2.00, Track Bar To Axle
14	52113 283AA	1	3, 7, 8						BAR, Track
15	6503 576	1	3, 7, 8						BOLT, Hex Flange Head, M14x2.00x67.50, Track Bar To Axle

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML, EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Shafts,Dana M60/248MM [DJF],BR 7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes,

[DJF]=Axle - Front,Dana M60/248mm


1	SHAFT, Axle								
	5015 208AB	1	7		62, 65				With Vacuum Disconnect, Right
	5086 250AA	1	7		62, 65				Without Vacuum Disconnect, Right
	5015 209AB	1	7		62, 65				Left
	5015 208AB	1	8		62, 63, 64				With Vacuum Disconnect, Right
	5086 250AA	1	8		62, 63, 64				Without Vacuum Disconnect, Right
	5015 209AB	1	8		62, 63, 64				Left
2	SHAFT, Stub								
	5015 194AA	1	7		62, 65				Right or Left
		1	8		62, 63, 64				Right or Left
3	U JOINT, Front Axle								
	5003 004AB	1	7		62, 65				Right or Left
		1	8		62, 63, 64				Right or Left
4	BUSHING, Intermediate Shaft								
	5252 686	1	7		62, 65				With Vacuum Disconnect
		1	8		62, 63, 64				With Vacuum Disconnect
5	COLLAR, Axle Shift								
	5015 212AA	1	7		62, 65				With Vacuum Disconnect
		1	8		62, 63, 64				With Vacuum Disconnect
6	BUSHING, Axle Shaft								
	5017 907AA	1	7		62, 65				With Vacuum Disconnect
		1	8		62, 63, 64				With Vacuum Disconnect
7	SEAL, Axle Drive Shaft								
	5015 198AA	1	7		62, 65				With Vacuum Disconnect, Right
	5015 201AA	1	7		62, 65				Without Vacuum Disconnect, Right
	5015 198AA	1	8		62, 63, 64				With Vacuum Disconnect, Right
	5015 201AA	1	8		62, 63, 64				Without Vacuum Disconnect, Right
8	SHAFT, Axle Intermediate								
	5015 203AA	1	7		62, 65				With Vacuum Disconnect

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Front Axle Shafts,Dana M60/248MM [DJF],BR 7,8 Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62, 63, 64				With Vacuum Disconnect
9	5015 201AA	1	7		62, 65				SEAL, Axle Drive Shaft Left
		1	8		62, 63, 64				Left



DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana M60/248MM [DJF],BR 3 with [Z3B],BR 7,8
Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DJF]=Axle - Front,Dana M60/248mm									
[Z3B]=GVW Rating - 11000#									
1	4506 117	1	7		62, 65				SHIELD, Vacuum Disconnect Motor
		1	8		62, 63, 64				Motor
2	J535 2955	1	7, 8						VENT, Axle, Upper
3	5200 3837	1	7		62, 65				BRACKET, Engine Splash Guard
		1	8		62, 63, 64				Vent Hose
4	4137 734	4	7		62, 65				BOLT, Axle Disconnect Cover
		4	8		62, 63, 64				
5	HFV0 0516	1	7, 8						HOSE, Fuel And Vapor, 25 Foot Roll
6	0153 455	1	7, 8						5/16", Breather Hose
7	5011 283AA	1	7		62, 65				CLAMP, Hose, .620
		1	8		62, 63, 64				VENT, Axle Lower
8	5015 124AA	1	3		63, 64				NUT, Steering Knuckle Socket Mounting
		1	7		62, 65				Mounting
		1	8		62, 63, 64				Mounting
9	0120 123	1	3, 7, 8						PIN, Cotter, Upper or Lower
10	5015 125AA	8	3		63, 64				BOLT, Hub Mounting
		8	7		62, 65				Mounting
		8	8		62, 63, 64				Mounting
11	5015 238AA	1	3		63, 64				KNUCKLE, Front Right
	5015 239AA	1	3		63, 64				Left
	5015 238AA	1	7		62, 65				Right
	5015 239AA	1	7		62, 65				Left
	5015 238AA	1	8		62, 63, 64				Right

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana M60/248MM [DJF],BR 3 with [Z3B],BR 7,8
Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 239AA	1	8		62, 63, 64				Left
12	5015 117AA	1	3		63, 64				SHAFT, Stub
	5015 194AA	1	7		62, 65				Right or Left
		1	8		62, 63, 64				Right or Left
13	3634 267	1	3		63, 64				NUT, Steering Knuckle Socket Lower
		1	7		62, 65				Lower
		1	8		62, 63, 64				Lower
14									BALL JOINT, Front Knuckle
	5015 114AA	2	3		63, 64				Right or Left
		2	7		62, 65				Right or Left
		2	8		62, 63, 64				Right or Left
15									COVER, Differential
	5015 193AA	1	7		62, 65				With Vacuum Disconnect
	5086 251AA	1	7		62, 65				Without Vacuum Disconnect
	5015 193AA	1	8		62, 63, 64				With Vacuum Disconnect
	5086 251AA	1	8		62, 63, 64				Without Vacuum Disconnect
16									BOLT, Differential Cover
	2952 474	10	7		62, 65				Cover, Mounting
		10	8		62, 63, 64				Cover, Mounting
17									PLUG, Differential Cover
	3640 792	1	7		62, 65				
		1	8		62, 63, 64				
18									SEALANT, RTV
	5010 884AA	1	7		62, 65				Cover
		1	8		62, 63, 64				Cover
19									HOUSING, Axle
	5015 115AA	1	3		63, 64				
	5015 189AB	1	7		62, 65				[DMD] With Vacuum Disconnect
	5086 249AA	1	7		62, 65				[DMD] Without Vacuum Disconnect
	5015 189AB	1	7		62, 65				[DMF] With Vacuum Disconnect

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0 = 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Axle Housing,Dana M60/248MM [DJF],BR 3 with [Z3B],BR 7,8
Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 249AA	1	7		62, 65				[DMF] Without Vacuum Disconnect
	5015 189AB	1	8		62, 63, 64				[DMD] With Vacuum Disconnect
	5086 249AA	1	8		62, 63, 64				[DMD] Without Vacuum Disconnect
	5015 189AB	1	8		62, 63, 64				[DMF] With Vacuum Disconnect
	5086 249AA	1	8		62, 63, 64				[DMF] Without Vacuum Disconnect
20									COLLAR, Axle Shift
	5015 212AA	1	7		62, 65				
		1	8		62, 63, 64				
21									CLIP, Axle Disconnect Fork
	4137 731	2	7		62, 65				
		1	8		62, 63, 64				
22									FORK, Axle Shift
	5015 215AA	1	7		62, 65				
		1	8		62, 63, 64				
23									SNAP RING, Vacuum Motor
	4137 728	1	7		62, 65				
		1	8		62, 63, 64				
24									SNAP RING, Vacuum Motor
	4137 729	1	7		62, 65				
		1	8		62, 63, 64				
25									GASKET, Axle Disconnect Housing
	4137 732	1	7		62, 65				
		1	8		62, 63, 64				
26									COVER, Axle Disconnect
	4384 169	1	7		62, 65				
		1	8		62, 63, 64				
27									SWITCH, Hub Lock Indicator
	4289 880	1	7		62, 65				
		1	8		62, 63, 64				
28									GASKET, Axle Disconnect Switch

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Figure 002-310



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

September 16, 2005

Axle Assy,Front,Dana M60/248MM [DJF],BR 7,8
Figure 002-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes,
[BRT]=Brakes - Anti-Lock 4-Wheel Disc
[DJF]=Axle - Front,Dana M60/248mm
[DMD]=Axle Ratio - 355
[DMF]=Axle Ratio - 4.09
[DMH]=Axle Ratio - 3.92

1									AXLE, Service Front
	5015 195AB	1	7		62, 65				[DJF,DMD,BRT] Tag 52070136AM- With Vacuum Disconnect
	5086 252AA	1	7		62, 65				[DJF,DMD,BRT] Tag 52070136AO- Without Vacuum Disconnect
	5015 243AB	1	7		62, 65				[DJF,DMF,BRT] Tag 52070137AM- With Vacuum Disconnect
	5086 253AA	1	7		62, 65				[DJF,DMF,BRT] Tag 52070137AO- Without Vacuum Disconnect
	5015 195AB	1	8		62, 63, 64				[DJF,DMD,BRT] Tag 52070138AN- With Vacuum Disconnect
	5086 252AA	1	8		62, 63, 64				[DJF,DMD,BRT] Tag 52070138AP- Without Vacuum Disconnect
	5015 243AB	1	8		62, 63, 64				[DJF,DMF,BRT] Tag 52070139AM- With Vacuum Disconnect
	5086 253AA	1	8		62, 63, 64				[DJF,DMF,BRT] Tag 52070139AO- Without Vacuum Disconnect

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

[illegible]

September 16, 2005

Differential, Front Axle,Dana M60/248MM [DJF],BR 7,8
Figure 002-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NUT, Pinion Yoke
	1795 173	1	7		62, 65				
		1	8		62, 63, 64				
2									WASHER, Pinion Yoke
	1795 175	1	7		62, 65				
		1	8		62, 63, 64				
3									YOKE, Axle
	5015 190AA	1	7		62, 65				
		1	8		62, 63, 64				
-4									O RING, Pinion Flange
	5012 847AA-	1	7		62, 65				Fits Over Hub of Axle Yoke
		1	8		62, 63, 64				Fits Over Hub of Axle Yoke
5									SLINGER, Drive Pinion
	4746 867	1	7		62, 65				
		1	8		62, 63, 64				
6									SEAL, Drive Pinion
	5072 265AA	1	7		62, 65				
		1	8		62, 63, 64				
7									BEARING, Drive Pinion
	4746 604	1	7		62, 65				Bearing and Cup, Front
		1	8		62, 63, 64				Bearing and Cup, Front
8									SPACER, Drive Pinion Bearing
	4746 606	1	7		62, 65				Collapsible
		1	8		62, 63, 64				Collapsible
9									BEARING, Drive Pinion
	4746 603	1	7		62, 65				Bearing and Cup, Rear
		1	8		62, 63, 64				Bearing and Cup, Rear
10									SHIM KIT, Pinion Shaft
	4746 868	1	7		62, 65				
		1	8		62, 63, 64				
11									GEAR KIT, Ring And Pinion

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Differential, Front Axle,Dana M60/248MM [DJF],BR 7,8
Figure 002-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4762 222	1	7		62, 65				[DMD]
	4864 966	1	7		62, 65				[DMF]
	4762 222	1	8		62, 63, 64				[DMD]
	4864 966	1	8		62, 63, 64				[DMF]
12	4506 066	12	7		62, 65				SCREW, Hex Head Ring Gear, Mounting
		12	8		62, 63, 64				Ring Gear, Mounting
13	4746 605	1	7		62, 65				BEARING, Differential Consists of 2 Bearing and 2 Cups
		1	8		62, 63, 64				Consists of 2 Bearing and 2 Cups
14	4746 982AB	1	7		62, 65				SHIM KIT, Differential
		1	8		62, 63, 64				
15	3507 543	2	7		62, 65				WASHER Pinion, Thrust
		2	8		62, 63, 64				Pinion, Thrust
16									WASHER, Differential Side Gear, Purchase Center Differential Gear Kit, (NOT SERVICED) (Not Serviced)
17									SNAP RING, Axle Shaft, Purchase Center Differential Gear Kit, (NOT SERVICED) (Not Serviced)
18									SHAFT, Differential, Purchase Center Differential Gear Kit, (NOT SERVICED) (Not Serviced)
19									CASE, Differential
	5015 191AA	1	7		62, 65				Includes Items 12,19
		1	8		62, 63, 64				Includes Items 12,19
20									GEAR KIT, Center Differential
	5015 192AA	1	7		62, 65				
		1	8		62, 63, 64				
21									ROLL PIN, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4883 560AA	1	7		62, 65				
		1	8		62, 63, 64				

DODGE RAM STANDARD CAB (BR).

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 003

Rear Axle

GROUP 3 - Rear Axle

Illustration Title Group-Fig. No.

Rear Axle


Axle Assembly,Rear,Dana M60 HD/248MM [DRD],BR 2,7	Fig. 003-110
Axle Assembly,Rear,Dana M70/267MM [DRE], BR 2,7	Fig. 003-120
Axle Assembly,Rear,Dana M80 [DRL],BR 2,3,7,8	Fig. 003-130

Differential and Housing

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BR 2,7	Fig. 003-210
Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BR 2,7	Fig. 003-220
Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8	Fig. 003-230

Rear Axle Vent

Vent, Axle	Fig. 003-310
------------	--------------




003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	

Axle Assembly,Rear,Dana M60 HD/248MM [DRD],BR 2,7
Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;
[DMD]=Axle Ratio - 3.55
[DMF]=Axle Ratio - 4.10
[DRD]=Axle - Rear,Dana M60 HD/248MM
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5017 708AC	1	2		62, 65				Taq #52069454AI [DMD]
	5017 717AC	1	2		62, 65				Taq #52069455AI [DMF,DSA]
	5018 265AC	1	7		62, 65				Taq #52069456AK [DMD]
	5018 267AC	1	7		62, 65				Taq #52069457AK [DMF,DSA]




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Axle Assembly,Rear,Dana M70/267MM [DRE], BR 2,7
Figure 003-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:Sales Codes;
[DMD]=Axle Ratio - 3.55
[DMF]=Axle Ratio - 4.10
[DRE]=Axle - Rear,Dana M70/267MM
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5017 723AC	1	2		62, 65				Tag #52069458AJ [DMD]
	5018 051AC	1	2		62, 65				Tag #52069459AJ [DMD,DSA]
	5018 062AC	1	2		62, 65				Tag #52069460AJ [DMF]
	5018 075AC	1	2		62, 65				Tag #52069467AJ [DMF,DSA]
	5018 269AC	1	7		62, 65				Tag #52069468AL [DMD]
	5018 271AC	1	7		62, 65				Tag #52069469AL [DMD,DSA]
	5018 276AC	1	7		62, 65				Tag #52069470AL [DMF]
	5018 277AC	1	7		62, 65				Tag #52069471AL [DMF,DSA]



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Axle Assembly,Rear,Dana M80 [DRL],BR 2,3,7,8
Figure 003-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;
[DMD]=Axle Ratio - 3.55
[DMF]=Axle Ratio - 4.10
[DRL]=Axle - Rear,Dana M80
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5018 077AC	1	2		62, 65				Tag #52069472AI [DMD]
	5018 089AC	1	2		62, 65				Tag #52069473AI [DMD,DSA]
	5018 091AC	1	2		62, 65				Tag #52069474AI [DMF]
	5018 092AC	1	2		62, 65				Tag #52069475AI [DMF,DSA]
	5018 100AC	1	3		62				Tag #52069480AJ [DMD]
	5018 101AC	1	3		62				Tag #52069481AJ [DMD,DSA]
	5018 108AC	1	3		62				Tag #52069482AJ [DMF]
	5018 216AC	1	3		62				Tag #52069483AJ [DMF,DSA]
	5018 227AC	1	3, 8		63, 64				Tag #52069488AJ [DMD]
	5018 228AC	1	3, 8		63, 64				Tag #52069489AJ [DMD,DSA]
	5018 230AC	1	3, 8		63, 64				Tag #52069490AJ [DMF]
	5018 248AC	1	3, 8		63, 64				Tag #52069491AJ [DMF,DSA]
	5018 283AC	1	7		62, 65				Tag #52069476AK [DMD]
	5018 285AC	1	7		62, 65				Tag #52069477AK [DMD,DSA]
	5018 287AC	1	7		62, 65				Tag #52069478AK [DMF]
	5018 288AC	1	7		62, 65				Tag #52069479AK [DMF,DSA]
	5018 290AC	1	8		62				Tag #52069484AJ [DMD]
	5018 291AC	1	8		62				Tag #52069485AJ [DMD,DSA]
	5018 293AC	1	8		62				Tag #52069486AJ [DMF]
	5018 295AC	1	8		62				Tag #52069487AJ [DMF,DSA]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BR 2,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DMD]=Axle Ratio - 3.55									
[DMF]=Axle Ratio - 4.10									
[DRD]=Axle - Rear,Dana M60 HD/248MM									
[DSA]=Axle - Anti-Spin Differential									
1	3507 543	2	2		62, 65				WASHER
		2	7		62, 65				Pinion Gear-Without [DSA], Thrust
2	2961 848	2	2		62, 65				Pinion Gear-Without [DSA], Thrust
		2	7		62, 65				WASHER
3	4506 058AB	1	2		62, 65				Side Gear-Without [DSA], Thrust
									Side Gear-Without [DSA], Thrust
									CASE, Differential
		1	2		62, 65				With [DSA] Includes Items 4,22,23,
									27
		1	7		62, 65				With [DSA] Includes Items 4,22,23,
									27
4	4746 982AB	1	2		62, 65				SHIM KIT, Differential
		1	7		62, 65				
5	4746 605	1	2		62, 65				BEARING, Differential
									Consists of 2 Bearings and 2 Cups
		1	7		62, 65				Consists of 2 Bearings and 2 Cups
6	4746 603	1	2		62, 65				BEARING, Drive Pinion
		1	7		62, 65				Bearing and Cup, Rear
									Bearing and Cup, Rear
7	4746 868	1	2		62, 65				SHIM KIT, Pinion Shaft
		1	7		62, 65				
8	5017 707AC	1	2		62, 65				HOUSING, Rear Axle
	5018 264AC	1	7		62, 65				
9	2952 474	10	2		62, 65				BOLT, Hex Flange Head
		10	7		62, 65				Differential Cover, Mounting
10	3640 792	1	2		62, 65				Differential Cover, Mounting
		1	7		62, 65				PLUG, Differential Cover
11	5010 884AA	1	2		62, 65				SEALANT, RTV
		1	7		62, 65				
12									COVER, Differential

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BR 2,7
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 402	1	2		62, 65				
	4506 142	1	7		62, 65				
13	4137 696AB	1							BOLT, Axle Vent
14									SPACER, Drive Pinion Bearing
	4746 606	1	2		62, 65				Crush
		1	7		62, 65				Crush
15									BEARING, Drive Pinion
	4746 604	1	2		62, 65				Bearing and Cup, Front
		1	7		62, 65				Bearing and Cup, Front
16									SLINGER, Drive Pinion
	4746 867	1	2		62, 65				
		1	7		62, 65				
17									SEAL, Drive Pinion
	5072 265AA	1	2		62, 65				
		1	7		62, 65				
18									YOKE, Axle
	5016 791AA	1	2		62, 65				
		1	7		62, 65				
-19									O RING, Pinion Flange
	5016 792AA-	1	2		62, 65				Fits Over Hub of Flange
		1	7		62, 65				Fits Over Hub of Flange
20									WASHER, Pinion Yoke
	1795 175	1	2		62, 65				
		1	7		62, 65				
21									NUT, Pinion Yoke
	1795 173	1	2		62, 65				
		1	7		62, 65				
22									DISC AND PLATE KIT, Differential
	4506 060	1	2		62, 65				With [DSA]
		1	7		62, 65				With [DSA]
23									SCREW, Hex Head
	4506 066	12	2		62, 65				Ring Gear, Mounting
		12	7		62, 65				Ring Gear, Mounting
24									GEAR KIT, Ring And Pinion
	4762 222	1	2		62, 65				[DMD]
	4864 966	1	2		62, 65				[DMF]
	4762 222	1	7		62, 65				[DMD]
	4864 966	1	7		62, 65				[DMF]
25									CASE, Differential
	4746 024AB	1	2		62, 65				Without [DSA] Includes Items 4,23, 26

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Axle,Rear,with Differential and Housing,Dana M60 HD/248MM [DRD],BR 2,7
Figure 003-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		62, 65				Without [DSA] Includes Items 4,23, 26
26	4746 027	1	2		62, 65				GEAR KIT, Center Differential
		1	7		62, 65				
27	4506 059	1	2		62, 65				GEAR KIT, Center Differential
		1	7		62, 65				
28	5018 556AA	4	2		62, 65				STUD
		4	7		62, 65				Axle Housing to Backing Plate, Mounting
									Axle Housing to Backing Plate, Mounting
-29	5017 709AA-	8	2		62, 65				NUT
		8	7		62, 65				Axle Housing to Backing Plate, Mounting
									Axle Housing to Backing Plate, Mounting
30	4384 186	2	2		62, 65				GASKET, Axle Shaft
		2	7		62, 65				Axle Shaft to Hub, Mounting
									Axle Shaft to Hub, Mounting
31	4746 601	2	2		62, 65				SHAFT, Axle
		2	7		62, 65				
32	4506 057	1	2		62, 65				TONE RING, Sensor
		1	7		62, 65				
33	4883 560AA	1	2		62, 65				ROLL PIN, Differential
		1	7		62, 65				With or Without [DSA]
34	1922 276	1	2		62, 65				SHAFT, Differential
		1	7		62, 65				With or Without [DSA]
									With or Without [DSA]
35	5003 648AA	4	2		62, 65				BOLT, Differential
		4	7		62, 65				

DODGE RAM STANDARD CAB (BR)

EDGE RAM STAND
SERIES
L = RAM 2500, 3500

LINE

LINE	DESCRIPTION	QTY	UNIT	PRICE	TOTAL
2, 7 = 2500	62 = Reg. Cab (134 WB)				
3, 8 = 3500	63 = Reg. Cab (138 WB)				
	64 = Reg. Cab (162 WB)				
	65 = Reg Cab (134 WB)				

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DMD]=Axle Ratio - 3.55									
[DMF]=Axle Ratio - 4.10									
[DRL]=Axle - Rear,Dana M80									
[DSA]=Axle - Anti-Spin Differential									
1	3823 561	2	2		62, 65				WASHER
		2	7		62, 65				Pinion Gear-Without [DSA], Thrust
2	2961 848	2	2		62, 65				WASHER
		2	7		62, 65				Side Gear-Without [DSA], Thrust
3	4638 254AB	1	2		62, 65				Side Gear-Without [DSA], Thrust
		1	7		62, 65				CASE, Differential
4	4746 982AB	1	2		62, 65				With [DSA] Includes Items 22,23,27
		1	7		62, 65				SHIM KIT, Differential
5	4746 605	1	2		62, 65				BEARING, Differential
		1	7		62, 65				Consists of 2 Bearing and 2 Cups
6	4746 617	1	2		62, 65				Consists of 2 Bearing and 2 Cups
		1	7		62, 65				BEARING, Drive Pinion
7	4746 616	1	2		62, 65				Bearing and Cup, Rear
		1	7		62, 65				Bearing and Cup, Rear
8	5017 722AC	1	2		62, 65				SHIM KIT, Pinion Shaft
	5018 268AC	1	7		62, 65				
9	2952 474	10	2		62, 65				HOUSING, Rear Axle
		10	7		62, 65				BOLT, Hex Flange Head
10	3640 792	1	2		62, 65				
		1	7		62, 65				PLUG, Differential Cover
11	5010 884AA	1	2		62, 65				
		1	7		62, 65				SEALANT, RTV
12	4773 401	1	2		62, 65				
	4773 400	1	7		62, 65				COVER, Differential
13	4137 696AB	1							BOLT, Axle Vent

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BR 2,7
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									SPACER, Drive Pinion Bearing
	4773 913	1	2		62, 65				
		1	7		62, 65				
15									BEARING, Drive Pinion Bearing and Cup, Front
	4746 604	1	2		62, 65				
		1	7		62, 65				Bearing and Cup, Front
16									SLINGER, Drive Pinion
	4746 867	1	2		62, 65				
		1	7		62, 65				
17									SEAL, Drive Pinion
	5072 265AA	1	2		62, 65				
		1	7		62, 65				
18									YOKE, Axle
	5016 791AA	1	2		62, 65				
		1	7		62, 65				
-19									O RING, Pinion Flange Fits Over Hub of Flange
	5016 792AA-	1	2		62, 65				
		1	7		62, 65				Fits Over Hub of Flange
20									WASHER, Pinion Yoke
	2070 117	1	2		62, 65				
		1	7		62, 65				
21									NUT, Pinion Yoke
	1795 173	1	2		62, 65				
		1	7		62, 65				
22									DISC AND PLATE KIT, Differential
	4506 072	1	2		62, 65				With [DSA]
		1	7		62, 65				With [DSA]
23									SCREW, Hex Head
	4506 066	12	2		62, 65				Ring Gear, Mounting
		12	7		62, 65				Ring Gear, Mounting
24									GEAR KIT, Ring And Pinion
	4746 618AB	1	2		62, 65				[DMD]
	4746 624AB	1	2		62, 65				[DMF]
	4746 618AB	1	7		62, 65				[DMD]
	4746 624AB	1	7		62, 65				[DMF]
25									CASE, Differential
	4746 621AB	1	2		62, 65				Without [DSA] Includes Items 23,26
		1	7		62, 65				Without [DSA] Includes Items 23,26
26									GEAR KIT, Center Differential
	4746 622	1	2		62, 65				
		1	7		62, 65				
27									GEAR KIT, Center Differential


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M70/267MM [DRE],BR 2,7
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4638 255	1	2		62, 65				
		1	7		62, 65				
28	5018 556AA	4	2		62, 65				STUD Axle Housing to Backing Plate, Mounting
		4	7		62, 65				Axle Housing to Backing Plate, Mounting
-29	5017 709AA-	8	2		62, 65				NUT Axle Housing to Backing Plate, Mounting
		8	7		62, 65				Axle Housing to Backing Plate, Mounting
30									GASKET, Axle Shaft
	4384 186	2	2		62, 65				Axle Shaft to Hub, Mounting
		2	7		62, 65				Axle Shaft to Hub, Mounting
31	4746 620	2	2		62, 65				SHAFT, Axle
		2	7		62, 65				
32	4506 069	1	2		62, 65				RING, Tone
		1	7		62, 65				
33	5015 590AA	1	2		62, 65				ROLL PIN, Differential Without [DSA]
		1	7		62, 65				Without [DSA]
34	4856 290	1	2		62, 65				SHAFT, Differential Without [DSA]
		1	7		62, 65				Without [DSA]
35	5003 648AA	4	2		62, 65				BOLT, Differential
		4	7		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DMD]=Axle Ratio - 3.55									
[DMF]=Axle Ratio - 4.10									
[DRL]=Dana Model 80									
[DSA]=Axle - Anti-Spin Differential									
1	3823 561	2	2		62, 65				WASHER, Pinion Gear
		2	3		62				Without [DSA], Thrust
		2	3, 8		63, 64				Without [DSA], Thrust
		2	7		62, 65				Without [DSA], Thrust
		2	8		62				Without [DSA], Thrust
2	2961 848	2	2		62, 65				WASHER, Side Gear
		2	3		62				Without [DSA], Thrust
		2	3, 8		63, 64				Without [DSA], Thrust
		2	7		62, 65				Without [DSA], Thrust
		2	8		62				Without [DSA], Thrust
3	4778 763AC	1	2		62, 65				CASE, Differential
	4778 772AC	1	2		62, 65				[DMD,DSA] Includes 4,5,28,30,31
	4778 763AC	1	3		62				[DMF,DSA] Includes 4,5,28,30,31
									[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	3		62				[DMF,DSA] Includes 4,5,28,30,31
	4778 763AC	1	3, 8		63, 64				[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	3, 8		63, 64				[DMF,DSA] Includes 4,5,28,30,31
	4778 763AC	1	7		62, 65				[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	7		62, 65				[DMF,DSA] Includes 4,5,28,30,31
	4778 763AC	1	8		62				[DMD,DSA] Includes 4,5,28,30,31
	4778 772AC	1	8		62				[DMF,DSA] Includes 4,5,28,30,31
4	4746 982AB	1	2		62, 65				SHIM KIT, Differential
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
5	4746 981	1	2		62, 65				BEARING, Differential
		1	3		62				Consists of 2 Bearings and 2 Cups
		1	3, 8		63, 64				Consists of 2 Bearings and 2 Cups
		1	7		62, 65				Consists of 2 Bearings and 2 Cups
		1	8		62				Consists of 2 Bearings and 2 Cups
6									SPACER KIT, differential


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 984	1	2		62, 65				Consists of 2 Flat Spacers
		1	3		62				Consists of 2 Flat Spacers
		1	3, 8		63, 64				Consists of 2 Flat Spacers
		1	7		62, 65				Consists of 2 Flat Spacers
		1	8		62				Consists of 2 Flat Spacers
7	4746 978	1	2		62, 65				BEARING, Drive Pinion
		1	3		62				Bearing and Cup, Rear
		1	3, 8		63, 64				Bearing and Cup, Rear
8		1	7		62, 65				Bearing and Cup, Rear
		1	8		62				Bearing and Cup, Rear
	4746 983	1	2		62, 65				SHIM KIT, Pinion Shaft
		1	3		62				Front and Rear
		1	3, 8		63, 64				Front and Rear
9		1	7		62, 65				Front and Rear
		1	8		62				Front and Rear
	5018 076AC	1	2		62, 65				HOUSING, Rear Axle
	5018 090AC	1	2		62, 65				[DMD]
	5018 097AC	1	3		62				[DMF]
10	5018 107AC	1	3		62				[DMD]
	5018 226AC	1	3, 8		63, 64				[DMF]
	5018 229AC	1	3, 8		63, 64				[DMD]
	5018 282AC	1	7		62, 65				[DMF]
	5018 286AC	1	7		62, 65				[DMD]
	5018 289AC	1	8		62				[DMF]
	5018 292AC	1	8		62				[DMD]
									[DMF]
11	3640 792	1	2		62, 65				BOLT, Differential Cover
12		1	3		62				Mounting
		1	3, 8		63, 64				Mounting
		1	7		62, 65				Mounting
		1	8		62				Mounting
									Mounting

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0 = 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 884AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
13	4746 985	1	2		62, 65				COVER, Differential
		1	3		62				
		1	3, 8		63, 64				
	4746 989	1	7		62, 65				
		1	8		62				
14	4137 696AB	1							BOLT, Axle Vent
15									SPACER, Drive Pinion
	4773 230	1	2		62, 65				Crush
		1	3		62				Crush
		1	3, 8		63, 64				Crush
		1	7		62, 65				Crush
		1	8		62				Crush
16	4746 979	1	2		62, 65				BEARING, Drive Pinion
		1	3		62				Bearing and Cup, Front
									Bearing and Cup, Front
		1	3, 8		63, 64				Bearing and Cup, Front
		1	7		62, 65				Bearing and Cup, Front
		1	8		62				Bearing and Cup, Front
17									SLINGER, Drive Pinion, Order Yoke Assembly, (NOT SERVICED) (Not Serviced)
18									SEAL, Drive Pinion
	5073 944AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
19									YOKE, Axle
	5015 614AB	1	2		62, 65				
	5015 641AA	1	3		62				
		1	3, 8		63, 64				
	5015 614AB	1	7		62, 65				
	5015 641AA	1	8		62				
-20									O RING, Pinion Flange
	5015 619AA-	1	2		62, 65				Fits Over Hub of Flange

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		62				Fits Over Hub of Flange
		1	3, 8		63, 64				Fits Over Hub of Flange
		1	7		62, 65				Fits Over Hub of Flange
		1	8		62				Fits Over Hub of Flange
21									WASHER, Pinion Yoke
	4773 240	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
22		1	8		62				NUT, Pinion Yoke
	4773 239	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
23									CASE, Differential
	4746 977AB	1	2		62, 65				[DMD] Without [DSA] Includes Items 4,24
	4746 993AB	1	2		62, 65				[DMF] Without [DSA] Includes Items 4,24
	4746 977AB	1	3		62				[DMD] Without [DSA] Includes Items 4,24
	4746 993AB	1	3		62				[DMF] Without [DSA] Includes Items 4,24
	4746 977AB	1	3, 8		63, 64				[DMD] Without [DSA] Includes Items 4,24
	4746 993AB	1	3, 8		63, 64				[DMF] Without [DSA] Includes Items 4,24
	4746 977AB	1	7		62, 65				[DMD] Without [DSA] Includes Items 4,24
	4746 993AB	1	7		62, 65				[DMF] Without [DSA] Includes Items 4,24
	4746 977AB	1	8		62				[DMD] Without [DSA] Includes Items 4,24
	4746 993AB	1	8		62				[DMF] Without [DSA] Includes Items 4,24
24									GEAR KIT, Center Differential
	4746 980	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5018 556AA	1	7		62, 65				
		1	8		62				STUD
		4	2		62, 65				Axle Housing to Backing Plate, Mounting
		4	3		62				Axle Housing to Backing Plate, Mounting
		4	3, 8		63, 64				Axle Housing to Backing Plate, Mounting
		4	7		62, 65				Axle Housing to Backing Plate, Mounting
-26	5017 709AA-	4	8		62				Axle Housing to Backing Plate, Mounting
		8	2		62, 65				NUT
		8	3		62				Axle Housing to Backing Plate, Mounting
		8	3, 8		63, 64				Axle Housing to Backing Plate, Mounting
		8	7		62, 65				Axle Housing to Backing Plate, Mounting
		8	8		62				Axle Housing to Backing Plate, Mounting
27	4384 186								GASKET, Axle Shaft
		2	2		62, 65				Axle Shaft to Hub, Mounting
		2	3		62				Axle Shaft to Hub, Mounting
		2	3, 8		63, 64				Axle Shaft to Hub, Mounting
		2	7		62, 65				Axle Shaft to Hub, Mounting
		2	8		62				Axle Shaft to Hub, Mounting
28	5015 623AA								DISC AND PLATE KIT, Differential
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
29									SHAFT, Axle
		4746 995	2	2	62, 65				
		4746 967	2	3	62				
		4746 990	2	3, 8	63, 64				
		4746 995	2	7	62, 65				

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30	4746 967	2	8		62				GEAR KIT, Center Differential
	5015 622AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
31		1	7		62, 65				BOLT, Ring Gear Mounting
		1	8		62				
	4773 238	12	2		62, 65				
		12	3		62				
		12	3, 8		63, 64				
		12	7		62, 65				
		12	8		62				
32									GEAR KIT, Ring And Pinion [DMD] [DMF]
	4746 976	1	2		62, 65				
	4746 992	1	2		62, 65				
	4746 976	1	3		62				
	4746 992	1	3		62				
	4746 976	1	3, 8		63, 64				
	4746 992	1	3, 8		63, 64				
	4746 976	1	7		62, 65				
	4746 992	1	7		62, 65				
	4746 976	1	8		62				
33									BOLT, Differential
	5003 648AA	4	2		62, 65				
		4	3		62				
		1	3, 8		63, 64				
		4	7		62, 65				
34									SHAFT, Differential Without [DSA] Without [DSA]
	4856 290	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
35									ROLL PIN, Differential
	5015 590AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Axle,Rear,with Differential and Housing,Dana M80 [DRL],BR 2,3,7,8
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	4761 653	1	8		62				Without [DSA]
		1	2		62, 65				RING, Tone
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

Vent, Axle
Figure 003-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J535 2955	1							VENT, Axle
2	6032 633	1							CLIP, Vent Tube
3	HFV0 0516	1	3, 7, 8						HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
4	0153 455	1							CLAMP, Hose, .620
5	4137 696AB	1							BOLT, Axle Vent, Lower

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Group – 004

Parking Brake


GROUP 4 - Parking Brake


Illustration Title

Group-Fig. No.

Parking Brake Lever and Cables


Parking Brake Lever	Fig. 004-110
Parking Brake Cable	Fig. 004-120
Rear Disc Parking Brake Assembly	Fig. 004-130



<div>004-100</div> <div>Parking Brake Lever and Cables</div> <div></div>			
---	--	--	--


Parking Brake Lever
Figure 004-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 842AD	1							LEVER, Park Brake
2	6102 153AA	1							SCREW, Tapping, M8x20, Park Brake Lever, Mounting
3	5017 047AA	1							SWITCH, Parking Brake
4	3420 1711	2							NUT, Hex Flange, M8x1.25, Park Brake Lever To Dash, Mounting
5	52009 767AA	1							CABLE, Parking Brake
6	J400 4642	1							SCREW, Round Head, .164-18x.560, Park Brake Cable Clip, Mounting
7	0120 524	1							CLIP, Cable
8	5017 048AA	1							PAD, Parking Brake Pedal
9	J400 4642	3							SCREW, Round Head, .164-18x.560, Park Brake Cable Seal, Mounting
10	RU38 LAZAA	1							RELEASE, Parking Brake [AZ]
	RU38 RC8AA	1							[C3]
	RU38 VK9AA	1							[K9]
11	52009 907AC	1							ROD, Parking Brake Release



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Parking Brake Cable
Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CABLE, Parking Brake
	52009 989AB	1	3, 8		63, 64				Right
	52010 030AB	1			62, 65				Right
2									SCREW, Hex Flange Head, M8x1. 25x25.00, (NOT SERVICED) (Not Serviced)
3	0152 472	1							NUT, Hex Flange Lock, .312-18
4	6503 291	1							CLIP, Brake Cable, 23x45x.76
5	5200 9060	1							GUIDE, Parking Brake Cable
6									SCREW, Hex Flange Head, M8x1. 25x25.00, (NOT SERVICED) (Not Serviced)
7	5200 8943	1							GUIDE, Parking Brake Cable
8	6502 282	1							SCREW, Hex Head, M8x1.25x30
9									CABLE, Parking Brake
	52009 987AA	1	7		62, 65				Left
	52009 988AB	1	3, 8		63, 64				Left
	52010 031AA	1	2		62, 65				Left
	52013 005AA	1	3		62				Left
	52013 007AA	1	8		62				Left
10	52010 319AB	1	3, 8		62, 63, 64				TENSIONER, Parking Brake Cable
11									CABLE, Parking Brake Intermediate
	52009 986AA	1	3, 8		64				Intermediate
	52010 323AA	1			62, 65				Intermediate
12	52009 767AA	1							CABLE, Parking Brake, Front

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Rear Disc Parking Brake Assembly
Figure 004-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 919AA	2	2		62, 65				ADAPTER, Parking Brake
		2	3		62				Complete Assembly
		2	3, 8		63, 64				Complete Assembly
		2	7		62, 65				Complete Assembly
		2	8		62				Complete Assembly
2	5018 553AA	1	2		62, 65				SPRING, Park Brake Shoe Return
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
3	5018 550AA	1	2		62, 65				SHOE AND LINING KIT, Parking
		1	3		62				Brake
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
4	4238 733	2	2		62, 65				PIN, Brake Shoe Hold Down
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
5	4383 543	2	2		62, 65				CLIP, Brake Shoe Hold Down
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
6	5018 551AA	1	2		62, 65				ADJUSTER, Parking Brake
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
7	5018 554AA	1	2		62, 65				SPRING, Park Brake Shoe Return
		1	3		62				
		1	3, 8		63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Rear Disc Parking Brake Assembly
Figure 004-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		62, 65				
8	5018 557AA	1	8		62				PLUG, Brake Adjusting Hole
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
9	5018 552AA	1	7		62, 65				LEVER, Park Brake
		1	8		62				
		1	2		62, 65				
		1	3		62				
10	5018 555AA	1	3, 8		63, 64				BOOT, Parking Brake Lever
		1	7		62, 65				
		1	8		62				
		1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				

Group – 005
Service Brakes

GROUP 5 - Service Brakes

Illustration Title
 Group-Fig. No.

Front Brakes

Brakes,Front,BR 2,3,7,8
 Fig. 005-110

Rear Brakes

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
 Fig. 005-210

Power Brake Booster

Booster--Power Brake and Hydro
 Fig. 005-310

Brake Master Cylinder

Master Cylinder--Brake,All Bodies
 Fig. 005-410

Hydraulic Control Unit,Brake
 Fig. 005-420

Brake Lines and Hoses

Lines And Hoses,Brake,Front and Chassis
 Fig. 005-510


Lines and Hoses,Brake,Rear,with Rear Disc Brakes
 Fig. 005-520








Brake Pedals

Pedal.Brake
 Fig. 005-610


Vacuum Pump

Vacuum Pump, Brake,All Diesel
 Fig. 005-710



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 	005-700 Vacuum Pump 	

Brakes,Front,BR 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 830AA	4	2, 3		62, 65				BOLT
	5015 130AA	4	3		63, 64				Adapter to Knuckle, Mounting
		4	7		62, 65				Adapter to Knuckle, Mounting
		4	8		62, 63, 64				Adapter to Knuckle, Mounting
2	5015 318AA	1	2, 3		62, 65				ADAPTER, Disc Brake Caliper
	5015 319AA	1	2, 3		62, 65				Right
	5015 318AA	1	3		63, 64				Left
	5015 319AA	1	3		63, 64				Right
	5015 318AA	1	7		62, 65				Left
	5015 319AA	1	7		62, 65				Right
	5015 318AA	1	8		62, 63, 64				Left
	5015 319AA	1	8		62, 63, 64				Right
3	3780 788	1	2, 3		62, 65				SCREW, Bleeder
		1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
4	4238 717	1	2, 3		62, 65				CAP, Bleeder
		1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
5	5015 252AA	1	2, 3		62, 65				CALIPER, Disc Brake
	5015 253AA	1	2, 3		62, 65				Right
	5015 252AA	1	3		63, 64				Left
	5015 253AA	1	3		63, 64				Right
	5015 252AA	1	7		62, 65				Left
	5015 253AA	1	7		62, 65				Right
	5015 252AA	1	8		62, 63, 64				Left
	5015 253AA	1	8		62, 63, 64				Right
6									PIN, Caliper


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg. Cab (134 WB)	ETC, ETH, ET0 = 5.9L 6 Cyl. EML, EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 898AA	2	2, 3		62, 65				
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
7	5003 896AA	2	2, 3		62, 65				BUSHING, Disc Brake Caliper
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
8	5003 897AA	2	2, 3		62, 65				SLEEVE, Disc Brake Caliper
		1	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
9	5066 246AA	1	2, 3		62, 65				RETAINER Leading
		1	3		63, 64				Leading
		1	7		62, 65				Leading
		1	8		62, 63, 64				Leading
10	5015 254AC	1	2, 3		62, 65				PAD KIT, Front Disc Brake Contains 4 Pads
		1	3		63, 64				Contains 4 Pads
		1	7		62, 65				Contains 4 Pads
		1	8		62, 63, 64				Contains 4 Pads
11	5066 245AA	1	2, 3		62, 65				RETAINER Trailing
		1	3		63, 64				Trailing
		1	7		62, 65				Trailing
		1	8		62, 63, 64				Trailing
12	5003 911AA	2	2, 3		62, 65				BOOT, Brake Piston
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
13									SEAL, Caliper Piston

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Brakes,Front,BR 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 910AA	2	2, 3		62, 65				
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
14	5003 912AA	2	2, 3		62, 65				PISTON, Brake
		2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
15	6502 905	2	2, 3		62, 65				SCREW, Hex Flange Head, M8x1. 25x23, ABS, Mounting
16	56028 216AD	2	2, 3		62, 65				SENSOR, Anti-Lock Brake
17	5015 882AA	1	3		63, 64				SENSOR KIT, Anti-Lock Brakes Contains: Wire, Screw and Instruction Sheet
		1	7		62, 65				Contains: Wire, Screw and Instruction Sheet
		1	8		62, 63, 64				Contains: Wire, Screw and Instruction Sheet
-18									BRACKET, Brake Sensor
	5015 126AA-	1	3		63, 64				Right
	5015 127AA-	1	3		63, 64				Left
	5015 126AA-	1	7		62, 65				Right
	5015 127AA-	1	7		62, 65				Left
	5015 126AA-	1	8		62, 63, 64				Right
	5015 127AA-	1	8		62, 63, 64				Left
19									SHIELD, Brake
	52009 676AB	1	2, 3		62, 65				Right
	52009 677AB	1	2, 3		62, 65				Left
	5015 128AA	1	3		63, 64				Right
	5015 129AA	1	3		63, 64				Left
	5015 128AA	1	7		62, 65				Right
	5015 129AA	1	7		62, 65				Left
	5015 128AA	1	8		62, 63, 64				Right
	5015 129AA	1	8		62, 63, 64				Left

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Brakes,Front,BR 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	6502 905	6	2, 3		62, 65				SCREW, Hex Flange Head, M8x1. 25x23, Splash Shield, Mounting
21	5015 228AA	1	2		62, 65				HUB AND BEARING, Brake
		1	3		62				
	5015 282AA	1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
22	5015 229AA	16	3		62				STUD, Hub Hub to Wheelhouse Extension, Mounting
		16	3		63, 64				Hub to Wheelhouse Extension, Mounting
		16	8		62, 63, 64				Hub to Wheelhouse Extension, Mounting
23	5015 230AA	2	2		62, 65				ROTOR, Brake
		2	3		62				
		1	3		63, 64				
		1	7		62, 65				
		1	8		62, 63, 64				
24	5015 234AA	1	3		62				EXTENSION, Wheel House
		1	3		63, 64				
		1	8		62, 63, 64				
25	5015 229AA	8	2		62, 65				STUD, Hub
		16	3		62				Wheel, Mounting
		16	3		63, 64				Wheel, Mounting
		8	7		62, 65				Wheel, Mounting
		16	8		62, 63, 64				Wheel, Mounting
26	4746 811	2	3		63, 64				WASHER, Flat
		2	7		62, 65				
		2	8		62, 63, 64				
27									NUT, Axle Hub

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions					

Brakes,Front,BR 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6505 007AA	2	2, 3		62, 65				
	4746 773	2	3		63, 64				
		2	7		62, 65				
		2	8		62, 63, 64				
28									NUT
	4746 899	8	3		62				Wheel House Extension to Hub Stud, Mounting
		8	3		63, 64				Wheel House Extension to Hub Stud, Mounting
		8	8		62, 63, 64				Wheel House Extension to Hub Stud, Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CALIPER, Disc Brake
	5018 586AA	1	2		62, 65				Right
	5018 587AA	1	2		62, 65				Left
	5018 570AA	1	3		62				Right
	5018 571AA	1	3		62				Left
	5018 570AA	1	3, 8		63, 64				Right
	5018 571AA	1	3, 8		63, 64				Left
	5018 586AA	1	7		62, 65				Right
	5018 587AA	1	7		62, 65				Left
	5018 570AA	1	8		62				Right
	5018 571AA	1	8		62				Left
2									BLEEDER SCREW, Brake
	5015 248AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
3									CAP, Bleeder
	4238 717	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
4									PIN, Caliper
	4423 639	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		1	7		62, 65				
		2	8		62				
5									PISTON, Brake
	5018 589AA	2	2		62, 65				
	5018 572AA	2	3		62				
		1	3, 8		63, 64				
	5018 589AA	2	7		62, 65				
	5018 572AA	2	8		62				
6									BUSHING, Disc Brake Caliper
	5003 896AA	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
7									SEAL, Caliper Piston

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5018 588AA	2	2		62, 65				
	5018 574AA	2	3		62				
		1	3, 8		63, 64				
	5018 588AA	2	7		62, 65				
	5018 574AA	2	8		62				
8									SLEEVE, Disc Brake Caliper
	5018 575AA	2	2		62, 65				
	5018 238AA	2	3		62				
		1	3, 8		63, 64				
	5018 575AA	2	7		62, 65				
	5018 238AA	2	8		62				
9									BOOT, Brake Piston
	5018 590AA	2	2		62, 65				
	5018 573AA	1	3		62				
		1	3, 8		63, 64				
	5018 590AA	2	7		62, 65				
	5018 573AA	2	8		62				
10									CLIP, Brake Anti-Rattle
	5018 579AA	1	2		62, 65				Leading
		1	3		62				Leading
		1	3, 8		63, 64				Leading
		1	7		62, 65				Leading
		1	8		62				Leading
11									PAD KIT, Rear Disc Brake
	5018 563AA	2	2		62, 65				
		1	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		1	8		62				
12									CLIP, Brake Anti-Rattle
	5018 578AA	1	2		62, 65				Trailing
		1	3		62				Trailing
		1	3, 8		63, 64				Trailing
		1	7		62, 65				Trailing
		1	8		62				Trailing
13									ADAPTER, Disc Brake Caliper
	5018 580AA	1	2		62, 65				
		1	3		62				
		1	3, 8		63, 64				
		1	7		62, 65				
		1	8		62				
14									BOLT

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0 = 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6504 691	4	2		62, 65				Adapter to Backing Plate, Mounting
		4	3		62				Adapter to Backing Plate, Mounting
		4	3, 8		63, 64				Adapter to Backing Plate, Mounting
		4	7		62, 65				Adapter to Backing Plate, Mounting
		4	8		62				Adapter to Backing Plate, Mounting
15	5017 651AA	8	3		62				BOLT, Hub and Rotor
		8	3, 8		63, 64				Bolts Hub to Rotor
		8	8		62				Bolts Hub to Rotor
16	52009 932AA	2	2		62, 65				ROTOR, Brake
		1	3		62				
		1	3, 8		63, 64				
		2	7		62, 65				
		1	8		62				
17	3496 557	2	2		62, 65				SEAL, Wheel Bearing
	2954 738	2	3		62				
		2	3, 8		63, 64				
	3496 557	2	7		62, 65				
	2954 738	2	8		62				
18	0927 017	2	2		62, 65				BEARING, Wheel
	2959 942	2	3		62				Inner
		2	3, 8		63, 64				Inner
	0927 017	2	7		62, 65				Inner
	2959 942	2	8		62				Inner
19	4746 918	1	2		62, 65				CUP, Wheel Bearing
	4746 919	1	3		62				Inner
		1	3, 8		63, 64				Inner
	4746 918	1	7		62, 65				Inner
	4746 919	1	8		62				Inner
20	52009 735AA	2	2		62, 65				HUB, Wheel
	5017 657AA	1	3		62				
		1	3, 8		63, 64				
	52009 735AA	2	7		62, 65				
	5017 657AA	1	8		62				
21	4746 915	8	2		62, 65				STUD, Hub

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Disc,Bearings and Hub,Rear Brake,BR 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 916	8	3		62				
		8	3, 8		63, 64				
	4746 915	8	7		62, 65				
	4746 916	8	8		62				
22									CUP, Wheel Bearing
	2955 374	1	2		62, 65				Outer
		1	3		62				Outer
		1	3, 8		63, 64				
		1	7		62, 65				Outer
		1	8		62				Outer
23									BEARING, Wheel
	2852 729	2	2		62, 65				Outer
		2	3		62				Outer
		2	3, 8		63, 64				Outer
		2	7		62, 65				Outer
		2	8		62				Outer
24									LOCK, Wheel Bearing Adj Nut
	4797 126	2	2		62, 65				
		2	3		62				
		1	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
25									NUT, Bearing Adjusting
	5206 9306	2	2		62, 65				
		2	3		62				
		2	3, 8		63, 64				
		2	7		62, 65				
		2	8		62				
26									GASKET, Axle Shaft
	4384 186	2	2		62, 65				Axle Shaft to Hub, Mounting
		2	3		62				Axle Shaft to Hub, Mounting
		2	3, 8		63, 64				Axle Shaft to Hub, Mounting
		2	7		62, 65				Axle Shaft to Hub, Mounting
		2	8		62				Axle Shaft to Hub, Mounting
27									BOLT
	5003 466AA	16	2		62, 65				Axle Shaft to Hub, Mounting
		16	3		62				Axle Shaft to Hub, Mounting
		1	3, 8		63, 64				Axle Shaft to Hub, Mounting
		16	7		62, 65				Axle Shaft to Hub, Mounting
		16	8		62				Axle Shaft to Hub, Mounting

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Booster--Power Brake and Hydro
 Figure 005-310





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes; [EM0]=Engines - All 5.9L 8 Cylinder Gas [ET0]=Engines - All 5.9L Turbo Diesels [EW0]=Engines - All 8.0L Gas									
1	4883 813AA	1	2, 7		62, 65				GROMMET, Brake Booster Check Valve, [EM0,EW0], Mounting
2	52008 111AE	1	2, 7		62, 65				HOSE, Brake Booster [EM0]
	52008 212AD	1	2, 7		62, 65				[EW0]
-3	2448 761	1							CLAMP, Hose, [EW0]
-4	6016 020	1							STRAP, Tie, Booster Hose to Breather Hose
5	4723 391	1	2, 7		62, 65				VALVE, Brake Booster Check, [EM0, EW0]
6	5017 033AA	1	2, 7		62, 65				BOOSTER, Power Brake, [EM0, EW0]
-7	6503 269	4							NUT, Hex, M10-1.5, Booster to Dash, Mounting
8	52009 651AA	2	2, 7		62, 65				CLIP, Brake Tube [ET0] Hydroboost Tube Support
		2	3, 8		62, 63, 64				Hydroboost Tube Support
9	52009 645AB	1	2, 7		62, 65				TUBE, Brake [ET0] Hydroboost Pump Port
		1	3, 8		62, 63, 64				Hydroboost Pump Port
10	52009 651AA	2	2, 7		62, 65				CLIP, Brake Tube [ET0] Hydroboost Tube Support
		2	3, 8		62, 63, 64				Hydroboost Tube Support
11	52009 650AC	1	2, 7		62, 65				TUBE, Brake [ET0] Hydroboost Gear Port
		1	3, 8		62, 63, 64				Hydroboost Gear Port
12	52009 652AA	1	2, 7		62, 65				BRACKET, Brake Booster
		1	3, 8		62, 63, 64				
13	5134 380AA	1	2, 7		62, 65				SPACER, Brake Booster

DODGE RAM STANDARD CAB (BR) SERIES L = RAM 2500, 3500					BODY 62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ENGINE ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	TRANSMISSION DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions
--	--	--	--	--	---	---	---

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Booster--Power Brake and Hydro Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5018 222AA	1	3, 8		62, 63,				HYDRO-BOOSTER, Power Brake [ET0]
					64				
		1	2, 7		62, 65				
		1	3, 8		62, 63,				
					64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Master Cylinder--Brake,All Bodies
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MASTER CYLINDER, Brake
	5017 034AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
2									CAP, Master Cylinder Reservoir
	4683 656	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
3									RESERVOIR, Brake Master Cylinder
	5017 577AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
4	5017 035AA	1	2, 7		62, 65				SEAL, Master Cylinder To Booster, Master Cylinder To Booster, Mounting
5									NUT
	4897 209AA	2	2, 7		62, 65				Booster To Dash, Mounting
		1	3, 8		62, 63, 64				Booster To Dash, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hydraulic Control Unit,Brake
Figure 005-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Anti-lock Brakes
	5017 757AB	1	2, 7		62, 65				
	5017 758AB	1	3, 8		62, 63, 64				
-2									TUBE, Brake
	5003 307AA-	1	2, 7		62, 65				Module Jumper, Front
	5003 308AA-	1	2, 7		62, 65				Module Jumper, Rear
	5003 307AA-	1	3, 8		62, 63, 64				Module Jumper, Front
	5003 308AA-	1	3, 8		62, 63, 64				Module Jumper, Rear
3	3420 1711	2							NUT, Hex Flange, M8x1.25, Hydraulic Control Unit to Stud Plate, Mounting
4	6100 841	2							PUSH NUT, M8, Hydraulic Control Unit to Stud Plate, Mounting
5	52008 038AB	1							STUD PLATE, Hydraulic Control Unit
6									VALVE, Proportioning
	5015 425AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
7									BRACKET, Anti-Lock Brake Module
	5003 305AA	1	2, 7		62, 65				Mounting
		1	3, 8		62, 63, 64				Mounting
8									SCREW AND WASHER, Hex Head, M8x1.25x33, (NOT SERVICED) (Not Serviced)
9									HYDRAULIC CONTROL UNIT, Anti- Lock Brake System
	5096 265AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EW0]=Engines - All 8.0L Gas									
1									HOSE, Brake
	52009 845AB	1	2, 3		62, 65				Right
	52009 683AB	1	2, 3		62, 65				Left
	52009 945AC	1	3, 7, 8						Right
	52009 689AC	1	3, 7, 8						Left
-2									BOLT, Banjo
	6035 832	1	2, 3		62, 65				Brake Hose to Caliper, Mounting
		1	3, 7, 8						Brake Hose to Caliper, Mounting
-3									GASKET, Brake Hose To Caliper
	J323 7672	2	2, 3		62, 65				Mounting
		2	3, 7, 8						Mounting
4									SCREW, Hex Head
	3420 1888	5	2, 3		62, 65				D Clip to Frame and
		4	3		63, 64				Crossmember, Mounting
		4	7, 8						D Clip to Frame and
									Crossmember, Mounting
5									CLIP, Brake Line
	5200 9165	5	2, 3		62, 65				To Frame and Crossmember,
		4	3		63, 64				Mounting
		4	7, 8						To Frame and Crossmember,
									Mounting
6									TUBE, Brake
	5200 9176	1	2, 3		62, 65				Junction Block to Right Brake Hose
	5200 9177	1	3, 7, 8						Junction Block to Right Brake Hose
7									CLIP, Brake Line
	5200 8940	2	2, 7		62, 65				2 Way, Mounting
		2	3, 8		62, 63, 64				2 Way, Mounting
		2							2 Way, Mounting
8									TUBE, Brake
	52009 917AD	1	2, 7		62, 65				[EM0,EW0]-Master Cylinder to
									Combination Valve, Primary
	52010 333AA	1	2, 7		62, 65				[EM0,EW0]-Master Cylinder to
									Combination Valve, Secondary

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines And Hoses,Brake,Front and Chassis
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52009 763AC	1	3, 8		62, 63,				[EM0,EW0]-Master Cylinder to
					64				Combination Valve, Primary
	52010 335AA	1	3, 8		62, 63,				[EM0,EW0]-Master Cylinder to
					64				Combination Valve, Secondary
	52009 763AC	1							[ET0]-Master Cylinder to
									Combination Valve, Primary
	52010 335AA	1							[ET0]-Master Cylinder to
									Combination Valve, Secondary
9	3420 1888	1							SCREW, Hex Head, Junction Block
									to Frame, Mounting
10	52009 399AB	1							TUBE, Brake
	52009 390AB	1							HCU to Junction Block, Right
									HCU to Junction Block, Left
11	52009 706AB	1							TUBE, Brake, HCU to Junction
									Block, Rear
-12	5200 9163	1							CLIP, Brake Line, 2 Way, Mounting
-13	5200 9437	2							CLIP, 3 Way, Mounting
14									TUBE, Brake
	52009 915AB	1	3, 8		64				Junction Block to Rear Brake Hose
	52009 912AB	1	3, 8		63				Junction Block to Rear Brake Hose
	52009 911AB	1			62, 65				Junction Block to Rear Brake Hose
15	6101 452	2	3		63, 64				SCREW AND WASHER, Hex Head,
									M8x1.25x20, Front Brake Hose to
									Axle, Mounting
16	5200 7914	2							CLIP, Brake Line, Tube to Rear of
									Frame, Mounting
17									CLIP, Fuel Line
	52102 373AC	3	3, 8		63, 64				[ET0], Mounting
	52102 371AB	3	3, 8		63, 64				[EM0,EW0], Mounting
		2			62, 65				[EM0,EW0], Mounting
	52102 373AC	2			62, 65				[ET0], Mounting
	52102 469AB	1							[ET0], Mounting
18	5200 8053	1							CLIP, Brake Line, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lines and Hoses,Brake,Rear,with Rear Disc Brakes Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 174AA	1							HOSE, Brake, Rear
2	4137 696AB	1							BOLT, Axle Vent
3	0152 472	2							NUT, Hex Flange Lock, .312-18
4									TUBE, Brake
	52009 990AA	1	2, 7		62, 65				with Hose, Right
	52009 992AA	1	3, 8		63, 64				with Hose, Right
	52009 994AA	1			62, 65				with Hose, Right
-5									GASKET, Brake Hose To Caliper
	6035 886	2	2, 7		62, 65				Mounting
		2	3, 8		63, 64				Mounting
		2			62, 65				Mounting
6									BOLT, Banjo
	6035 832	1	2, 7		62, 65				Brake Tube/Hose to Caliper,
		1	3, 8		63, 64				Mounting
		1			62, 65				Mounting
7	6502 885	1							SCREW AND WASHER, Hex Head,
									M6x1x18.5, Tube to Axle Spring
									Seat, Mounting
8									TUBE, Brake
	52009 991AA	1	2, 7		62, 65				with Hose, Left
	52009 993AA	1	3, 8		63, 64				with Hose, Left
	52009 995AA	1			62, 65				with Hose, Left


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal.Brake
Figure 005-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 712	2							NUT, U, M6x1
2	56045 044AD	1							BRACKET, Brake Lamp Switch
3	6101 718	2							SCREW AND WASHER, Oval Head, M6x1x25, Brake Switch Bracket, Mounting
4	4103 262	2							RETAINER, Shaft, Pivot
5	5207 7902	1							SHAFT, Pedal
6	55351 014AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
7									SCREW AND WASHER, Hex Head, M10x1.5x30, Brake Pedal Bracket to Support Mounting, (NOT SERVICED) (Not Serviced)
8	4294 639	4							BUSHING, Clutch and Brake Pedal
9	5200 9582	1							WASHER, Brake Pedal Spring
10									PEDAL AND PAD, Brake
	52009 570AC	1							[DBB]
	52009 423AB	1							[DG0]
11									PAD, Pedal
	5200 9562	1							[DBB]
	5207 9345	1							[DG0]
12	56045 043AG	1							SWITCH, Stop Lamp
-13	4294 036	1							CLIP, Master Cylinder Push Rod to Brake Pedal Pin, Mounting
14	0120 395	1							WASHER, Flat, Master Cylinder Push Rod to Brake Pedal Pin, Mounting


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vacuum Pump, Brake,All Diesel
Figure 005-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4883 960AA	1							PUMP, Power Steering
2	5018 358AA	1							CAP, Power Steering Pump
3	5003 637AA	1							NIPPLE, Pump
4	5015 841AA	1							HOSE, Vacuum Pump
5	5011 799AA	1							BRACKET, Vacuum Pump
6	4429 862	1							NUT, Hex Flange, M10x1.5
7	4429 862	4							NUT, Hex Flange, M10x1.5
8	4429 637	1							SCREW, Hex Head, m12X1.75X.35
9	5011 617AA	1							CHECK VALVE, Vacuum Pump
10	4638 531	1							GASKET, Hydraulic Pump
11	5011 797AA	1							GEAR, Accessory Drive
12	5019 734AA	1							PUMP, Vacuum
13	5011 421AA	1							SCREW
14	4728 162	1							HUB, Hydraulic Brake Pump
15	4761 972	4							STUD

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005





Group – 006

Clutch


GROUP 6 - Clutch

Illustration Title	Group-Fig. No.
Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing & Pan, Clutch	Fig. 006-210
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-310
Clutch Pedals	
Pedal, Clutch	Fig. 006-410



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

[DBB]=All Manual Transmissions

[DDC]=5 Speed Heavy Duty Manual Transmission

[DDX]=5 Speed Heavy Duty Manual Transmission

[DEE]=6 Speed Heavy Duty Manual Transmission

[ETC]=5.9L Turbo Diesel 24V Cummins Engine

[ETH]=5.9L Cummins Turbo Diesel Engine

[EH0]=All 3.9L V-6 Engines

[EL0]=All 5.2L V-8 Engines

[EM0]=All 5.9L V-8 Engines

[EW0]=All 8.0L V-10 Engines

1									DISC, Clutch
	5210 7587	1				EM0	DBB		
	52107 611AD	1				ETC	DDX		
		1				EW0	DDX		
	52107 775AA	1				ETH	DEE		
2	6035 626	6				EM0	DBB		BOLT, Hex Head, .375-16x.84
3									BOLT, Hex Flange Head
	6036 096AA	8				ET0	DBB		
		8				EW0	DDX		
4	4762 857	1				EM0	DBB		CLUTCH KIT, Manual Transmission
5									CLUTCH PACKAGE
	4897 532AC	1				ETC	DDX		
		1				EW0	DDX		
	5014 767AA	1				ETH	DEE		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Housing & Pan, Clutch
Figure 006-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DBB]=All Manual Transmissions									
[DDC]=5 Speed Heavy Duty Manual Transmission									
[DDX]=5 Speed Heavy Duty Manual Transmission									
[DEE]=6 Speed Heavy Duty Manual Transmission									
[ETC]=5.9L Turbo Diesel 24V Cummins Engine									
[ETH]=5.9L Cummins Turbo Diesel Engine									
[EH0]=All 3.9L V-6 Engines									
[EL0]=All 5.2L V-8 Engines									
[EM0]=All 5.9L V-8 Engines									
[EW0]=All 8.0L V-10 Engines									
1	5211 7772	1				EM0	DDP		STRUT, Transmission to Block
2	6035 212	6				EM0, EW0			SCREW, Hex Flange Head, .375-16x1.125
3	6036 385AA	2				EW0	DDX		SCREW AND WASHER, Hex Head, .437-14x2.00
4	6023 092	1				EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
5	6101 985	2				EM0	DDP		SCREW AND WASHER, M10x1.50x45.00
6	5211 7614	1				EW0	DDX		COVER, Transmission Case
7	52107 753AC	1				EM0	DBB		COVER, Transmission Case
8	6023 092	1				EM0, EW0	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
9	6022 266	5				EM0	DBB		SCREW, Hex Head, .375-16x1.5
		4				EW0	DBB		
10	0152 474	4							NUT, Hex Flange Lock, .375-16
11	5003 582AA	1	2, 3			ETH	DEE		HOUSING, Clutch
		1	7, 8			ETH	DEE		
	52107 540AB	1				EM0	DDP		
	5300 6513	1				ETC, EW0	DDX		
12	5211 7709	1				EM0			GROMMET, Timing Probe
13	0152 474	4							NUT, Hex Flange Lock, .375-16
14	6024 055	4					DDP, DDX		SCREW AND WASHER

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Controls, Hydraulic Clutch
Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

[DBB]=All Manual Transmissions

[DDC]=5 Speed Heavy Duty Manual Transmission

[DDX]=5 Speed Heavy Duty Manual Transmission

[DEE]=6 Speed Heavy Duty Manual Transmission

[ETC]=5.9L Turbo Diesel 24V Cummins Engine

[ETH]=5.9L Cummins Turbo Diesel Engine

[EH0]=All 3.9L V-6 Engines

[EL0]=All 5.2L V-8 Engines

[EM0]=All 5.9L V-8 Engines


[EW0]=All 8.0L V-10 Engines

1	HYDRAULIC CONTROL PACKAGE, clutch master and slave cylinder								
	5015 258AA	1				EM0, ET0	DBB		
		1	2, 3			EW0	DBB		
	5019 820AA	1	7, 8			EW0	DBB		
2	5210 7555	1				EM0	DBB		FORK, Clutch Release
3	5208 7515	1				ET0, EW0	DBB		LEVER, Clutch Release
4									BEARING, Clutch Release
	5208 7514	1				ET0, EW0	DDX, DEE		
	5300 8342	1				EM0	DBB		
5									PIVOT, Clutch Release
	5208 7542	1				EM0	DDP		
		1				ETC, EW0	DDX		
		1	2, 3			ETH	DEE		
6	4338 855	1					DBB		SPRING, Clutch Release
7	6032 988	2					DBB		SCREW
8	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18
9	6032 878	2					DBB		STUD, .312-18x2.00
10	6026 125	1							CLIP, Retainer
11									SWITCH, Clutch Starter Interlock
	53007 944AB	1				EM0, ET0	DBB		
		1	2, 3			EW0	DBB		
12									CAP, Clutch Reservoir

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Controls, Hydraulic Clutch
Figure 006-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4720 156	1				EM0, ET0 EW0	DBB		
13		1	2, 3						DIAPHRAGM, Clutch Reservoir
	4720 157	1				EM0, ET0 EW0	DBB		
14	6503 269	4	2, 3						NUT, Hex, M10-1.5

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pedal, Clutch
Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:


Sales Codes:

[DBB]= All Manual Transmissions

1	5200 9562	1					DBB		PAD, Pedal
2	52009 557AB	1					DBB		PEDAL, Clutch
3	4294 639	4							BUSHING, Clutch and Brake Pedal
4	0120 395	1							WASHER, Flat, Flat 7/16x.937
5	4294 036	1							CLIP, M/Cylinder Push Rod Pin Clutch Pedal
6	6507 188AA	2							STUD, M6x1.00mmx48.80mm
7	5207 7902	1							SHAFT, Pedal
8	4103 262	2							RETAINER, Shaft, Pivot Shaft








DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Group – 007
Cooling




GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator and Related Parts Gas Engines	Fig. 007-125
Radiator And Related Parts Diesel Engine	Fig. 007-130
Water Pump and Related Parts	
Water Pump 5.9L Gas Engine	Fig. 007-210
Water Pump Diesel Engine	Fig. 007-225
Water Pump 8.0 Engine	Fig. 007-230
Tank, Coolant Engine	
Coolant Tank	Fig. 007-320
Pulleys and Related Parts	
Drive Pulleys 5.9Land 8.0L Engine	Fig. 007-410
Drive Pulleys Diesel Engine	Fig. 007-440
Drive Belts	
Drive Belts 5.9L Gas Engine	Fig. 007-520
Drive Belts Diesel Engine	Fig. 007-530
Drive Belts 8.0 Engine	Fig. 007-550
Lines, Transmission Oil Cooler	
Oil Cooler and Lines Gas Engine	Fig. 007-615
Oil Cooler and Lines Diesel Engine	Fig. 007-620
Auxiliary Oil Cooler 5.9 And 8.0L Engine	Fig. 007-650
Auxiliary Oil Cooler Diesel Engine	Fig. 007-660
Grilles	
Grille And Related Parts	Fig. 007-720

007-100 Radiator and Related Parts 	007-200 Water Pump and Related Parts 	007-300 Tank, Coolant Engine 	007-400 Pulleys and Related Parts 
007-500 Drive Belts 	007-600 Lines, Transmission Oil Cooler 	007-700 Grilles 	

Radiator and Related Parts Gas Engines
Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions
DG0 = All Automatic Transmissions
EML,EMM,EM0 = 5.9L Gas Engine
EWA,EW0 = 8.0L Gas Engine
ELF,EL0 = 5.2L Gas Engine
EHB,EH0 = 3.9L Gas Engine

1	5503 6415	1				EW0			HOSE AND TUBE, Thermostat CLAMP, Heater Hose
2	6502 017	4				EM0			
		6				EW0			
3	55035 944AB	1				EM0			NIPPLE, Heater Inlet
		1				EW0			
4	6034 506	6				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
5	53006 047AB	1				EW0			HOUSING, Thermostat
6	53005 868AB	1				EW0			GASKET, Thermostat
7	5304 1078	1				EW0			THERMOSTAT, 195 Degrees
8	5301 0047	1				EW0			SEAL, Thermostat
9	6034 549	4				EM0			SCREW, Hex Head, .312-18x.94
		1				EW0			
10	5302 0115	1				EM0			HOUSING, Thermostat
11	5202 8185	1				EM0			THERMOSTAT, 195 Degrees
	5304 1078	1				EW0			
12	53021 051AB	1				EM0			GASKET, Thermostat
13	52006 491AC	1				EM0	DBB		RADIATOR, Engine Cooling
	52029 189AB	1				EM0	DG0		
	52029 176AB	1				EW0	DG0		
	52029 177AB	1				EW0	DBB		
-14	5202 8466	1				EM0	DG0		DRAINCOCK, Radiator
		1				EM0	DBB		
	52028 466AB-	1				EW0	DBB		
		1				EW0	DG0		
15	4596 198	1				EM0	DG0		CAP, Radiator
		1				EM0	DBB		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator and Related Parts Gas Engines
Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52028 892AA	1				EW0	DBB		
		1				EW0	DG0		
16	52028 643AB	1				EM0			HOSE, Radiator Upper
	52028 641AB	1				EW0			Upper
17	52006 484AB	1				EW0			HOSE, Radiator Lower
	52029 002AD	1				EML, EMM			Lower
18									CLAMP, Radiator
	6032 277	1				EM0			
	5200 6750	1				EW0			
19									CLAMP, Radiator
	6032 277	1				EM0			
	5200 6750	1				EW0			
20									BOLT, (NOT SERVICED) (Not Serviced)
21	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25, Mounting
22									SHROUD, Fan
	52028 002AC	1				EM0			
	5200 6486	1				EW0			
23									FAN, Cooling
	5202 7999	1				EM0			
	5202 7709	1				EW0			
24	6022 225	4							SCREW AND WASHER, Hex Head, .312-18x.75
25									DRIVE, Fan [NMC]
	52029 400AA	1				EM0			
	5202 7885	1				EW0			
	52027 883AB	1				EM0			
26									ISOLATOR, Radiator
	4401 950	2				EM0	DG0		
		2				EM0	DBB		
	5202 7828	2				EW0	DBB		
		2				EW0	DG0		
27									ISOLATOR, Radiator
	4401 950	2				EM0	DG0		
		2				EM0	DBB		
	5202 7828	2				EW0	DBB		
		2				EW0	DG0		
28									SEAL, Radiator


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator and Related Parts Gas Engines
Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5202 7560	1				EM0			Right
	5202 7561	1				EM0			Left
29	6030 441	2							PIN, Retainer


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Diesel Engine

Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
DBB = All Manual Transmissions									
DGO = All Automatic Transmissions									
ETC,ET0 = 5.9L Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
1	4546 145	1				ET0			CLIP, Radiator Fan Shroud
2	4546 145	1				ET0			CLIP, Radiator Fan Shroud
3	52030 191AB	1				ET0			RADIATOR, Engine Cooling
4	6032 277	1				ET0			CLAMP, Radiator, Radiator Hose,
									Inlet
5	5202 8715	1				ET0			HOSE, Radiator, Inlet,Upper
6	5202 8003	1				ET0			SHROUD, Fan, Radiator Fan
7	52006 482AB	1				ET0			HOSE, Radiator, Outlet,Lower
8	6032 277	1				ET0			CLAMP, Radiator
9									ISOLATOR, Radiator
	5202 7827	1				ET0			Upper
	5202 7828	2				ET0			Lower
10	52028 892AA	2				ET0			CAP, Radiator
11	52028 893AA	1				ET0			FAN, Cooling
12	52028 894AA	1				ET0			DRIVE, Fan
13	6022 225	4							SCREW AND WASHER, Hex Head,
									.312-18x.75
14									SCREW, Water Inlet, M10x1.5x25
	4429 460	3				ETC			
		3				ETH	DBB		
15									CONNECTOR, Water Inlet
	4638 933	1				ETC			
		1				ETH	DBB		
16									PIN, Roll
	4429 484	2				ETC			
		2				ETH	DBB		
17									PLUG, Pipe
	5011 903AA	1				ETC			
		1				ETH	DBB		
18									SCREW, Hex Flange Head
	4761 269	6				ETC			
		6				ETH	DBB		
19									HOUSING, Thermostat
	5015 713AA	1				ETC			
		1				ETH	DBB		
20									THERMOSTAT


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radiator And Related Parts Diesel Engine Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 708AB	1				ETC			
21		1				ETH	DBB		SEAL, Water Outlet
	4429 697	1				ETC			
		1				ETH	DBB		
22									BOLT, Hex Head, M12x1.75x25
	4429 495	3				ETC			
		3				ETH	DBB		
-23	52028 466AB-	1				ET0			DRAINCOCK, Radiator

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump 5.9L Gas Engine Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[EM0] = All 5.9L 8 Cylinder Gas Engines

1	53021 018AD	1	EM0	PUMP, Water, with Pulley
2	4483 757	1	EM0	GASKET, Water Pump
3	5300 8654	1	EM0	HOSE, Water Pump Bypass
4	53021 361AA	2	EM0	CLAMP, Radiator
5	5302 0185	1	EM0	NIPPLE, By-Pass
6	6034 279	2	EM0	SCREW AND WASHER, Hex Head Lock, .375-16x1.75


7	HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)
---	---

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump Diesel Engine
Figure 007-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DBB] = All Manual Transmissions
[ETC] = 5.9L Cummins 24V Diesel Engine
[ETH] = 5.9L Hlgh Output Cummins Turbo Diesel Engine

1									SEAL, Water Pump To Front Cover
	4429 698	1				ETC	DBB		
		1				ETH	DBB		
2									PUMP, Water
	5010 964AB	1				ETC	DBB		
		1				ETH	DBB		
3									SCREW, Cap
	5003 666AA	2				ETH	DBB		
		1				ETC	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Water Pump 8.0 Engine
Figure 007-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EW0] = All 8.0L Gas Engines									
1	53021 074AF	1				EW0			PUMP, Water
2	5302 1072	1				EW0			O RING, Water Pump, Pump
3	6034 279	2				EW0			SCREW AND WASHER, Hex Head
4	6034 076	4				EW0			Lock, .375-16x1.75
5	5300 5879	1				EW0			SCREW AND WASHER, Hex Head
6	4401 438	2				EW0			Lock, .375-16x4.45
7	5300 6046	1				EW0			HOSE, Water Pump Bypass, By-
8	5304 1101	1				EW0			Pass
									CLAMP, Radiator
									NIPPLE, By-Pass
									ELBOW, .375-18 Straight

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Coolant Tank
Figure 007-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	5202 8147	1				EM0, ET0			HOSE, Coolant Reserve Tank
2	2448 761	1	3, 8			EM0, EW0			CLAMP, Hose
3	5202 8624 5202 7778	1 1				EW0 EM0, ET0			TANK, Coolant Reserve
4	5202 8612	1 1				EW0 EM0, ET0			CAP, Coolant Reserve Tank
5									SCREW, (NOT SERVICED) (Not Serviced)
6									BRACKET, Serviced in Radiator Shroud, (NOT SERVICED) (Not Serviced)
7	4026 148 5202 8147	1 1				EW0 EM0, ET0			HOSE, Coolant Reserve Tank


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys 5.9Land 8.0L Engine
Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed HD Manual Transmission									
[EMM] = Magnum 5.9L SMPI V8 Engine									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									PULLEY, Water Pump, Serviced with Pump, (NOT SERVICED) (Not Serviced)
-2	53021 284AA-	1				EM0			DAMPER, Crankshaft
3									SCREW, (NOT SERVICED) (Not Serviced)
4	0181 088	10	2, 3			EM0	DDP		BOLT, Hex Head, .312-18x1.00
		10	7, 8			ET0, EW0	DDX		
5	5300 8614	1				EM0			BRACKET, Alternator And Compressor
6	6034 247	2				EM0, EW0			BOLT, Hex Head, .375-16x.25
7	5300 9508	1				EW0			PULLEY, Idler
8	3300 2201	1				EW0			BUSHING, Idler Pulley
9									BOLT, (NOT SERVICED) (Not Serviced)
10									BOLT, (NOT SERVICED) (Not Serviced)
11	6034 246	1				EM0			BOLT, Hex Head, .375-16x.75
12	5300 8618	1				EM0			BRACKET, Alternator
13									TENSIONER, Belt
	5301 0255	1				EW0			
	53010 158AB	1				EMM			
		1				EML			
14									SCREW, Torx Socket Head Cap, .375-16x2.75
	6035 198	1				EW0			Tensioner to Bracket
		1				EMM			Tensioner to Bracket

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Pulleys Diesel Engine
Figure 007-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DBB] = All Manual Transmissions
[ETC] = 5.9L Cummins 24V Diesel Engine
[ETH] = 5.9L High Output Cummins Turbo Diesel Engine


1									BOLT, Hex Head, M8
	4429 445	1				ETC			
		1				ETH	DBB		
2									SCREW, Hex Flange Head
	4429 114	3				ETC			
		3				ETH	DBB		
3									BEARING, Idler Pulley
	4429 639	1				ETC			
		1				ETH	DBB		
4									SUPPORT, Fan
	4429 660	1				ETC			
		1				ETH	DBB		
5									HUB, Fan
	4429 661	1				ETC			
		1				ETH	DBB		
6									RETAINER, Fan Hub
	4882 043	1				ETC			
		1				ETH	DBB		
7									SCREW, Cap
	4429 668	6				ETC			
		6				ETH	DBB		
8									PULLEY, Fan
	4429 946	1				ETC			
		1				ETH	DBB		
9									BOLT, Hex Head
	4429 779	3				ETC			
		3				ETH	DBB		
10									TENSIONER, Belt
	5080 633AA	1				ETC			
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 5.9L Gas Engine Figure 007-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EMM] = Magnum 5.9L SMPI V8 Engine									
1	5301 0304	1				EMM			BELT, Accessory Drive Without Air Conditioning
		1				EML			Without Air Conditioning
2	5301 0303	1				EMM			BELT, Accessory Drive With Air Conditioning
		1				EML			With Air Conditioning
-3	5300 8745	1				EMM			LABEL, Belt Routing

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)



ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts Diesel Engine
Figure 007-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[ET0] = All 5.9L Turbo Diesel Engines

1	5304 0171	1				ET0			BELT, Accessory Drive With Air Conditioning
	5304 0172	1				ET0			Without Air Conditioning
-2	5301 0177	1				ET0			LABEL, Belt Routing
-3	5304 0076	2				ET0			LABEL, Battery Jump Start



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Drive Belts 8.0 Engine
Figure 007-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------



Note: Sales Code EW0 = 8.0L Gas Engine

1	53032 520AA	1				EW0			BELT, Accessory Drive, With Air Conditioning
2	5301 0304	1				EML			BELT, Accessory Drive, Without Air Conditioning
-3	5300 8747	1				EW0			LABEL, Belt Routing

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Oil Cooler and Lines Gas Engine
Figure 007-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Code DGK = 4 Speed Automatic Transmission 42RE
Note: Sales Code DGP = 4 Speed Automatic Transmission 47RE
Note: Sales Code DGT = 4 Speed Automatic Transmission 46RE
Note: Sales Code DG0 = All Automatic Transmissions
Note: Sales Code EH0 = 3.9L Gas Engine
Note: Sales Code EL0 = 5.2L Gas Engine
Note: Sales Code EM0 = 5.9L Gas Engine
Note: Sales Code EW0 = 8.0L Gas Engine

1	J400 6001	2					DGT		NUT, Hex Flange, .375-16
2	52028 839AA	1					DGT		TUBE AND HOSE, Oil Cooler
	52028 672AD	1				EW0	DGP		Return
	52028 671AD	1				EW0	DGP		Return
	52029 303AC	1				EMM	DGT		Pressure
3	5211 8483	1					DGT		BRACKET, Cooler Line
	5211 8484	2				EW0	DGP		
-4	0180 077	4							BOLT, Hex Head, 5/16x18x3/4
5	5300 6015	1					DGT		BRACKET, Oil Cooler Tube
6	J400 6001	2					DGT		NUT, Hex Flange, .375-16
7									CLIP, (NOT SERVICED) (Not
									Serviced)
8									SCREW, (NOT SERVICED) (Not
									Serviced)
9	52117 663AB	1					DGT		BRACKET, Oil Cooler Tube
10	5300 6015	1					DGT		BRACKET, Oil Cooler Tube
-11	4810 001AC-	1					DGT		VALVE, Oil Cooler Pressure

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Oil Cooler and Lines Diesel Engine
Figure 007-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel
ET0 = 5.9L Diesel Engine

1	4429 630	2				ETC			BOLT, Hex Head
2	5011 918AA	1				ETC	DG0		TUBE, Oil Cooler
3	6504 180	2				ET0	DG0		CLAMP, Hose
4	5014 171AA	1				ETC	DG0		TUBE, Oil Cooler
5	4429 812	1				ETC	DG0		ELBOW, Oil Cooler Hose
6	4882 114	1				ETC			NUT, Lock
7	4883 885AA	1				ETC	DG0		COUPLING, Hose
8	5202 7991	2				EM0	DG0		BRACKET, Oil Cooler
9	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16
10	5014 861AA	1				ETC	DG0		COOLER, Torque Converter
11	52028 723AA	1				ETC	DG0		CONNECTOR, Oil Cooler
12	5202 7991	2				EM0	DG0		BRACKET, Oil Cooler
13	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Auxiliary Oil Cooler 5.9 And 8.0L Engine
Figure 007-650



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code DGK = 4 Speed Automatic Transmission 42RE

Note: Sales Code DG0 = All Automatic Transmissions

Note: Sales Code EH0 = All 3.9L V-6 Gas Engines

Note: Sales Code EL0 = All 5.2L 8 Cyl Gas Engines

Note: Sales Code EM0 = All 5.9L 8 Cyl Gas Engines

Note: Sales Code EW0 = All 8.0L Gas Engines

Note: Sales Code NHB = Aux. Cooler

1									COOLER, Transmission Oil
	4863 834	1				EW0	DG0		
	52027 525AB	1					DGT		
2									SCREW, Tapping, M6x1x20
	6502 064	1				EM0	DG0		Cooler Attaching
		3				EW0	DG0		Cooler Attaching
3	5202 7991	2				EM0	DG0		BRACKET, Oil Cooler
4	4863 830AC	1				EW0	DG0		TUBE AND HOSE, Oil Cooler


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Auxiliary Oil Cooler Diesel Engine Figure 007-660



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code DG0 = All Automatic Transmissions									
Note: Sales Code ET0 = 5.9L Diesel Engine									
1	52028 574AB	1				ET0	DG0		COOLER, Transmission Oil
2	52028 732AC	1				ET0	DGP		TUBE, Oil Cooler
3	5202 8673	1				ET0	DGP		TUBE AND HOSE, Oil Cooler
4	52028 467AB	2				ET0	DG0		CONNECTOR, Oil Cooler Tube, .50 Toc
5	52028 680AB	2				ET0	DGP		CLIP
6	5202 8633	1				ET0	DGP		TUBE, Oil Cooler
7									HOSE AND CONNECTOR, Oil Cooler
	4798 875AB	1				ET0	DG0		Return
	4798 876AB	1				ET0	DG0		Pressure

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE

BODY

62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Grille And Related Parts
Figure 007-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 412AD	1							Upper
	5527 5413	1							Lower
-2	5523 5112	1							TAPPING PLATE, Hood Latch
3									SCREW, (NOT SERVICED) (Not Serviced)
4	5523 4644	1							CROSS BRACE, Radiator
5									BRACKET, Radiator Grille
	55076 476AB	1							with Chrome Grille
	55076 867AB	1							without Chrome Grille
6									SCREW AND WASHER, Hex Head, (NOT SERVICED) (Not Serviced)
7									GRILLE, Radiator
	55076 550AB	1							Chrome
	QR33 ZBJAE	1							[BJ]
	QR33 ZDRAE	1							[DR]
	QR33 PR4AE	1							[R4]
	QR33 WSB AE	1							[SB]
	QR33 GW7AE	1							[W7]
	QR33 DX8AE	1							[X8]
8	5529 5240	1							MEDALLION, Hood, Rams Head, Medallion Insert


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 008

Electrical



008-100 Starters	008-200 Alternators	008-300 Distributor	008-400 Modules
008-500 Relays	008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches


Group – 008

Electrical

008-900 Horns	008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
008-1300 Wiring-Headlamp to Dash	008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair
			WIRING REPAIR PKG.
008-1900 Spark Plugs-Cables-Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Starters		Wiring-Engine & Related Parts	
Starter & Mounting Gas Engines	Fig. 008-105	Wiring, Engine	Fig. 008-1220
Starter & Mountings Diesel Engines	Fig. 008-110	Wiring-Headlamp to Dash	
Alternators		Wiring--Headlamp / Dash	Fig. 008-1320
Alternator & Mounting 5.9L Gas Engine	Fig. 008-205	Wiring-Instrument Panel	
Alternator & Mounting 8.0L Engine	Fig. 008-215	Wiring--Instrument Panel	Fig. 008-1420
Alternator & Mounting 5.9L Diesel Engines	Fig. 008-220	Wiring-Body & Accessories	
Distributor		Wiring--body & Accessory	Fig. 008-1530
Distributors	Fig. 008-305	Wiring Repair	
Modules		Wiring Repair Package	Fig. 008-1605
Modules	Fig. 008-405	Spark Plugs-Cables-Coils	
Relays		Spark Plugs--Cables--Coils	Fig. 008-1905
Power Distribution Center - Relays and Fuses	Fig. 008-505		
Junction Block - Relays and Fuses	Fig. 008-510		
Sensors			
Sensors - 5.9L Gas Engine	Fig. 008-605		
Sensors - 8.0L V10 Engine	Fig. 008-610		
Sensors - 5.9L Diesel Engine	Fig. 008-615		
Sensors - Drivetrain	Fig. 008-625		
Sensors - Body	Fig. 008-630		
Single Board Engine Controllers			
Single Board Engine Controllers (JTEC)	Fig. 008-720		
Switches			
Switches - Instrument Panel	Fig. 008-805		
Switches - Drivetrain	Fig. 008-810		
Switches - Body	Fig. 008-815		
Horns			
Horn & Mounting	Fig. 008-910		
Battery Tray and Cables			
Battery Tray & Cables	Fig. 008-1020		
Lamps - Front, Rear and Courtesy			
Lamps Front	Fig. 008-1160		
Lamps Rear	Fig. 008-1170		
Lamps, Dome Courtesy & Reading	Fig. 008-1180		
Bulbs & Sockets	Fig. 008-1195		

Starter & Mountings Diesel Engines
 Figure 008-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

DBB = All Manual Transmissions

ETC = 5.9L Cummins 24V Diesel Engine

ETH = 5.9L Cummins HO Turbo Diesel


1									STARTER
	5016 522AA	1				ETC			
		1				ETH	DBB		
2									SCREW, Starter Motor
	4429 834	3				ETC			
		3				ETH	DBB		
3									SCREW
	5018 174AA	3				ETC			
		3				ETH	DBB		
-4									SPACER, Starter
	5018 522AB-	1				ETC			
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator & Mounting 5.9L Gas Engine
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EM0 = All 5.9L 8 Cyl Gas Engines

EW0 = All 8.0L Gas Engines

1									ALTERNATOR
	56028 560AA	1				EW0			
	56028 925AA	1				EM0			136 Amps
	56029 913AA	1				EM0			117 Amps
2									NUT, 3/8-16, (NOT SERVICED) (Not Serviced)
3	5300 8614	1				EM0			BRACKET, Alternator And Compressor
4									SCREW AND WASHER, Hex Head, 3/8-16x2.0, (NOT SERVICED) (Not Serviced)
5	6034 246	1				EM0			BOLT, Hex Head, .375-16x.75
6	6034 247	1				EW0			BOLT, Hex Head, .375-16x.25, Hex Head .375-16x4.25
7	5300 8618	1				EM0			BRACKET, Alternator

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Alternator & Mounting 8.0L Engine
Figure 008-215

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
EH0 = All 3.9L V-6 Gas Engines
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines
EW0 = All 8.0L Gas Engines

1	56028 560AA	1				EW0			ALTERNATOR, 117 AMP (06/26/00 & After)
2									NUT, [.375-16], (NOT SERVICED) (Not Serviced)
3	6034 247	1				EW0			BOLT, Hex Head, .375-16x.25
4									BOLT, [.375-16x2.0], (NOT SERVICED) (Not Serviced)
5	53005 621AB	1				EW0			BRACKET, Air Pump And Tensioner
-6	53010 013AB-	1				EW0			BRACE, Alternator
-7	53041 112AB-	1				EW0			BRACKET, Tensioner

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Alternator & Mounting 5.9L Diesel Engines
Figure 008-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
ETC = 5.9L Cummins 24V Diesel Engine
ET0 = All 5.9L Turbo Diesel Engines


1	56027 221AD	1				ET0			ALTERNATOR
2									BRACKET, Alternator
	5011 801AA	1				ETC			
		1				ETH	DBB		
3									BRACKET, Alternator
	5011 802AA	1				ETC			
		1				ETH	DBB		
4	6100 949	1				ET0			SCREW, Hex Head
5	6502 337	1				ET0			NUT, M10x1.5
6	4638 696	1				ET0			BOLT, Hex Flange Head, M10x1.50x45
7									SCREW, Hex Head, (NOT SERVICED) (Not Serviced)
8									SCREW, Hex Flange Head, (NOT SERVICED) (Not Serviced)
9									SCREW, Hex Head, (NOT SERVICED) (Not Serviced)



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Distributors
Figure 008-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[EM0] = All 5.9L 8 Cyl Gas Engines									
1	4740 339AB	1				EM0			DISTRIBUTOR, Engine
2	5602 6706	2				EM0			SCREW, Hex Head, M5x0.8x27
3	5300 8767	1				EM0			CAP, Distributor
4	5300 8778	1				EM0			ROTOR, Distributor
5	5602 8143	1				EM0			SWITCH, Distributor Pick-Up
6	6028 606	1				EM0			SCREW AND WASHER, Hex Head Lock, .312-18x1.00
7	4343 950	1				EM0			CLAMP, Distributor
8	2875 923	1				EM0			O RING, Distributor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Modules
Figure 008-405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[ETC]= 5.9L Cummins 24V Diesel Engine

[ETH]= 5.9L Cummins Turbo Diesel Engines

[DBB]=All Manual Transmissions

[DG0]=All Automatic Transmissions

1	55350 003AH	1							MODULE, Compass Temperature With Security
	55350 660AH	1							Without Security
2	5017 757AB	1	2, 7		62, 65				MODULE, Anti-lock Brakes
	5017 758AB	1	3, 8		62, 63, 64				
-3	5003 305AA-	1	2, 7		62, 65				BRACKET, Anti-Lock Brake Module
		1	3, 8		62, 63, 64				
4	56043 128AF	1							MODULE, Air Bag Control
5	56020 157AC	1							MODULE, Timing and Control without Keyless Entry (Integrated)
	56045 448AE	1							
6	56021 561AC	1							MODULE, Daytime Running Lamp


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Distribution Center - Relays and Fuses
Figure 008-505




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									POWER DISTRIBUTION CENTER, Serviced in Headlamp to Dash Harness, (NOT SERVICED) (Not Serviced)
2	4671 168	11							RELAY, Mini
3	4638 094	5							RELAY PACKAGE, Electrical
4	00AT C20	1							FUSE, Standard, 20 Amp, Yellow
5	00AT M10	1							FUSE, Mini, 10 AMP, Red
6	00AT M15	5							FUSE, Mini, 15 AMP, Light Blue
7	00AT M20	4							FUSE, Mini, 20 AMP, Yellow
8	6102 075AA	3							FUSE CARTRIDGE, 20 Amp
9	6102 076AA	2							FUSE CARTRIDGE, 30 Amp
10	6102 077AA	3							FUSE CARTRIDGE, 40 Amp
11	6102 078AA	2							FUSE CARTRIDGE, 50 Amp
12	56021 922AA	1							PULLER, Fuse
-13	5602 1167	1							COVER, Power Distribution Center, Lower
-14	56045 714AC-	1							COVER, Power Distribution Center
15	5602 6842	1				ET0			RELAY, Electrical, Heater Intake Air

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Junction Block - Relays and Fuses

Figure 008-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56045 391AB	1							JUNCTION BLOCK, Relay
2	4606 418AA	1							RELAY, Electrical
3	5600 7348	1							FLASHER
4	4604 235	2							BREAKER, Circuit
5	00AT C10	1							FUSE, Standard, 10 AMP, Red
6	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
7	000A TM5	1							FUSE, Mini, 5 Amp, Tan
8	00AT M10	15							FUSE, Mini, 10 AMP, Red
9	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
10	4687 835	1							FUSE, Mini, 25 Amp, Natural
-11	4897 895AA-	1							HOLDER, Fuse
-12	4897 906AA-	2							HOLDER, Fuse

SERIES	LINE
--------	------

L = RAM 2500, 3500

$$3, 8 = 3500$$

63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - 5.9L Gas Engine
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	5602 7872	1				EM0			SENSOR, Air Temperature
2	5602 9405	1				EM0			SENSOR, Map
3	5017 479AA	1				EM0			SENSOR KIT, Throttle Position
4									SENSOR, Crankshaft Position
	5602 7870	1				EM0	DG0		
	5602 7871	1				EM0	DBB		
5									SENSOR, Oxygen
	56030 111AA	1				EML			Federal Emissions
	56041 706AA	1				EML	DG0		California Emissions, Right & Left
6	5600 4815	1				EM0			SENSOR, Coolant Temperature
7									SENSOR, Oxygen
	56030 100AA	1				EMM	DG0		Federal Emissions
		1				EML	DG0		
	56041 698AA	1				EML	DG0		California Emissions, Right & Left
	56031 110AA	1				EML	DDP		Federal Emissions
-8									SENSOR, Camshaft, Serviced in Distributor Pickup Switch, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - 8.0L V10 Engine
Figure 008-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 7872	1				EW0			SENSOR, Air Temperature
2	4896 131AA	1				EW0			SENSOR, Map
3	5017 479AA	1				EW0			SENSOR KIT, Throttle Position
4	5602 7864	1				EW0			SENSOR, Crankshaft Position
5	56030 111AA	1				EW0			SENSOR, Oxygen
6	5600 4815	1				EW0			SENSOR, Coolant Temperature
7	5602 7860	1				EW0			SENSOR, D.I.S. Camshaft Reference
8	56030 100AA	1				EW0			SENSOR, Oxygen, Right or Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - 5.9L Diesel Engine
Figure 008-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5083 365AA	1				ETC			SENSOR, Turbo Boost Pressure
		1				ETH	DBB		
2	5011 851AA	1				ETC			O RING
		1				ETH	DBB		
3	5014 197AA	1				ETC			SENSOR, Air Temperature
		1				ETH	DBB		
4	5003 602AA	1				ETC			O RING
		1				ETH	DBB		
5	53031 575AF	1				ETC	DG0		BELLCRANK, Accelerator and Cruise
	53031 576AC	1				ETC	DBB		With Throttle Position Sensor
		1				ETH	DBB		With Throttle Position Sensor
6									With Throttle Position Sensor
									SENSOR, Camshaft
	5080 577AA	1				ETC			
		1				ETH	DBB		
7	5080 578AA	1				ETC			O RING
		1				ETH	DBB		
8	5011 856AA	1				ETC			SCREW
		1				ETH	DBB		
9	5011 852AA	1				ETC			SENSOR, Temperature Sending Unit
		1				ETH	DBB		
10	5003 602AA	1				ETC			O RING
		1				ETH	DBB		
11	5015 582AB	1				ETC			SENSOR, Fuel/Water
		1				ETH	DBB		
-12	5083 366AA-	1				ETC			SWITCH, Oil Pressure
		1				ETH	DBB		
		1				ETC	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - Drivetrain
Figure 008-625




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[DG4]=Multi-Speed Automatic Transmission									
1	56028 196AB	1	7, 8			ET0	DGP		TRANSDUCER, Pressure Sensor
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	4800 879	1	2, 3			EW0	DGP		SENSOR, Transmission Output Speed
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
3	56028 187AD	1							SENSOR, Wheel Speed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Sensors - Body
Figure 008-630




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	4688 204	1							SENSOR, Ambient Temperature
-2	56021 433AC-	1							BRACKET, Ambient Temperature Sensor
3	5602 7332	1							SENSOR, Battery Temperature
4	5515 5039	1							SENSOR, Washer Fluid Level
5									SENSOR KIT, Anti-Lock Brakes
	5015 882AA	1	3		63, 64				Right or Left
		1	7		62, 65				Right or Left
		1	8		62, 63,				Right or Left
					64				
6	56028 216AD	2	2, 3		62, 65				SENSOR, Anti-Lock Brake, Right or Left
7	56028 187AD	1							SENSOR, Wheel Speed

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Single Board Engine Controllers (JTEC) Figure 008-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L Engine									
EM0=5.9L Engine									
EML=5.9L Engine MPI (Light Duty)									
EMM=5.9L Engine MPI (Heavy Duty)									
EW0=8.0L Engine									
ET0=5.9L Turbo Diesel Engine									
ETC=5.9L Cummins 24V Diesel Engine									
ETH=5.9L High Output Turbo Diesel Engine									
DG0=Automatic Transmission									
DBB=Manual Transmission									
1									MODULE, Powertrain Control
	56028 726AA	1				EMM	DBB		Federal Emissions
	56028 728AA	1				EMM	DG0		Federal Emissions
	56028 730AA	1				EW0	DG0		Federal Emissions
	56028 731AA	1				EW0	DBB		Federal Emissions
	56040 205AB	1	2, 7		62, 65	EML	DGT		Federal Emissions
		1	3, 8		62, 63, 64	EML	DGT		California Emissions
	56040 206AB	1	2, 7		62, 65	EML	DGT		California Emissions
	56040 207AB	1				EML	DGT		Export
	56040 214AB	1				EML	DBB		Federal Emissions
	56040 215AB	1				EML	DBB		Export
	56040 218AB	1				ET0	DG0		Federal Emissions
	56040 219AB	1				ET0	DG0		California Emissions
	56040 220AB	1				ET0	DBB		Federal Emissions
	56040 222AB	1				ET0	DBB		California Emissions
	56040 318AB	1				EW0	DG0		California Emissions
-2									MODULE, Engine Controller
	3130 34302J	1				ETC	DG0		Cummins Module on the Block
	3130 38303J	1				ETH	DBB		Cummins Module on the Block
3									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
4									NUT AND WASHER, M6x1.00, (NOT SERVICED) (Not Serviced)
5	56028 207AA	1							BRACKET, Module, JTEC Module


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Instrument Panel
Figure 008-805




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGT = 4 Speed Automatic Transmission 46RE									
DG0 = All Automatic Transmissions									
EM0 = All 5.9L 8 Cylinder Gas Engines									
EV0 = All 4.7L Gas Engines									
1	56021 673AD	1							SWITCH, Headlamp With Cargo Lamp
	56021 674AD	1							
	56021 675AE	1							With Cargo Lamp, Fog Lamp
2	5066 184AA	1							SWITCH, Horn
3	4728 424	1					DG0		SWITCH, Multifunction
		1					DBB		
4	56045 879AA	1					DBB		SWITCH, Ignition
		1					DG0		
-5	6503 845	5					DBB		SCREW, Ignition Switch, Mounting
6	4685 619AB	1							SWITCH, Remote Radio Right
	4685 632AB	1							Left
7	5602 1048	1					DG0		SWITCH, Overdrive Lockout
8	56045 177AC	1							SWITCH, Passenger Airbag Disarm
9	53007 944AB	1				EM0, ET0	DBB		SWITCH, Clutch Starter Interlock
		1	2, 3			EW0	DBB		
10	5017 047AA	1							SWITCH, Parking Brake
11	56045 043AG	1							SWITCH, Stop Lamp
12	56045 044AD	1							BRACKET, Brake Lamp Switch
13	56021 332AB	1							SWITCH, Speed Control Right
	56021 333AB	1							Left
14	56045 454AG	1							CLOCKSPRING Without Speed Control
	56045 455AG	1							With Speed Control
	56045 456AG	1							With Remote Radi Controls
15	4565 022	1							SWITCH AND LAMP, Glove Box

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Switches - Drivetrain

Figure 008-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENDING UNIT, Oil Pressure
	5603 1005	1				EW0			
		1				EM0			
2									SWITCH, Neutral, Safety, Back Up
	56028 181AB	1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
3									SWITCH, Back Up Lamp
	5600 7270	1	2, 3			ET0, EW0	DDX		
		1	2, 3			EM0	DDP		
		1	7, 8			ETH	DEE		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Switches - Body
Figure 008-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4373 666	2							SWITCH, Seat
2	56021 912AB	1							SWITCH, Window and Door Lock
3	5602 1311	1							SWITCH, Mirror
-4	5600 7040	1							KNOB, Power Mirror Switch
-5	6503 107	1							NUT, Plastic, Mirror Mounting
6									SWITCH, Disarm
	56049 284AA	1							Right
	56049 285AA	1							Left
7	5602 0394	1							SWITCH, 2 Gang
8	4687 558	2							SWITCH, Door Ajar
9									BEZEL, Power Window/Door Lock Switch
	56020 390AB	1							2 gang
	56045 302AA	1							3 gang
-10	4796 652	1							CLIP, Bezel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Horn & Mounting
Figure 008-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56020 085AB	1							HORN, Low Note, w/Bracket
-2	5602 0086	1							HORN AND BRACKET, High Note
-3	6101 718	4							SCREW AND WASHER, Oval Head, M6x1x25




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Battery Tray & Cables
Figure 008-1020



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

EH0 = All 3.9L V-6 Gas Engines
ELF = 5.2L SMPI Magnum V-8 Engine
EL0 = All 5.2L 8 Cyl Engines
EM0 = All 5.9L 8 Cyl Engines
EW0 = All 8.0L Gas Engines
ETC = 5.9L Cummins 24V Diesel Engine
ET0 = All 5.9L Turbo Diesel Engines

1									TRAY, Battery
	55275 126AE	1				ET0			7/05/00 and After
	55275 127AE	1							7/05/00 and After
-2	5523 5050	1				ET0			STUD PLATE, Battery Tray, Weld Stud Battery Tray to Wheelhouse
3	6503 694	2							NUT, U, M6x1
4	5527 5220	1							STRAP, Battery Battery Hold Down
		1				ET0			Battery Hold Down
5	5523 5142	2							STUD, Battery Hold Down
		2				ET0			Battery Hold Down
6	5523 5051	1							PLATE, Battery Tray
-7	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
8	56017 788AB	1				ET0			WIRING, Battery Positive Right
	56021 878AF	1				EM0, EW0			
9	56020 688AC	1				ET0			WIRING, Battery Negative Left
	56020 663AE	1				EM0, EW0			
	56020 665AE	1				ET0			Right
-10	5602 7332	1							SENSOR, Battery Temperature
-11	6100 048	2				ET0			NUT, Hex, M6x1.00, Battery Wiring Attaching
-12									NUT, Hex, .312-18, (NOT SERVICED) (Not Serviced)
13	4713 921	1				EM0, EW0			BATTERY, Storage [BCE]
		2				ET0			[BCE]

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Battery Tray & Cables

Figure 008-1020

[illegible]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Front Figure 008-1160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[ELO] = All 5.2L 8 Cyl Engines									
[EM0] = All 5.9L 8 Cyl Engines									
[EW0] = All 8.0L Gas Engines									
[ETC] = 5.9L Cummins 24V Diesel Engine									
1	55076 748AO	1							LAMP, Headlamp Park And Turn Right
	55076 749AO	1							Left
	55077 024AG	1							With Quad Headlamps, Right
	55077 025AG	1							With Quad Headlamps, Left
-2	0154 882AA-	1							BULB, Headlamp
	L0009 004LL-	1							With Quad Headlamps
-3	55054 780AH-	1							HEADLAMP Right
	55054 781AH-	1							Left
	55077 042AF-	1							With Quad Headlamps, Right
	55077 043AF-	1							With Quad Headlamps, Left
-4	55076 674AH-	1							CARRIER, Headlamp, Park and Turn Signal Right
	55076 675AH-	1							Left
	55077 034AD-	1							With Quad Headlamps, Right
	55077 035AD-	1							With Quad Headlamps, Left
-5	6033 375AB-	2							SCREW, Special Head, .218-28x2.44
-6	55054 856AB-	1							SCREW, Aero Headlamp
-7	5507 6746	1							WELT, Headlamp To Grille Right
	5507 6747	1							Left
-8	4805 147	1							VENT, Headlamp
-9	J400 4262	3							PIN, Push, .15x.41
10	6502 776AB	2							CLIP, Lamp, Headlamp Mounting
-11	6033 376	3							CLIP, Lamp
-12	55077 046AA-	2							RETAINER, Headlamp Bulb
13	6504 289	6							SCREW, Hex Head
14	L031 57NA	2							BULB, 3157A, Park & Turn Signal
15	5602 1441	1							LAMP, Underhood
-16	4897 446AA-	1							LENS, Lamp Module
17	L000 0561	1							BULB, 561, Underhood Lamp
-18	6505 815AA-	2							SCREW
19	55054 772AD	1							LAMP, Park, Turn, Side Marker Right


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Front
Figure 008-1160




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55054 773AD	1							Left
	55077 032AC	1							With Quad Headlamps, Right
	55077 033AC	1							With Quad Headlamps, Left
-20									LAMP, Fog
	55076 940AB-	1							Right
	55076 941AB-	1							Left
	55076 942AB-	2							With Sport Package
-21	4418 098	2							CLIP, Tube, Fog Lamp Wiring
-22	5013 490AA-	1							BULB, 896
-23	6035 422	4							BOLT, Square Head, .312-18x.875
-24	6035 423	4							NUT AND WASHER, Hex Coned, .312-18

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear
Figure 008-1170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	5EK44 DX8AC	1							[X8], With Sport Package, Right
	5EK44 GW7AC	1							[W7], With Sport Package, Right
	5EK44 PR4AC	1							[R4], With Sport Package, Right
	5EK44 WSBAC	1							[SB], With Sport Package, Right
	5EK44 ZBJAC	1							[BJ], With Sport Package, Right
	5EK44 ZDRAC	1							[DR], With Sport Package, Right
	5EK45 DX8AC	1							[X8], With Sport Package, Left
	5EK45 GW7AC	1							[W7], With Sport Package, Left
	5EK45 PR4AC	1							[R4], With Sport Package, Left
	5EK45 WSBAC	1							[SB], With Sport Package, Left
	5EK45 ZBJAC	1							[BJ], With Sport Package, Left
	5EK45 ZDRAC	1							[DR], With Sport Package, Left
	55055 264AC	1			62				Without Sport Package, Black, Right
	55055 265AC	1			62				Without Sport Package, Black, Left
	5505 5270	1			63, 64,				Without a Bed, Right
					65				
	5505 5271	1			63, 64,				Without a Bed, Left
					65				
-2	5505 4572	1			63, 64,				GASKET, Tail Lamp
					65				
3	6035 455	4			62				SCREW, Tapping, .19-16x.625
4	6502 831	4							CLIP, Lamp
-5	L000 3157	4			62				BULB, 3157, Tail Lamp
-6	5602 1369	2			62				WIRING, Turn Signal and Back Up, Tail Lamp
7	6035 081	4			63, 64,				NUT, .25-20
					65				
8	4352 164	1			62				BRACKET, License Lamp
9									GROMMET, (NOT SERVICED) (Not Serviced)
10	3635 219	4			63, 64,				BRACKET, Tail Lamp
					65				
11	0180 126	4			63, 64,				BOLT, Hex Head, .375-16x1.50
					65				
12									NUT AND WASHER, Hex Nut-Coned Washer, .375-16
	6025 011	8	7, 8		62, 65				
		8	3, 8		63				
		8	3, 8		64				

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps Rear Figure 008-1170



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5507 6850	1			62				PANEL, License Plate
-14	5505 4891	2			62				LENS, License Lamp
15	4362 133	1			62				SOCKET AND CABLE, License Lamp
16									SCREW, (NOT SERVICED) (Not Serviced)
-17	5601 8807	2			62				WIRING, License Lamp
-18	L000 0168	1			62				BULB, 168
19	4357 065	1			62				LENS, License Lamp
20	0153 339	2			62				SCREW, Hex Head, .25-20x.875
21	5505 4823	1	3, 8		62				LAMP BAR, Tailgate
-22	5505 4819	2	3, 8		62				LAMP, Side Marker, Dual Wheel Fender, Red
-23	5505 4820	2	3, 8		62				LENS, Clearance Lamp, Yellow, Dual Wheel Fender
24	5505 4821	2	3, 8		62				HOUSING, Clearance Lamp
25									SCREW, (NOT SERVICED) (Not Serviced)
26	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
27	5505 4824	1	3, 8		62				WIRING, Tailgate, Lamp Bar
28									LAMP, High Mounted Stop
	55077 262AB	1							Without Cargo Light
	55077 263AB	1							With Cargo Light
-29	55054 852AB-	1							SEAL, High Mounted Stop Lamp
-30									LENS, High Mounted Stop Lamp, Serviced in Assembly, (NOT SERVICED) (Not Serviced)
-31									LENS, High Mounted Stop Lamp, Serviced in Assembly, (NOT SERVICED) (Not Serviced)
32	5017 192AA	1							WIRING, High Mounted Stop Lamp
-33	L000 921E	1							BULB, 921, Hi-Mounted Stop Lamp
34									LAMP, Fender Marker
	5505 4956	2	3, 8		62				Red
	5505 4958	2	3, 8		62				Yellow
35									BRACKET, BRACKET, Fender Lamp (Serviced with Housing Assembly), (NOT SERVICED) (Not Serviced)
-36	5505 4960	2	3, 8		62				WIRING, Clearance Lamp Jumper, Pigtail to Chassis Wire

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Lamps, Dome Courtesy & Reading
Figure 008-1180


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 067AA	5							LAMP, Cab
2	L000 0194	5							BULB, 194
3									SCREW, (NOT SERVICED) (Not Serviced)
-4	J400 0141	10							NUT, Square, .286x.355
5	JV76 TL2	1							LAMP, Dome, Beige
6	0154 762	1							BULB, 579
7									BEZEL, Dome Lamp, Serviced with Dome Lamp, (NOT SERVICED)
8									(Not Serviced)
9									SCREW, Dome Lamp Mounting, (NOT SERVICED) (Not Serviced)
									LAMP, High Mounted Stop
	55077 262AB	1							Without Cargo Lamp
	55077 263AB	1							With Cargo Lamp
10	55054 852AB	1							SEAL, High Mounted Stop Lamp
11									WIRING, High Mounted Stop Lamp
	5017 192AA	1							With Cargo Lamp
	5017 193AA	1							Without Cargo Lamp

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bulbs & Sockets
Figure 008-1195



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Codes:

[EM0] = 5.9L Light Duty

[ET0] = Diesel

[EW0] = All 8.0 Gas

1									BULB, PC74
	L000 PC74	1				EM0			
		1				EW0			
		1				ET0			
-2	L000 3157	4			62				BULB, 3157
-3	L000 0194	5							BULB, 194
-4	L000 1156	1			63, 64, 65				BULB, 1156
-5	L000 921E	1							BULB, 921
-6	L000 0168	1			62				BULB, 168
-7	5015 731AA-	1							BULB AND SOCKET, Indicator Lamp
-8	5015 732AA-	1							BULB AND SOCKET, Indicator Lamp


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring, Engine Figure 008-1220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Codes:									
[DBB] = Manual Transmission									
[DDP] = 5 Speed Manual Transmission									
[DG0] = Automatic Transmission									
[EML] = 5.9L MAGNUM SMPI Engine									
[EMM] = 5.9L MAGNUM SMPI Engine									
[ETC] = 5.9L Cummins 24V Engine									
[ETH] = 5.9L Cummins Diesel									
[ET0] = 5.9L Turbo Diesel Engine									
[EW0] = 8.0L Engine									
1									WIRING, Engine
	56045 947AE	1				EML	DG0		Federal & Export Emissions
	56045 740AA	1				EML	DG0		California Emissions up to 01/07/02
	56045 935AC	1				EML	DBB		Up to 01/07/02
	56045 934AC	1				EMM	DDP		Up to 01/07/02
	56045 949AE	1				EMM	DG0		Federal & Export Emissions up to 01/07/02
	56045 903AB	1				ET0	DG0		Up to 01/07/02
	56045 904AB	1				ET0	DBB		Up to 01/07/02
	5083 364AA	1				ETC	DBB		
		1				ETH	DBB		
	56045 931AD	1				EW0	DBB		Up to 01/07/02
	56045 902AG	1				EW0	DG0		Up to 01/07/02
	56000 942AA	1				EW0	DG0		Caifornia up to 01/07/02
	56000 942AB	1				EW0	DG0		Caifornia after 01/07/02
	56045 902AH	1				EW0	DG0		After 01/07/02
	56045 931AE	1				EW0	DBB		After 01/07/02
	56045 740AB	1	2, 7		62, 65	EML	DG0		California Emissions After 01/07/02
	56045 903AC	1				ET0	DG0		After 01/07/02
	56045 904AC	1				ET0	DBB		After 01/07/02
	56045 949AF	1				EMM	DG0		Federal & Export Emissions after 01/07/02
	56051 776AA	1				EMM	DDP		After 01/07/02
	56051 777AA	1				EML	DBB		After 01/07/02
-2	5601 9829	1	7, 8						WIRING, Indicator Lamp
-3	4856 792	1							STRAP, Ground
-4									SENSOR, Temperature Sending Unit
	5011 852AA-	1				ETC			
		1				ETH	DBB		
-5	56021 908AE-	1				ET0			WIRING, Jumper


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Headlamp / Dash Figure 008-1320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[DBB] = All Manual Transmissions									
[EL0] = All 5.2L 8 Cyl Gas Engines									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[EW0] = All 8.0L Gas Engines									
1	56045 940AG	1				EM0	DBB		WIRING, Headlamp and Dash With California Emissions & Quad Halogen Headlamps
		1				EW0			With California Emissions & Quad Halogen Headlamps
	56045 887AG	1				EM0	DBB		With California Emissions Without Quad Halogen Headlamps
	56045 665AG	1				EM0,	DG0		With California Emissions & Quad Halogen Headlamps
	56045 773AG	1				EM0,	DG0		With California Emissions without Quad Halogen Headlamps
	56045 940AG	1				EM0,			With Federal and Export Emissions & Quad Halogen Headlamps
	56045 941AG	1				EM0,			Canada, With Quad Halogen Headlamps
	56045 898AG	1				EM0,			Canada, Without Quad Halogen Headlamps
	56045 887AG	1				EM0,			With Federal and Export Emissions without Quad Halogen Headlamps
	56045 943AG	1				ET0			Canada, with Quad Halogen Headlamps
	56045 942AG	1				ET0			With Quad Halogen Headlamps
	56045 944AG	1				ET0			Without Quad Halogen Headlamps
	56045 945AG	1				ET0			Canada, without Quad Halogen Headlamps
-2	5601 7713	1							PULLER, Fuse
3	00AT M10	1							FUSE, Mini, 10 AMP, Red
4	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
5	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
6	000A TM5	1							FUSE, Mini, 5 Amp, Tan
7	00AT C10	1							FUSE, Standard, 10 AMP, Red
8	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
9	4687 835	1							FUSE, Mini, 25 Amp, Natural
-10	4897 895AA-	1							HOLDER, Fuse
	4897 906AA-	1							[I.O.D.] Ignition Off Drain Fuse
									Airbag Fuse

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--Headlamp / Dash
Figure 008-1320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11	4604 235	1							BREAKER, Circuit
-12	5600 7348	1							FLASHER, Turn Signal




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Wiring--Instrument Panel
Figure 008-1420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	56045 362AG	1							With Keyless Entry & Infinity Sound System
	56045 363AG	1							With Keyless Entry & without Infinity Sound System
	56045 364AG	1							Without Keyless Entry & with Overhead Console & Infinity Sound System
	56045 365AG	1							Without Keyless Entry & without Infinity Sound System
	56045 768AF	1							With Keyless Entry, Infinity Sound System, Power Seats & Audio Control Steering Wheel
-2	56045 164AC-	1							WIRING, Steering Wheel
3	00AT M10	1							FUSE, Mini, 10 AMP, Red
4	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
5	00AT M20	1							FUSE, Mini, 20 AMP, Yellow
6	000A TM5	1							FUSE, Mini, 5 Amp, Tan
7	00AT C10	1							FUSE, Standard, 10 AMP, Red
8	00AT C15	1							FUSE, Standard, 15 AMP, Light Blue
9	4687 835	1							FUSE, Mini, 25 Amp, Natural
-10									HOLDER, Fuse
	4897 895AA-	1							[I.O.D] Ignition Off Drain
	4897 906AA-	1							Airbag Fuses
-11	5601 7713	1							PULLER, Fuse
-12	4604 235	1							BREAKER, Circuit, [20] Amp
-13	5600 7348	1							FLASHER

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Wiring--body & Accessory
Figure 008-1530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[ET0] = All 5.9L Turbo Diesel Engines

1	56045 322AA	1							WIRING, Body With Power Seats, without Infinity Stereo & Keyless Entry
	56045 323AA	1							With Keyless Entry & without Infinity Stereo
	56045 324AA	1							With Infinity Stereo & without Keyless Entry
2	56045 325AA	1							With Infinity Stereo & Keyless Entry
	56045 519AD	1			62				WIRING, Chassis Without Trailer tow
	56045 521AD	1			63, 64,				
3	56045 522AE	1			65				With Trailer tow
	56045 924AB	1			62				WIRING, Overhead Console Without Mini Overhead Console, with Roof Lamps
	5013 609AA	1							With Mini Overhead Console
	56045 923AA	1							With Mini Overhead Console without Roof Lamps
	56045 924AB	1							With Mini Overhead Console & with Roof Lamps
	5013 608AA	1							With Overhead Console, with or without Security Alarm
	56045 921AD	1							With Overhead Console & without Roof Lamps
	56045 922AE	1							With Overhead Console & with Roof Lamps
4	5017 192AA	1							WIRING, High Mounted Stop Lamp With Cargo Lamp
	5017 193AA	1							Without Cargo Lamp
	56045 137AB	2							WIRING, Door Without Power Windows, Locks, Mirrors & without Infinity Stereo, Left Door
5	56045 240AB	1							With Power Windows (1-Touch) & without Infinity Stereo, Left Door
	56045 241AB	1							With Power Windows (1-Touch) & Infinity Stereo, Left Door
									WIRING, Door


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring--body & Accessory
Figure 008-1530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56045 244AB	1							With Power Windows (1-Touch) & without Infinity Stereo, Right Door
	56045 245AB	1							With Power Windows (1-Touch) & Infinity Stereo, Right Door
7	5601 8807	2			62				WIRING, Liscense Lamp
8	56045 795AA	1			63, 64, 65				WIRING, Trailer Tow Includes 'E' Brake Pigtail
		1			62				Includes 'E' Brake Pigtail
-9	56038 366AB-	1							CONNECTOR, 7 Way
10	5602 1369	2			62				WIRING, Turn Signal and Back Up
11									WIRING, Mirror Jumper, (NOT SERVICED) (Not Serviced)
-12	5505 4824	1	3, 8		62				WIRING, Tailgate, With Dual Wheels
-13	5601 6895	1	3, 8		62				WIRING, Fender Lamp, With Dual Wheels
-14									WIRING, Fog Lamp Jumper
	56021 863AB-	1							Without Sport Apperance Group
	56045 212AC-	1							With Sport Apperance Group
-15	56017 840AB-	1							WIRING, Power Seat, 40/20/40 Split Bench
-16	56045 178AA-	1							WIRING, Instrument Panel Jumper
-17	56021 994AB-	1							WIRING, Temperature Sensor Jumper, With Full Overhead Console
-18	56021 908AE-	1				ET0			WIRING, Jumper, Air Heater, (Diesel Engine)
-19	5601 9405	1				ET0			WIRING, Air Intake Heater, Diesel Engine

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wiring Repair Package
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp , (NOT SERVICED) (Not Serviced)
-2	4641 780	1							STRAP, Tie
-3									WIRING REPAIR PACKAGE, Fuel Pump, (NOT SERVICED) (Not Serviced)
-4	4773 905	AR							SOCKET AND WIRING, Turn Signal Lamp

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

[EML] = 5.9L SMPI Magnum V-8 Engine

[EMM] = 5.9L SMPI Magnum V-8 Engine

[EM0] = All 5.9L 8 Cyl Gas Engines

[EW0] = All 8.0L Gas Engines

1	4728 038AE	1				EM0			CABLE PACKAGE, Ignition
2	4796 500AC	1				EW0			CABLE PACKAGE, Ignition
3									SPARK PLUG
	SP00Q C9MC4	10				EW0			
	SP0RC 12LC4	8				EM0			
4									SEPERATOR, Ignition Cable
	5602 6850	3				EW0			[2]-Wire
	5602 8186	1				EMM			[1]-Wire
	56041 333AA	4				EM0			[5]-Wire
-5									TRAY, Ignition Cable
	5602 6852	1				EW0			Lower
	5602 6853	1				EW0			Upper
6	56028 398AA	1				EM0			CABLE, Ignition Coil
7									CABLE, Ignition
	56028 256AA	3				EM0			[#1,2,4]
	56028 279AA	1				EM0			[#3]
	56028 280AA	2				EM0			[#5,7]
	56028 404AA	1				EM0			[#8]
	56028 255AA	1				EM0			[# 6]
8									CABLE, Ignition, Ignition Cable (#1=
									4773914 & #3= 4773915)
	5300 6568	1				EW0			[# 2]
	5300 6571	1				EW0			[# 5]
	5602 6844	1				EW0			[# 6]
	5602 6845	1				EW0			[# 7]
	5602 6847	1				EW0			[# 9]
	5602 6848	1				EW0			[# 10]
	5602 7823	2				EW0			[# 4,8]
9									COIL, Ignition
	5603 2520	1				EW0			6 Tower
	5603 2521	1				EW0			4 Tower
	56028 172AB	1				EML			
		1				EMM			
10									BRACKET, Ignition Coil
	5300 8980	1				EMM			
	5602 6891	1				EML			

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Spark Plugs--Cables--Coils
Figure 008-1905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EMM			[NAB]
-11	5304 0054	1				EW0			BRACKET, Coil Mount and Plenum



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 08A


Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-135
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-235
Radio, Antenna, and Speakers	
Radio	Fig. 08A-333
Speakers	Fig. 08A-334
Antenna	Fig. 08A-335
Consoles	
Overhead Console	Fig. 08A-430
Floor Console	Fig. 08A-435



08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles


Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									INSTRUMENT PANEL KIT, With Lower I/Panel & without Passenger Airbag
	SS39 1AZAB	1							[AZ]
	SS39 1C8AB	1							[C8]
	SS39 1K9AB	1							[K9]
-2	5GD95 DX9AA-	1							COVER, Instrument Panel Opening, Black
-3	5505 5689	1							DUCT, Defroster
-4	55055 725AB-	1							BRACKET, Instrument Panel to Cowl
-5									SCREW, Self Tapping, M6x1x15, Use 6101786, (NOT SERVICED) (Not Serviced)
-6									PANEL, Instrument Upper
	5GK45 LAZAB-	1							[AZ]
	5GK45 RC8AB-	1							[C8]
	5GK45 VK9AB-	1							[K9]
-7	5602 1449	1							BRACKET, Instrument Panel Wiring NUT, Plastic Snap-In, For .190-16 Screw, (NOT SERVICED) (Not Serviced)
-8									
-9	5FZ72 DX9AB-	1							BIN, Instrument Panel
10									DOOR, Fuse Access
	RU36 LAZAB	1							[AZ]
	RU36 RC8AB	1							[C8]
	RU36 VK9AB	1							[K9]
-11	5601 7713	1							PULLER, Fuse
12									SWITCH, Headlamp
	56021 673AD	1							With Cargo Lamp
	56021 674AD	1							Without Cargo Lamp
13	6101 946	6							SCREW, Tapping
-14									NUT, Plastic Snap-In, For .190-16 Screw, (NOT SERVICED) (Not Serviced)
15	0154 903AA	2							SCREW, Hex Flange Head, .25-14x. 75
16									CLUSTER PACKAGE, CLUSTER (See 8A-230), (NOT SERVICED) (Not Serviced)
17									RELEASE, Parking Brake
	RU38 LAZAA	1							[AZ]
	RU38 RC8AA	1							[C3]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

Instrument Panel Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RU38 VK9AA	1							[K9]
18	56045 177AC	1							SWITCH, Passenger Airbag Disarm
19									BEZEL, Instrument Panel Switch
	5013 874AA	1							Passenger Airbag (English)
	5013 875AA	1							Passenger Airbag (French/English)
20	4685 164	1							COVER, Glove Box Lamp Hole
21									GLOVE BOX, Instrument Panel
	5FR47 1AZAB	1							[AZ]
	5FR47 1C8AB	1							[C3]
	5FR47 1K9AB	1							[K9]
-22	5010 362AA-	1							BIN, Glove box
23	4565 022	1							SWITCH AND LAMP, Glove Box
24									LATCH, Glovebox, LATCH
									ASSEMBLY, Glove Box (Served in Glove Box Assembly), (NOT SERVICED) (Not Serviced)
25	5GK51 DX9AA	1							BEZEL, Instrument Cluster, Black
-26	6504 067	13							CLIP, Hood
27	5014 842AA	1							OUTLET, Air Conditioning & Heater
28	5014 841AA	1							OUTLET, Air Conditioning & Heater
29	5014 840AA	1							OUTLET, Air Conditioning & Heater
30	4793 555	1							RING, Cigar Lighter Mounting
31	4685 590	1							BASE, Cigar Lighter
32	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
33									KNOB, KNOB, Cigar Lighter
									(Served in Assembly), (NOT SERVICED) (Not Serviced)
34									COVER, Steering Column Opening
	5EU13 1AZAB	1							[AZ]
	5EU13 1C8AB	1							[C3]
	5EU13 1K9AB	1							[K9]
35	4793 554AB	1							POWER OUTLET
-36	4793 555	1							RING, Cigar Lighter Mounting
37									CUPHOLDER, Instrument Panel
	5FR42 1AZAD	1							[AZ]
	5FR42 1C8AD	1							[C8]
	5FR42 1K9AD	1							[K9]
38									COVER, Instrument Panel Opening
	5GD95 DX9AA	1							With Manual Transmission
	5GD98 DX9AA	1							With Automatic Transmission
									includes lens and bulb holder for cup holder

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

$$3, 8 = 3500$$

0, 0 = 0000

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

cc - Key cas (101.112)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML, EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual

DEE = 6 Spd. Manual


DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
39									ASH RECEIVER, Instrument Panel
	5FR4 51AZ	1							[AZ]
	5FR4 51C8	1							[C8]
	5FR4 51K9	1							[K9]
-40	55055 853AD-	1							SHIELD, Ash Tray
-41	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
42									LABEL, Air Bag Warning English
	4595 748AA	1							Bilingual
	4595 749AA	1							Sun Visor (English/French)
	55350 848AA	2							STRIKER, Glove Box Door Latch
43	5010 358AA	1							SCREW, Console, SCREW, I/Panel
44									to Cowl Bar (M4x8x1.59x32.00) Not Serviced, (NOT SERVICED) (Not Serviced)
45									SCREW AND WASHER, SCREW & WASHER ASSEMBLY, I/Panel End Support to Body (M8x1.25x30.00) ***, (NOT SERVICED) (Not Serviced)
46	6504 485AB	4							NUT, Plastic Snap-in
47									BIN, Instrument Panel
	5FM16 1AZAB	1							[AZ]
	5FM16 1C8AB	1							[C3]
	5FM16 1K9AB	1							[K9]
48									COVER, Control Unit
	5GJ24 LAZAA	1							[AZ]
	5GJ24 RC8AA	1							[C3]
	5GJ24 VK9AA	1							[K9]
49									GRILLE, Instrument Panel Demister
	RU34 LAZAA	1							[AZ], Right
	RU35 LAZAA	1							[AZ], Left
	RU34 RC8AA	1							[C3], Right
	RU35 RC8AA	1							[C3]
	RU34 VK9AA	1							[K9], Right
	RU35 VK9AA	1							[K9]
50									AIR BAG, Passenger, Cover & Air/Heat Outlet Included
	5GE24 LAZAA	1							[AZ]
	5GE24 RC8AA	1							[C8]
	5GE24 VK9AA	1							[K9]

DODGE RAM STANDARD CAB (BR)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions				


Instrument Panel
Figure 08A-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
51									OUTLET, Air Conditioning & Heater
	RU48 LAZAA	1							[AZ], Right
	RU49 LAZAA	1							[AZ], Left
	RU48 VK9AA	1							[K9], Right
	RU49 VK9AA	1							[K9], Left
	RU48 RC8AA	1							[C8], Right
	RU49 RC8AA	1							[C8], Left
-52	5012 954AA-	1							RETAINER, Air Outlet

DODGE RAM STANDARD CAB (BR)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions				

Instrument Cluster
Figure 08A-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER
	56045 786AB	1							200 KMH with 5.9L Engine (Up to 07/10/02)
	56045 780AD	1							120 MPH with 5.9L Engine (07/10/02 & After)
	56045 786AD	1							200 KMH with 5.9L Engine (07/10/02 & After)
	56045 780AB	1							120 MPH with 5.9L Engine (Up to 07/10/02)
	56045 790AD	1							200 KMH with 5.9L Turbo Diesel Engine (07/10/02 & After)
	56045 784AD	1							120 MPH with 5.9L Turbo Diesel Engine (07/10/02 & After)
	56045 790AB	1							200 KMH with 5.9L Turbo Diesel Engine (Up to 07/10/02)
	56045 784AB	1							120 MPH with 5.9L Turbo Diesel Engine (Up to 07/10/02)
	56045 788AB	1							200 KMH with 8.0L Engine (Up to 07/10/02)
	56045 782AB	1							120 MPH with 8.0L Engine (Up to 07/10/02)
	56045 788AD	1							200 KMH with 8.0L Engine (07/10/02 & After)
	56045 782AD	1							120 MPH with 8.0L Engine (07/10/02 & After)
2	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05, Cluster mounting & PRNDL Plug Attaching
3	5602 0162	1							MASK, Instrument Cluster
4	5602 0161	1							LENS, Cluster
5									KNOB, Knob, Trip Odometer (Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)
6	5602 0622	1							INDICATOR, PRNDL
7	L00P C194	1							LAMP, Bulb And Socket
8	5602 1790	1							BRACKET, Gear Selector, With Automatic Transmission
9									SCREW, Tapping
	6101 946	2							
		3							
-10	5600 7476	1							PLUG, With Manual Transmission

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Radio
Figure 08A-333

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[RAS]= AM/FM Cassette
[RAZ]=AM/FM w/CD & Cassette
[RBA]=AM/FM w/Cassette & CD Changer Control (Australia, Europe, Middle East & Taiwan)
[RBN]=AM/FM w/ Cassette & CD Changer Control
[RBR]=AM/FM w/CD & Equalizer

1	56038 933AB	1							RADIO, AM/FM Cassette, RAS
2	4704 383AH	1							RADIO, AM/FM with CD and Cassette, RAZ
3	4704 392AD	1							RADIO, AM/FM Cassette with CD Control, RBA
4	4704 386AD	1							RADIO, AM/FM Cassette with CD Control
5	4704 373AE	1							RADIO, AM/FM with CD and Equalizer, RBR
6	5604 3033	1							STRAP, Ground
7	6035 165	1							SCREW, Tapping, .19-16x.75

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speakers
Figure 08A-334


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[RCD]=Standard Speaker System									
[RCE]=Infinity Speaker System									
1									SPEAKER PACKAGE, Radio, Lower Door
	5017 821AA	2							[RCD]
	5017 822AB	2							[RCE]
2									SPEAKER, Front Tweeter, A Pillar
	5FV66 LAZAB	1							[AZ]
	5FV66 RC3AB	1							[C3]
	5FV66 RK5AB	1							[K9]
3	56020 372AB	2							SPEAKER, 5.25", Rear
4	56009 941AB	1							CHOKE, Speaker, [RCE] Infinity
5	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
6	6034 715	8							CLIP, Speaker
7									SCREW, Hex Flange Head Tapping, .190x16x.750, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 08A-335

[illegible]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE

$$\begin{aligned} 2, 7 &= 2500 \\ 3, 8 &= 3500 \end{aligned}$$

BODY

62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Overhead Console
Figure 08A-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SN94 TL2AA	1							HOUSING, Overhead Console, Beige
2	5013 618AA	1							LENS, Maplamp Right
	5013 619AA	1							Left
3	L002 1202	2							BULB, 212-2
4	55350 003AH	1							MODULE, Compass Temperature With Security
	55350 660AH	1							Without Security
5	5013 606AB	1							HOUSING, Bulb, Bulb Reflectors and Storage Door Detent Spring Included
6	5013 608AA	1							WIRING, Overhead Console With Temperture Cpmpass
	5013 609AA	1							Without Temperture Cpmpass
7	5013 612AA	1							LENS, Message Center Without Security L.E.D.
	5013 613AA	1							With Security L.E.D.
8	SN93 TL2AA	1							COVER, Module
9	SN96 TL2AA	1							DOOR, Sunglass Bin, With Liner Beige
10	SN97 TL2AA	1							BUTTON, Door Lock, Beige
11	SN98 TL2AA	1							DOOR, Garage Door Opener, With Snap off Spacer and Adapters Beige

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Console
Figure 08A-435

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONSOLE, Floor
	5EZ5 4LAZ	1							[AZ]
	5EZ5 4RC8	1							[C3]
	5EZ5 4VK9	1							[K9]
2	5GA43 DX9AA	1							MAT, Console Cup Holder, Black
3	55055 630AB	1							BRACKET, Console
4									SCREW, Hex Flange Head Tapping, .190-16x.750, (NOT SERVICED) (Not Serviced)
5									CUPHOLDER, Console
	5EZ5 3LAZ	1	2, 3						[LAZ]
	5EZ5 3RC8	1	2, 3						[RC8]
	5EZ5 3VK9	1	2, 3						[VK9]
6	5GA44 DX9AA	1							PAD, Console Storage Bin, Black
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	7, 8						[LAZ]
	5FB39 RC8AB	1	7, 8						[RC8]
	5FB39 VK9AB	1	7, 8						[VK9]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 009

Engine Mounting


GROUP 9 - Engine Mounting


Illustration Title

Group-Fig. No.

Engine Mounting

Engine Mounting, Front, 3.9 [EHC], 5.2L [ELF], 5.9L Light Duty [EML], 5.9L [EMM], 5.9L Diesel [ETC,E]	Fig. 009-110
Engine Mounting, Rear, 2WD, 3.9L [EHC], 5.2L [ELF], 5.9L (EML), 5.9L [EMM], 8.0L [EWA], 5.9L Diesel	Fig. 009-120
Engine Mounting, Rear, 4WD, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel	Fig. 009-130



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--

Engine Mounting, Front, 3.9 [EHC], 5.2L [ELF], 5.9L Light Duty [EML], 5.9L [EMM], 5.9L Diesel [ETC,E
Figure 009-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DGO]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
[ETC]= 5.9L Cummins 24 Valve Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1	5205 8238	1				EM0, EW0			SHIELD, Exhaust Manifold
-2	57008 125AB-	1				EM0, EW0			SHIELD, Engine Mount
3	6502 960	2				EM0, EW0			SCREW AND WASHER, Hex Head, M12x1.75x155
4	52018 235AB	1				EM0, EW0			INSULATOR, Engine Mount
	52021 367AA	1				ET0			
	52021 490AC	1				ETC	DBB		Front Right
		1				ETH	DBB		Front Right
	52021 491AC	1				ETC	DBB		Front Left
		1				ETH	DBB		Front Left
	52021 490AC	1				ETC	DGO		[DGO], Front Right
	52021 491AC	1				ETC	DGO		[DGO], Front Left
5									RESTRICTOR, Engine Mount
	52058 447AB	2							
	52058 448AB	1				EM0, EW0			
6									NUT, [M12x1.75], (NOT SERVICED) (Not Serviced)
7	6035 212	6				EM0, EW0			SCREW, Hex Flange Head, .375- 16x1.125
-8									BOLT, Hex Flange Head
	4864 516	8				ETC			
		1				ETC	DBB		
9									SCREW, [.190x.625], (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Mounting, Rear, 4WD, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel
Figure 009-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note; Sales Codes
[DDC]= 5 Speed Heavy Duty Manual Transmission
[DDP]= 5 Speed Manual Transmission
[DDX]= 5 Speed Heavy Duty Manual Transmission
[DEE]= 6 Speed Heavy Duty Manual Transmission
[DG0] All Automatic Transmissions
[EL0]= All 5.2L Gas Engines
[EM0]= All 5.9L Gas Engines
[ET0]= All 5.9L Turbo Diesel Engines
[EW0]= All 8.0L Gas Engines

1	5201 9641	1					DDP, DDX		BRACKET, Transmission Mount
-2	52019 603AB 52058 593AB-	1 1	7, 8			ET0 EM0	DEE DG0		BRACKET, Transmission Case Mounting
-3	52058 693AB-	1	7, 8			ET0, EW0	DG0		BRACKET, Transfer Case Shaft
4	6033 358	2					DDP, DDX DEE		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
5	52018 235AB	1				EM0, EW0			INSULATOR, Engine Mount Front Left
	52058 804AB	1				EM0, EW0			Front Right
	52021 367AA	1				ET0			
6									SCREW, [M10x1.50x30.00], (NOT SERVICED) (Not Serviced)
7	6101 761	2							NUT, Coned Washer, M10 x 1.50

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Group – 5.9L

Engine 5.9L Eight Cylinder




2	2	2000	2000	2000
Head Tor	Washers/Spacers	Camshaft	Washers/Spacers	Washers/Spacers

GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-210
Cylinder Block Cylinder Block, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-310
Crankshaft, Piston and Torque Converter Crankshaft, Piston and Torque Converter, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-410
Camshafts & Valves Camshaft and Valves, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-510
Timing Belt and Cover Timing Gear and Cover, 5.9L [EML] 5.9L [EMM]	Fig. 5.9L-610
Engine Oiling Engine Oiling, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-710
Manifolds Manifold, Intake and Exhaust, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-810
Crankcase Ventilation Crankcase Ventilation, 5.9L [EML], 5.9L [EMM]	Fig. 5.9L-910

5.9L-200 Cylinder Head	5.9L-300 Cylinder Block	5.9L-400 Crankshaft, Piston and Torque Converter	5.9L-500 Camshafts & Valves
5.9L-600 Timing Belt and Cover	5.9L-700 Engine Oiling	5.9L-800 Manifolds	5.9L-900 Crankcase Ventilation

Cylinder Head, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-210





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Code									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
-1	4897 386AE-	1				EM0			GASKET PACKAGE, Engine Upper
2	4777 536	1				EM0			CAP, Oil Filler
3									COVER, Cylinder Head
	53020 340AC	1				EM0			With oil Fill Hole
	53020 612AC	1				EM0			Without Oil Fill Hole
4	5300 6695	2				EM0			GASKET, Valve Cover
5	5302 1139	2				EM0			HEAD, Cylinder
6	53021 098AC	2				EM0			GASKET, Cylinder Head
7	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
8	6035 878AA	14				EM0			STUD
-9	6035 877AA-	5				EM0			SCREW AND WASHER, Hex Head, .25-20x.875
10									BOLT, Cylinder Head
	6034 690	10				EM0			[.50-13x2.00]
	6034 691	10				EM0			[.50 x4.625]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
-1	4746 001AB-	1				EM0			GASKET PACKAGE, Engine
2	4899 205AB	1				EM0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
3	3830 603	1				EM0			BEARING, Camshaft, #1
4	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
-5	4556 022	8				EM0			PLUG, Core, 1.625 Diameter
6	4429 369	1				ETC			PLUG, Pipe
-7	5300 9518	1				EM0			PLUG, Cylinder Block Oil Hole
-8									PLUG, Cylinder Block, 3/8NPT, (NOT SERVICED) (Not Serviced)
9	1122 532	2				EM0			DOWEL, Block To Clutch Housing
10	0141 215	4				EM0			DOWEL, .312 x .500
11	4798 276AC	1				EM0, EW0			HEATER PACKAGE, Engine Block
12	6501 445	AR							O RING, Engine Block Heater, 1-11/ 32 Diameter 11/64 Width
13	5602 0061	1				EM0, EW0			CORD, Engine Block Heater

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.9L [EML], 5.9L [EMM] Figure 5.9L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmission									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1									PIN, Piston, Serviced in Piston, (NOT SERVICED) (Not Serviced)
2	4778 871AD	4				EM0			PISTON PIN AND ROD, B-Size
-3	4778 873AD-	4				EM0			PISTON PIN AND ROD, C-Size
-4	4778 875AD-	4				EM0			PISTON PIN AND ROD, D-Size
5	4740 259	1				EM0			RING, Piston
6									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
7	2421 305	4				EM0			BEARING, Connecting Rod, STD.
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft, Standard Size, #1,2,4
10	4713 030AC	1				EM0			BEARING KIT, Crankshaft, Standard
11	3780 100	1				EM0			BEARING PACKAGE, Crankshaft, Standard Size
12	4790 759AB	1				EM0	DG0		CRANKSHAFT AND KEY
-13	6036 207AA-	1				EM0			BOLT, Hex Head
-14	6036 207AA-	1				EM0			BOLT, Hex Head
15	53021 284AA	1				EM0			DAMPER, Crankshaft
16									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
17	6036 297AA	8				EM0			NUT, Hex, .375-24
18	6027 264	10				EM0			SCREW, Socket Hex Head, .50-13x3.25
19	4798 216AC	1				EM0			SEAL PACKAGE, Crankshaft
20	53009 180AB	1				EM0	DBB		BEARING, Pilot
21	6035 462	6				EM0	DG0		BOLT, Flexplate
22	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
23	1949 765	4				EM0	DG0		SCREW, Hex Head Header Point, .312-24x.44
24	2843 214	1				EM0	DBB		GEAR, Flywheel Ring
-25	3515 203	1				EM0	DG0		GEAR, Ring
26	5302 0585	1				EM0	DBB		FLYWHEEL
27									WASHER, Sealing, (NOT REQUIRED)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	6036 143AA	6				EM0	DBB		SCREW
29	4736 591AB	1				EM0	DG0		CONVERTER PACKAGE, Torque

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	5300 8282	16				EM0			ROCKER ARM, Valve
2	5300 8283	16				EM0			PIVOT, Rocker Arm
3	6036 154AA	16				EM0			BOLT, Hex Flange Head, .312-18x1.72
4	5300 8633	8				EM0			RETAINER, Rocker Arm Pivot
5	3300 3521	32				EM0			LOCK, Valve Spring Retainer
6	3300 4626	16				EM0			RETAINER, Valve Spring
7	5302 1056	16				EM0			SPRING, Valve
8	5300 9886	8				EM0			SEAL, Valve Guide
9	5300 9887	8				EM0			SEAL, Valve Guide
10	5300 6723	8				EM0			VALVE, Intake, Standard
11	5300 6724	8				EM0			VALVE, Exhaust, Standard
12	2863 071	1				EM0			PLUG, Camshaft
13	3830 603	1				EM0			BEARING, Camshaft, #1
-14	4179 776	1				EM0			BEARING, Camshaft, #2
-15	4179 777	1				EM0			BEARING, Camshaft, #3
-16	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-17	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
18	4713 439	16				EM0			TAPPET PACKAGE, Valve
19	0431 787	1				EM0			KEY, Camshaft Sprocket
20	5302 1101	1				EM0			CAMSHAFT, Engine
21	5300 6722	16				EM0			PUSH ROD, Valve
22	4323 207	1				EM0			RETAINER, Tappet Yoke Aligning
23	4483 045	8				EM0			YOKE, Tappet Aligning
24	1947 953	3				EM0			SCREW AND WASHER, Hex Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Timing Gear and Cover, 5.9L [EML] 5.9L [EMM]
Figure 5.9L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case Cover
2	5302 1057	1				EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				EM0			TAB, Timing Chain Oil
5	4315 764	1				EM0			PLATE, Camshaft Thrust
6	1947 953	3				EM0			SCREW AND WASHER, Hex Head
7									KEY, Crankshaft Sprocket
	6029 411	1				EM0	DBB		
		1				EM0	DG0		
8									KEY, Crankshaft Sprocket
	6029 411	1				EM0	DBB		
		1				EM0	DG0		
9	8350 7095	1				EM0			CHAIN PACKAGE, Timing
10	6034 321	1				EM0			SCREW AND WASHER, Hex Head, Coned, Header, .437-14x1.375
11	6034 479	1				EM0			BOLT, Hex Head, .375-16x2.25
12	6034 452	1				EM0			STUD, .375-16x.375-16x2.38
13	6034 453	2				EM0			STUD, .375-16x.375-16x1.63

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Engine Oiling, 5.9L [EML], 5.9L [EMM] Figure 5.9L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EMM]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil Pump
3	5302 0462	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2				EM0			SCREW, Hex Head Header Point, .375-16x1.375
6	1737 725	1				EM0			BUSHING, Oil Pump and Distributor
7	5302 0546	1				EM0			SHAFT, Oil Pump
8	0108 636	1				EM0			PIN, Cotter
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point, .25-20x.75
13	5300 8610	1				EM0			GASKET, Oil Pan
14	6034 549	18				EM0			SCREW, Hex Head, .312-18x.94
15	5302 0918	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain
17									INDICATOR, Engine Oil Level
	5302 0934	1				EMM			[EMM]
	5302 0928	1				EML			[EML]
18	5302 0926	1				EML			TUBE, Oil Gauge, [EML]
-19	5302 0062	1				EMM			TUBE, Engine Oil Indicator, [EMM]
20	5281 090	1				EM0			FILTER, Engine Oil
21	5300 7563	1				EM0			CONNECTOR, Oil Filter
22	5302 1053	1				EM0			PLATE, Oil Filter Adapter
23	53020 461AB	1				EM0			GASKET, Oil Filter Adapter


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes


[EH0]= All 3.9L Gas Engines
[EL0]= All 5.2L Gas Engines
[EM0]= All 5.9L Gas Engines
[EW0]= All 8.0L Gas Engines

1	4897 383AC	1				EM0			GASKET PACKAGE, Intake Manifold
2	4897 490AC	1				EM0			MANIFOLD, Intake
3	6035 967AA	12				EM0			SCREW AND WASHER, Hex Head
4	5017 208AA	1				EM0			GASKET, Intake Manifold Pan
5	6034 643	4				EM0			STUD, .312-18/.312-24x2.25
6	6034 806	8				EM0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust, Right
-8	5205 8238	1				EM0, EW0			SHIELD, Exhaust Manifold, Right
9	5301 0189	1				EM0			MANIFOLD, Exhaust, Left
-10	57008 125AB-	1				EM0, EW0			SHIELD, Engine Mount, Exhaust Manifold, Left
11	0154 732	1				EM0, EW0			NUT, Hex, .375-16
12	0115 729	4				EM0			NUT, Hex, .312 x 24
13	6035 375	4				EM0			BOLT, Hex Head, .375-16x2.50
14	5300 6617	1				EM0			PAN, Intake Manifold
15	4004 001	4				EM0, EW0			RETAINER, Exhaust Pipe to Manifold
16									PLUG, 3/8-18, (NOT SERVICED) (Not Serviced)
17	5301 0091	4				EM0			CLAMP, Exhaust Manifold
18	6034 583	15				EM0			SCREW AND WASHER, Hex Head, .25-20x.892

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Crankcase Ventilation, 5.9L [EML], 5.9L [EMM]
Figure 5.9L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

1	53030 817AE	1				EM0			HOSE, Crankcase Vent
2	5303 1135	1				EM0			VALVE, Crankcase Vent
3	5303 0017	1				EM0			GROMMET, Crankcase Vent
4	53008 675AD	1				EM0			TUBE, PCV Valve
5	5303 0497	1				EM0			FITTING, Crankcase Vent Tube
6	2946 079	1				EM0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 8.0L



Engine 8.0L Ten Cylinder (Truck)









GROUP 8.0L - Engine 8.0L Ten Cylinder (Truck)

Illustration Title


Group-Fig. No.

Cylinder Head	
Cylinder Head, 8.0L (EWA)	Fig. 8.0L-210
Cylinder Block	
Cylinder Block, 8.0L (EWA)	Fig. 8.0L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter, 8.0L (EWA)	Fig. 8.0L-410
Camshafts & Valves	
Camshaft and Valves, 8.0L (EWA)	Fig. 8.0L-510
Timing Belt and Cover	
Timing Gear and Cover, 8.0L (EWA)	Fig. 8.0L-610
Engine Oiling	
Engine Oiling, 8.0L (EWA)	Fig. 8.0L-710
Manifolds	
Manifold, Intake, 8.0L (EWA)	Fig. 8.0L-810
Manifold, Exhaust, 8.0L (EWA)	Fig. 8.0L-815
Crankcase Ventilation	
Crankcase Ventilation, 8.0L (EWA)	Fig. 8.0L-910



<div>8.0L-200</div> <div>Cylinder Head</div> 	<div>8.0L-300</div> <div>Cylinder Block</div> 	<div>8.0L-400</div> <div>Crankshaft, Piston and Torque Converter</div> 	<div>8.0L-500</div> <div>Camshafts & Valves</div> 
<div>8.0L-600</div> <div>Timing Belt and Cover</div> 	<div>8.0L-700</div> <div>Engine Oiling</div> 	<div>8.0L-800</div> <div>Manifolds</div> 	<div>8.0L-900</div> <div>Crankcase Ventilation</div> 

Cylinder Head, 8.0L (EWA)
Figure 8.0L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:



EW0=All 8.0L V-10 Engines

-1	4746 045AC-	2				EW0			GASKET PACKAGE, Engine
2	5304 1054	1				EW0			COVER, Cylinder Head, Right
3	5304 1055	1				EW0			COVER, Cylinder Head, Left
4	4556 020	1				EW0			PLUG, Core, 1.25 Diameter
5	J400 7307	12				EW0			BOLT, Hex Flange Head, .500-13x4.52
6	53020 066AD	2				EW0			HEAD, Cylinder
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	5304 1049	2				EW0			GASKET, Cylinder Head
9	5302 0073	2				EW0			GASKET, Valve Cover
10	6034 444	7				EW0			STUD, .312-18/.250-20x2.685
11	6034 443	17				EW0			SCREW, Hex Head Coned, .312-18x1.375
12	4777 536	1				EW0			CAP, Oil Filler
13	5302 0067	12				EW0			BOLT, Cylinder Head

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Cylinder Block, 8.0L (EWA)
Figure 8.0L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engines

DBB=All Manual Transmissions

DG0=All Automatic Transmissions

1	6034 847	12				EW0			BOLT, Main Bearing Cap
2	J400 5149	4				EW0			DOWEL, Oil Pump
3	4796 663AB	1				EW0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
4	6036 385AA	2				ET0, EW0	DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
5									CAP, (NOT SERVICED) (Not Serviced)
6	4556 022	11				EW0			PLUG, Core, 1.625 Diameter
7	J317 8449	2				EW0			PLUG, Cylinder Block Oil Hole
8	J010 3877	2				EW0			PLUG, Square Head, 1/8-27NPTx.32
9									PLUG, (NOT SERVICED) (Not Serviced)
10									DOWEL, [.187x.500], (NOT SERVICED) (Not Serviced)
11	5304 0018	2				EW0			DOWEL, Clutch Housing
12	4798 276AC	1				EM0, EW0			HEATER PACKAGE, Engine Block
13	6501 445	AR							O RING, Engine Block Heater
14	5602 7117	AR							CORD, Engine Block Heater

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft, Piston and Torque Converter, 8.0L (EWA)
Figure 8.0L-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales codes:

EW0=All 8.0L V-10 Engines

DBB=All Manual Transmissions

DG0=All Automatic Transmissions

1	53006 216AC	1				EW0	DBB		FLYWHEEL
2	4428 037	1				EW0	DBB		GEAR, Ring
3	53005 843AC	1				EW0			RETAINER, Crankshaft Rear Oil Seal
4	4856 120AD	5				EW0			PISTON PIN AND ROD [#2,4,6,8,10] [#1,3,5,7,9]
	4856 121AD	5				EW0			
5	4741 750	1				EW0			
6	52107 562AB	1				EW0	DBB		BEARING, Pilot
7	5302 0776	1				EW0			DAMPER, Crankshaft
8	5300 5840	1				EW0			CRANKSHAFT
9	6036 297AA	10				EW0			NUT, Hex, .375-24
10	6033 441	10				EW0			BOLT, Connecting Rod
11	5211 8506	1				EW0	DG0		CONVERTER, Torque
12	5300 5837	1				EW0			GASKET, Rear Crankshaft Oil Seal
13	5302 1075	1				EW0			GASKET, Rear Crankshaft Oil Seal
14	6035 811	8				EW0	DBB		BOLT, Hex Head, .437-20x1.50
-15	6035 462	8				EW0	DG0		BOLT, Flexplate
16	2421 305	5				EW0			BEARING, Connecting Rod, STD.
-17	2421 306	AR				EW0			BEARING, Connecting Rod, .001" U/S
18	6034 749	1				EW0			KEY, Crankshaft Sprocket
19									ROD, Connecting, Serviced in Piston, (NOT SERVICED) (Not Serviced)
20	5211 8473	1				EW0	DG0		PLATE, Torque Converter Drive
21	4741 492	2				EW0			BEARING, Crankshaft, STD., #1,6
-22	4741 495	AR				EW0			BEARING, Crankshaft, .001" U/S, #1,6
-23	4741 493	3				EW0			BEARING, Crankshaft, STD., #2,4,5
-24	4741 496	AR				EW0			BEARING, Crankshaft, .001" U/S, [#2,4,5,]
-25	4798 449	1				EW0			BEARING, Crankshaft, STD., #3
-26	4798 450	AR				EW0			BEARING, Crankshaft, .001" U/S, #3
27	6036 207AA	1				EW0			BOLT, Hex Head
28	6033 439	6				EW0	DG0		BOLT, Hex Head, .37-24x.55

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005





Figure 8.0L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	6035 462	8				EW0	DG0		BOLT, Flexplate
30	6022 235	8				EW0			BOLT AND WASHER, Hex Head, .312-18x1.00

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 8.0L (EWA) Figure 8.0L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engines

1	53005 845AB	1				EW0			PLATE, Camshaft Thrust
2	53021 692AA	20				EW0			PIVOT, Rocker Arm
3	5245 335	20				EW0			ROCKER ARM, Valve
4	5304 1123	20				EW0			PUSH ROD, Valve
5	5300 5866	1				EW0			RETAINER, Tappet Yoke Aligning
6	4848 550	10				EW0			RETAINER, Rocker Arm Pedestal
7	5302 0842	1				EW0			CAMSHAFT, Engine
8	0141 195	1				EW0			DOWEL, .25x.62
9	6036 403AA	20				EW0			SCREW, Hex Flange Head
10	5300 5824	1				EW0			PLUG, Camshaft
11	5300 9887	10				EW0			SEAL, Valve Guide
12	5300 9886	10				EW0			SEAL, Valve Guide
13	5300 5863	10				EW0			VALVE, Intake, Standard
14	5300 5864	10				EW0			VALVE, Exhaust, Standard
15									INSERT, Exhaust Valve, Serviced in Cylinder Head, (NOT SERVICED) (Not Serviced)
16	4713 439	20				EW0			TAPPET PACKAGE, Valve
17	5302 1056	20				EW0			SPRING, Valve
18	3300 4626	20				EW0			RETAINER, Valve Spring
19	3300 3521	40				EW0			LOCK, Valve Spring Retainer
20	1947 953	4				EW0			SCREW AND WASHER, Hex Head
21	5245 169	10				EW0			YOKE, Tappet Aligning
22	4741 475	1				EW0			BEARING, Camshaft, #1
-23	4741 476	1				EW0			BEARING, Camshaft, #2
-24	4741 477	1				EW0			BEARING, Camshaft, #3
-25	4741 478	1				EW0			BEARING, Camshaft, #4
-26	4741 479	1				EW0			BEARING, Camshaft, #5
-27	4741 480	1				EW0			BEARING, Camshaft, #6
28	6034 757	3				EW0			SCREW


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 8.0L (EWA)
Figure 8.0L-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	53020 971AE	1				EW0			COVER, Timing Case
2	4798 467	1				EW0			CHAIN PACKAGE, Timing
3	5302 1103	1				EW0			SEAL, Timing Case Cover
4	5302 0956	1				EW0			GASKET, Chain Case Cover
5	6034 749	1				EW0			KEY, Crankshaft Sprocket
6	6033 958	7				EW0			SCREW, Hex Flange Head, .375-16x2.00
7	6024 035	1				EW0			BOLT, Hex Head, .375-14x1.75, Cam Sprocket To Camshaft

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Engine Oiling, 8.0L (EWA)
Figure 8.0L-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
EW0=All 8.0L V-10 Engine									
1	53006 833AB	1				EW0			COVER, Engine Oil Pump
2	53020 922AB	1				EW0			PAN, Engine Oil
3	5302 0930	1				EW0			TUBE, Oil Gauge
4	5300 6834	1				EW0			PICKUP, Engine Oil
5	5302 0929	1				EW0			INDICATOR, Engine Oil Level
6	4746 610	1				EW0			ROTOR PACKAGE, Oil Pump
7	6036 384AA	7				EW0			SCREW, Hex Head Coned, .25-20x. 875
8	53005 884AB	1				EW0			GASKET, Oil Pan
9	5302 0075	1				EW0			GASKET, Oil Pump Relief Valve
10	5304 0062	1				EW0			GASKET, Oil Pickup Tube
11	6035 417	1				EW0			PLUG, Oil Drain
12	2843 208	1				EW0			PLUNGER, Oil Pressure Relief Valve
13	6034 549	18				EW0			SCREW, Hex Head, .312-18x.94
14	6034 594	4				EW0			STUD, .312-18/.250-20x2.355
15	5302 0068	1				EW0			PLUG, Cylinder Block Oil Hole
16	2402 473	1				EW0			SPRING, Oil Pressure Relief Valve
17	5281 090	1				EW0			FILTER, Engine Oil
18	5300 7563	1				EW0			CONNECTOR, Oil Filter
19									SEAL, (NOT SERVICED) (Not Serviced)
20	6034 549	2				EW0			SCREW, Hex Head, .312-18x.94
21	6034 475	5				EW0			SCREW, Torx Head, .25-20x.75

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake, 8.0L (EWA)
Figure 8.0L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	6034 349	5				EW0			SCREW, Hex Head Pilot Point, .312-18 UNC 2A
2	6034 506	5				EW0			BOLT AND CONED WASHER, Hex Head, .312-18x1.56
3	6034 507	1				EW0			SCREW, Hex Head Coned, .375-16x2.25
4	6034 508	1				EW0			SCREW, Hex Head Coned, .375-16x3.00
5	6034 509	12				EW0			SCREW, Hex Head Coned, .375-16x1.75
6	5303 1583	1				EW0			MANIFOLD, Intake
7	5303 1580	1				EW0			MANIFOLD, Intake
8									CONNECTOR, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
9	5304 0055	1				EW0			CONNECTOR, Manifold Vacuum, .375 90 Degree
10	5300 6046	1				EW0			NIPPLE, By-Pass
11	5301 0047	1				EW0			SEAL, Thermostat
12	4741 732AC	1				EW0			GASKET PACKAGE, Intake Manifold
13	5301 0044	4				EW0			PLUG, Core, 1.50 Diameter
14	5300 6836	1				EW0			GASKET, Intake Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Exhaust, 8.0L (EWA)
Figure 8.0L-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	5303 1401	1				EW0			MANIFOLD, Exhaust, Right
2	5300 6733	1				EW0			MANIFOLD, Exhaust, Left
3	5303 1550	1				EW0			SHIELD, Heat, Right
4	5303 1551	1				EW0			SHIELD, Heat, Left
5	6034 808	10				EW0			STUD, .312-18/.312-24x4.00
6	6034 806	10				EW0			SCREW AND WASHER, Hex Head, .312-18x3.125
7	5300 6920	2				EW0			GASKET, Exhaust Manifold


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankcase Ventilation, 8.0L (EWA)
Figure 8.0L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

EW0=All 8.0L V-10 Engine

1	5300 6342	1				EW0			HOSE, Crankcase Vent
2	5303 0497	1				EW0			FITTING, Crankcase Vent Tube
3	2946 079	2				EW0			GROMMET, Crankcase Vent
4	5304 1044	1				EW0			TUBE, PCV Valve
5	5303 0495	1				EW0			TUBE, Crankcase Vent To Air Cleaner
6	2946 079	2				EW0			GROMMET, Crankcase Vent

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Group – 5.9LD









Engine 5.9L Six Cylinder (Diesel)

GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)


Illustration Title Group-Fig. No.

Cylinder Head	
Cylinder Head, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-210
Cylinder Block	
Cylinder Block, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-310
Crankshaft, Piston and Torque Converter	
Crankshaft and Piston, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-410
Flywheel and Torque Converter, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-415
Torque Converter Cooler, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-420
Camshafts & Valves	
Camshaft and Valves, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-510
Timing Belt and Cover	
Timing Gear and Cover, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-610
Engine Oiling	
Engine Oiling, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-710
Manifolds	
Manifold, Intake and Exhaust, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-810
Oil Cooler	
Engine Oil Cooler, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-1110
Oil Lines, 5.9L Diesel [ETC,ETH]	Fig. 5.9LD-1115



5.9LD-200 Cylinder Head	5.9LD-300 Cylinder Block	5.9LD-400 Crankshaft, Piston and Torque Converter	5.9LD-500 Camshafts & Valves
			
5.9LD-600 Timing Belt and Cover	5.9LD-700 Engine Oiling	5.9LD-800 Manifolds	5.9LD-1100 Oil Cooler
			

Cylinder Head, 5.9L Diesel [ETC,ETH] Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmissions									
[DGO] = All Automatic Transmissions									
-1									GASKET PACKAGE, Engine Upper
	5016 652AA-	1				ETC			
		1				ETH	DBB		
2									SCREW
	5011 403AA	26				ETC			
		26				ETH	DBB		
3									GASKET, Cylinder Head
	5011 876AA	1				ETC			
		1				ETH	DBB		
4									HEAD, Cylinder
	5080 559AA	1				ETC			
	5080 681AA	1				ETH	DBB		
5									PLUG, Expansion
	5016 559AA	7				ETC			
		7				ETH	DBB		
6									PLUG, Expansion
	4429 735	4				ETC			
		4				ETH	DBB		
7									PLUG, Expansion
	5017 786AA	2				ETC			
		1				ETH	DBB		
8									PLUG, Expansion
	5016 558AA	2				ETC			
		1				ETH	DBB		
9									PLUG, Expansion
	5016 559AA	7				ETC			
		7				ETH	DBB		
10									COVER, Cylinder Head
	5015 718AB	1				ETC			
		1				ETH	DBB		
11									CAP, Oil Filler
	5014 704AB	1				ETC			
		1				ETH	DBB		
12									GASKET, Valve Cover
	5016 356AB	1				ETC			
		1				ETH	DBB		
13									SCREW

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 724AA	5				ETC			
14		5				ETH	DBB		SCREW, Water Inlet, M10x1.5x25
	4429 460	3				ETC			
		3				ETH	DBB		
15									BRACKET, Engine Lift
	5011 842AA	1				ETC			
		1				ETH	DBB		
16									SCREW, Hex Flange Head
	4638 666	2				ETC			
		2				ETH	DBB		
17									BRACKET, Engine Lift
	5011 841AA	1				ETC			
		1				ETH	DBB		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Cylinder Block, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = Manual Transmissions									
[DGO] = All Automatic Transmissions									
1	5014 594AB	1				ETC			BLOCK, Cylinder
		1				ETH	DBB		
2	5003 617AA	1				ETC			BUSHING, Camshaft
		1				ETH	DBB		
3	5003 615AA	14				ETH	DBB		BOLT, Hex Head
		1				ETC	DBB		
4									CAP, (NOT SERVICED) (Not Serviced)
5									PLUG, Cylinder Block Oil Hole
	4797 725	5				ETC			
		5				ETH	DBB		
6	4429 735	4				ETH	DBB		PLUG, Expansion
		14				ETC			
7	4429 955	3				ETC			PLUG, Expansion
		3				ETH	DBB		
8	4429 068	2				ETC			DOWEL, Block To Clutch Housing
		2				ETH	DBB		
9	4429 343	2				ETC			DOWEL, Ring
		2				ETH	DBB		
10	5003 606AB	6				ETC			JET, Piston Oil Cooler
		6				ETH	DBB		
11	4429 687	1				ETC			PLUG, Expansion
		1				ETH	DBB		
12	4429 257	2				ETC			DOWEL, Front Cover
		2				ETH	DBB		
13									PLUG, Pipe

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Cylinder Block, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 568	1				ETC			
		1				ETH	DBB		
14	5003 614AA	4				ETC			PLUG, Expansion
		4				ETH	DBB		
15	5003 605AA	1				ETC			PLUG, Expansion
		1				ETH	DBB		
16									DOWEL, Block To Clutch Housing
	4429 068	2				ETC			
		2				ETH	DBB		
17									PLUG, Expansion
	4429 955	3				ETC			
		3				ETH	DBB		
18									PLUG, Expansion
	4429 958	1				ETC			
		1				ETH	DBB		
19									PLUG, Cylinder Block
	5011 781AA	1				ETC			
		1				ETH	DBB		
20									O RING
	4882 037	1				ETC			
		1				ETH	DBB		
21									PLUG, Pipe
	4429 369	1				ETC			
		1				ETH	DBB		
22									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETC			
		1				ETH	DBB		
23									SLEEVE, Cylinder Block
	4429 166	AR				ETC			
		AR				ETH	DBB		
24									SCREW, Hex Head
	5011 792AA	3				ETC			
		3				ETH	DBB		
25									NUT, Tappet Cover, (NOT REQUIRED)
26									WASHER, Plain, (NOT REQUIRED)
27									SEAL, Grommet O-Ring
	5003 620AA	6				ETC			
		6				ETH	DBB		
28									GASKET, Camshaft Cover

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cylinder Block, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4798 940AB	1				ETC			
		1				ETH	DBB		
29	5003 621AB	3				ETC			SPACER
		3				ETH	DBB		
30	5014 179AB	1				ETC			COVER, Camshaft
		1				ETH	DBB		
31									COVER, Camshaft, (NOT REQUIRED)
32									BRACKET, (NOT REQUIRED)
33									CORD, Engine Block Heater
	4798 889	1				ETC			
		1				ETH	DBB		
34	5003 619AA	1				ETC			HEATER, Engine Block
		1				ETH	DBB		
35	5013 690AA	1				ETC			PLUG
		1				ETH	DBB		
36									O RING, Oil Cooler
	5003 647AA	1				ETC			
		1				ETH	DBB		
-37	5013 690AA-	1				ETC			PLUG
		1				ETH	DBB		
-38	5011 856AA-	1				ETC			SCREW
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Crankshaft and Piston, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

[ETC] = 5.9L Cummins 24 Valve Diesel Engines

[ETH] = 5.9L High Output Cummins Turbo Diesel

1	4429 632	1				ETC			CRANKSHAFT
		1				ETH	DBB		
2	4882 036	1				ETC			GEAR, Crankshaft
		1				ETH	DBB		
3	4429 483	1				ETC			PIN, Crankshaft Gear
		1				ETH	DBB		
4	5011 783AA	1				ETC			TONE RING, Sensor
		1				ETH	DBB		
5	5011 784AA	5				ETC			SCREW
		5				ETH	DBB		
6	4429 070	1				ETC			BEARING KIT, Crankshaft, Standard
		1				ETH	DBB		
-7									BEARING KIT, Crankshaft, .25mm Oversize
	4429 271	1				ETC			
		1				ETH	DBB		
-8									BEARING KIT, Crankshaft, .50mm Oversize
	4429 272	1				ETC			
		1				ETH	DBB		
-9									BEARING KIT, Crankshaft, .75mm Oversize
	4429 273	1				ETC			
		1				ETH	DBB		
-10									BEARING KIT, Crankshaft, 1.00mm Oversize
	4429 274	1				ETC			
		1				ETH	DBB		
11									BEARING, Crankshaft Thrust, .50 mm U/S

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual


DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Crankshaft and Piston, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5012 552AA	1				ETC			
		1				ETH	DBB		
-12									BEARING, Crankshaft Thrust, 1.00 mm U/S
	5012 551AA-	1				ETC			
		1				ETH	DBB		
13	5011 935AA	1				ETC			SLEEVE, Wear
		1				ETH	DBB		
14	4897 876AA	1				ETC			SLEEVE KIT, Wear
		1				ETH	DBB		
15									BEARING, Connecting Rod, STD.
	4429 175	12				ETC			
		12				ETH	DBB		
-16									BEARING, Connecting Rod, .25 mm U/S
	4429 171	AR				ETC			
		AR				ETH	DBB		
-17									BEARING, Connecting Rod, .50 mm U/S
	4429 172	AR				ETC			
		AR				ETH	DBB		
-18									BEARING, Connecting Rod, .75 mm U/S
	4429 173	AR				ETC			
		AR				ETH	DBB		
-19									BEARING, Connecting Rod, 1.00 mm U/S
	4429 174	AR				ETC			
		AR				ETH	DBB		
20	5003 649AA	6				ETC			ROD, Connecting
		6				ETH	DBB		
21	4429 919	12				ETC			SCREW, Connecting Rod, 24x.44
		12				ETH	DBB		
22									BUSHING, Serviced in Rod, (NOT SERVICED) (Not Serviced)
23									PISTON AND RINGS, Diesel Engine, A Grade

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Crankshaft and Piston, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5015 810AA	6				ETC			
		1				ETC	DBB		
-24									PISTON AND RINGS, Diesel Engine, B Grade
	5015 811AA-	6				ETC			
	5019 614AA-	6				ETH	DBB		
-25									PISTON AND RINGS, Diesel Engine, C Grade
	5015 812AA-	6				ETC			
		1				ETC	DBB		
-26									PISTON AND RINGS, Diesel Engine, .50MM Oversize
	5015 813AA-	6				ETC			
		1				ETC	DBB		
-27									PISTON AND RINGS, Diesel Engine, 1.00MM Oversize
	5015 814AA-	6				ETC			
	5019 613AA-	6				ETH	DBB		
28									RING KIT, Piston, Standard
	5011 858AA	6				ETC			
		6				ETH	DBB		
-29									RING KIT, Piston, .50MM Oversize
	5011 942AA-	6				ETC			
		6				ETH	DBB		
-30	5011 870AA-	1				ETC	DBB		RING KIT, Piston, 1.00MM Oversize
31									RING, Piston Pin
	5003 650AA	12				ETC			
		12				ETH	DBB		
32									PIN, Piston
	5015 706AA	6				ETC			
		6				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Flywheel and Torque Converter, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-415




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
[ETC] = 5.9L Cummins 24 Valve Diesel Engines									
[ETH] = 5.9L High Output Cummins Turbo Diesel									
1	4429 630	2				ETC			BOLT, Hex Head
		2				ETH	DBB		
2	4429 248	1				ETC			PLUG, Adaptor Plate
		1				ETH	DBB		
3	4429 260	1				ETC			O RING, Transmission Adapter Plug
		1				ETH	DBB		
4	5017 182AB	1				ETC			HOUSING, Rear Main Seal
		1				ETH	DBB		
5	5015 705AA	1				ETC			SEAL
		1				ETH	DBB		
6									PIN, Dowel
	4429 678	2				ETC			
		2				ETH	DBB		
7	4429 638	6				ETC			BOLT, Hex Head
		6				ETH	DBB		
8	4761 248	8				ETC			BOLT, Flywheel Housing
		8				ETH	DBB		
9	4874 537	1				ETC			ADAPTER, Transmission
		1				ETH	DBB		
10	4761 247	1				ETC			COVER, Flywheel Housing
		1				ETH	DBB		
11	4856 021AB	1				ETC			GASKET, Rear Cover
		1				ETH	DBB		
12	6501 681	8				ETH	DBB		WASHER, Flat
		8				ETC	DBB		
13									SCREW, Hex Head, M12x1.25x34.00

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Flywheel and Torque Converter, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6501 680	8				ETC	DBB		
		8				ETH	DBB		
14	5015 624AA	1				ETC	DBB		FLYWHEEL
	5080 538AA	1				ETH	DBB		
15	4429 903	1				ETH	DBB		GEAR, Ring
		1				ETC	DBB		
16	52107 562AB	1				ETC	DBB		BEARING, Pilot
		1				ETH	DBB		
17	4429 522	8				ETC	DG0		SCREW, Cap
18	4798 968	1				ETC	DG0		PLATE, Drive Plate Backing
19	5015 709AA	1				ETC	DG0		PLATE, Torque Converter Drive
-20	6033 439	6				ET0	DG0		BOLT, Hex Head, .37-24x.55
21	5211 8868	1				ET0	DG0		CONVERTER, Torque

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Torque Converter Cooler, 5.9L Diesel [ETC,ETH] Figure 5.9LD-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
[ETC] = 5.9L Cummins 24 Valve Diesel Engines									
[ETH] = 5.9L High Output Cummins Turbo Diesel									
1	4429 369	1				ETC	DG0		PLUG, Pipe
		1				ETC	DBB		
		1				ETH	DBB		
2	5011 913AA	1				ETC	DG0		PLUG
		1				ETC	DBB		
		1				ETH	DBB		
3	5011 914AA	1				ETC	DG0		O RING, Oil Cooler
		1				ETC	DBB		
		1				ETH	DBB		
4	4429 630	4				ETC	DG0		BOLT, Hex Head
	4429 779	1				ETC			
5	4883 885AA	1				ETC	DG0		COUPLING, Hose
6	5011 405AA	2				ETC	DG0		HOSE, Oil Cooler
7	5011 409AA	1				ETC	DG0		HOSE, Oil Cooler
8	4429 089	2				ETC	DG0		CLAMP, Tube Retaining
9	4429 089	2				ETC	DG0		CLAMP, Tube Retaining
10	5011 900AA	2				ETC	DG0		CLAMP, Heater
11	5014 171AA	1				ETC	DG0		TUBE, Oil Cooler
12	5011 918AA	1				ETC	DG0		TUBE, Oil Cooler
13	5014 861AA	1				ETC	DG0		COOLER, Torque Converter
14	4429 386	1				ETH	DBB		PLUG, Pipe
15	4429 114	3				ETC			SCREW, Hex Flange Head
16	4429 689	1				ETC	DG0		NUT, Hex Flange

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Camshaft and Valves, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
[ETC] = 5.9L Cummins 24 Valve Diesel Engines									
[ETH] = 5.9L High Output Cummins Turbo Diesel									
1	5011 477AA	12				ETC			VALVE, Crosshead
		12				ETH	DBB		
2	5011 892AA	12				ETC			PUSH ROD, Valve
		12				ETH	DBB		
3	5011 893AA	12				ETC			SCREW, Hex Head
		12				ETH	DBB		
4	5016 647AA	12				ETC			SHAFT, Rocker Arm
		12				ETH	DBB		
5	5011 898AA	6				ETC			SUPPORT, Rocker Arm
		6				ETH	DBB		
6									SOCKET, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
7									CLIP, Serviced in Rocker Lever, (NOT SERVICED) (Not Serviced)
8									NUT, (NOT REQUIRED)
9	5011 899AA	12				ETC			SCREW, Rocker Lever Adjusting
		12				ETH	DBB		
10	5080 584AA	6				ETC			ROCKER ARM, Intake
		6				ETH	DBB		
11	5080 583AA	6				ETC			ROCKER ARM, Exhaust
		6				ETH	DBB		
12	5011 790AA	12				ETC			TAPPET, Valve
		12				ETH	DBB		
13	5019 345AA	1				ETC			CAMSHAFT KIT, Engine
		1				ETH	DBB		
14									KEY, Woodruff

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Camshaft and Valves, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 332	1				ETC			
		1				ETH	DBB		
15	4429 227	2				ETC			SCREW, Cap, .437-20x1.812
		2				ETH	DBB		
16	4798 890	1				ETC			SUPPORT, Camshaft Thrust
		1				ETH	DBB		
17									LOCK, Valve Spring Retainer
	5011 878AA	12				ETC			
		12				ETH	DBB		
18	5011 877AA	12				ETC			VALVE, Exhaust, Standard
		12				ETH	DBB		
19	5011 879AA	12				ETC			VALVE, Intake, Standard
		12				ETH	DBB		
20									RETAINER, Valve Spring
	5011 455AA	24				ETC			
		24				ETH	DBB		
21									SPRING, Valve
	5011 441AA	24				ETC			
		24				ETH	DBB		
22	5016 333AA	12				ETC			SEAL, Valve Guide
		12				ETH	DBB		
23									SEAL, Valve Guide
	5011 881AA	12				ETC			
		12				ETH	DBB		
24									INSERT, Exhaust Valve, Serviced in Assembly, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions
[ETC] = 5.9L Cummins 24 Valve Diesel Engines
[ETH] = 5.9L High Output Cummins Turbo Diesel


1	4429 633	2				ETC			SCREW, Hex Head, M8x1.25x50
		2				ETH	DBB		
2	4882 109	3				ETC			SCREW, Hex Head
		3				ETH	DBB		
3	5014 190AA	1				ETC			COVER, Timing Belt
		1				ETH	DBB		
4	5012 290AA	1				ETC			SEAL, Front Main Crankshaft
		1				ETH	DBB		
5	5017 752AA	1				ETC			CASE, Front
		1				ETH	DBB		
6	4429 633	2				ETC			SCREW, Hex Head, M8x1.25x50
		2				ETH	DBB		
7	5017 753AA	5				ETC			SCREW, Cap
		5				ETH	DBB		
8	5003 941AB	1				ETC			GASKET, Gear Housing
		1				ETH	DBB		
9	5011 800AA	1				ETC			DAMPER, Crankshaft
		1				ETH	DBB		
10	4429 857	4				ETC			SCREW, Hex Head Push Rod Point,
		4				ETH	DBB		24x.44
11	4429 475	1				ETC			GASKET, Oil Filler Connector
		1				ETH	DBB		
12	5014 222AA	1				ETC			SCREW, Hex Head

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Timing Gear and Cover, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	4761 242	1				ETC			SCREW, Hex Head, M8x1.25x45
		1				ETH	DBB		
14									P CLIP, (NOT REQUIRED)
15	4429 316	1				ETC			NUT
		1				ETH	DBB		
16	5014 195AB	1				ETC			CLAMP
		1				ETH	DBB		
17	5018 192AA	1				ETC			HOSE, Engine Vent Line
		1				ETH	DBB		
18	5014 196AA	1				ETC			BREATHER, Crankcase
		1				ETH	DBB		
19	5018 188AA	1				ETC			COVER, Engine
		1				ETH	DBB		
20	5018 185AA	1				ETC			CLAMP
		1				ETH	DBB		
21	5018 186AA	1				ETC			STRAP, Canister
		1				ETH	DBB		
22	5018 187AA	1				ETC			HOUSING, Oil Fill
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oiling, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

[ETC] = 5.9L Cummins 24 Valve Diesel Engines

[ETH] = 5.9L High Output Cummins Turbo Diesel


1	4429 630	4				ETC			BOLT, Hex Head
		4				ETH	DBB		
2	5003 694AB	1				ETC			GASKET, Oil Pan
		1				ETH	DBB		
3	5010 479AB	1				ETC			GASKET, Oil Suction Pipe
		1				ETH	DBB		
4	5080 625AA	33				ETC			SCREW, Hex Flange Head
		33				ETH	DBB		
5									WASHER, Oil Pan Drain Plug, (NOT REQUIRED)
6	4883 965AA	2				ETC			SCREW, Hex Flange Head
		2				ETH	DBB		
7	5080 632AA	1				ETC			PAN, Engine Oil
		1				ETH	DBB		
8	5080 631AA	1				ETC			PLUG, Oil Drain
		1				ETH	DBB		
9	4883 926AA	1				ETC			PICKUP, Engine Oil
		1				ETH	DBB		
10	4429 677	4				ETC			SCREW, Hex Head Header Point, 24x.44
		4				ETH	DBB		
11	5010 965AB	1				ETC			PUMP, Engine Oil
		1				ETH	DBB		
12									CLAMP, Hose, Spring Type, (NOT REQUIRED)
13									INDICATOR, Engine Oil Level

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Engine Oiling, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5080 582AA	1				ETC			
		1				ETH	DBB		
14	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16
		1				ETH	DBB		
15	5080 581AA	1				ETC			TUBE, Engine Oil Indicator
		1				ETH	DBB		
16	5080 581AA	1				ETC			TUBE, Engine Oil Indicator
		1				ETH	DBB		
17	5017 782AA	1				ETC			NUT, Clip-On
		1				ETH	DBB		
18	5011 846AA	1				ETC			CLIP
		1				ETH	DBB		
19	5080 582AA	1				ETC			INDICATOR, Engine Oil Level
		1				ETH	DBB		
20	4882 110	1				ETC			SCREW, Hex Head, M8x1.25x16
		1				ETH	DBB		
21	5017 782AA	1				ETC			NUT, Clip-On
		1				ETH	DBB		
22	4429 638	1				ETC			BOLT, Hex Head
		1				ETH	DBB		
23	5080 581AA	1				ETC			TUBE, Engine Oil Indicator
		1				ETH	DBB		
24	5017 783AA	1				ETC			SEAL, O-Ring
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Manifold, Intake and Exhaust, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
[ETC] = 5.9L Cummins 24 Valve Diesel Engines									
[ETH] = 5.9L High Output Cummins Turbo Diesel									
1	5015 717AA	12				ETC			SPACER, Exhaust Manifold
		12				ETH	DBB		
2	5012 557AA	11				ETC			SCREW, Cap
		11				ETH	DBB		
3	4638 695	3				ETC			SCREW, Fuel Tube Cap
		3				ETH	DBB		
4	5010 167AB	1				ETC			GASKET, Intake Manifold Cover
		1				ETH	DBB		
5	5011 908AA	1				ETC			COVER, Intake Manifold
		1				ETH	DBB		
6	5014 170AB	1				ETC			MANIFOLD, Exhaust
		1				ETH	DBB		
7	5015 719AA	6				ETC			GASKET, Exhaust Manifold
		6				ETH	DBB		
8	5014 169AA	1				ETC			SCREW
		1				ETH	DBB		
9	4638 761	2				ETC			BOLT, Hex Head, M8x1.25x80
		2				ETH	DBB		
10	5011 840AB	1				ETC			CONNECTOR, Air Intake
		1				ETH	DBB		
11									PLATE, (NOT SERVICED) (Not Serviced)
12	4762 012AB	1				ETC			HEATER, Engine
		1				ETH	DBB		
13									GASKET, Air Intake Connector

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Manifold, Intake and Exhaust, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 480AB	2				ETC			
		2				ETH	DBB		
14	5011 465AA	2				ETC			SCREW
		2				ETH	DBB		
-15	5072 387AA-	4				ETC			LOCK, Exhaust Manifold
		4				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Engine Oil Cooler, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

[ETC] = 5.9L Cummins 24 Valve Diesel Engines

[ETH] = 5.9L High Output Cummins Turbo Diesel


1									SCREW, Hex Head Header Point, 24x.44
	4429 634	12				ETC			
		12				ETH	DBB		
2									PLUG, Pipe
	4429 619	1				ETC			
		1				ETH	DBB		
3									PLUG, Pipe
	4429 386	1				ETC			
		1				ETH	DBB		
4									PLUNGER, Oil Pressure Regulator
	4638 712	1				ETC			
		1				ETH	DBB		
5									HEAD, Oil Filter
	5014 193AA	1				ETC			
		1				ETH	DBB		
6									ADAPTER, Oil Filter
	4429 355	1				ETC			
		1				ETH	DBB		
7									SCREW, Hex Flange Head
	4883 965AA	2				ETC			
		2				ETH	DBB		
8									SPRING, Oil Pressure Relief Valve
	4761 985	1				ETC			
		1				ETH	DBB		
9									VALVE, Oil Pressure Relief
	4797 726AB	1				ETC			
		1				ETH	DBB		
10									O RING, Oil Cooler
	5003 647AA	1				ETC			
		1				ETH	DBB		
11									COOLER, Engine Oil
	4713 985	1				ETC			
		1				ETH	DBB		
12									GASKET, Oil Cooler
	5003 481AA	1				ETC			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Engine Oil Cooler, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	5011 438AA	1				ETC			GASKET, Oil Cooler
		1				ETH	DBB		
14	5016 547AC	1				ETC			FILTER, Engine Oil
		1				ETH	DBB		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Oil Lines, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions
[ETC] = 5.9L Cummins 24 Valve Diesel Engines
[ETH] = 5.9L High Output Cummins Turbo Diesel

1	5011 920AA	2				ETC			CLAMP
		2				ETH	DBB		
2	4429 630	2				ETC			BOLT, Hex Head
		2				ETH	DBB		
3	5003 605AA	1				ETC			PLUG, Expansion
		1				ETH	DBB		
4	5016 648AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
5	5011 922AB	2				ETC			FITTING, Oil Feed Line
		2				ETH	DBB		
6	5011 921AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
7	5015 575AA	1				ETC			HOSE, Turbocharger Feed
		1				ETH	DBB		
8	5011 924AA	1				ETC			O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
9	4429 183	1				ETC			HOSE, Turbo Oil Drain
		1				ETH	DBB		
10	5011 412AA	1				ETC			TUBE, Turbo Oil Drain
		1				ETH	DBB		
11	5016 650AA	1				ETC			TUBE, Turbo Oil Drain
		1				ETH	DBB		
12	4886 033AA	1				ETH	DBB		GASKET, Turbo Oil Drain Pipe
13	5011 412AA	1				ETC			TUBE, Turbo Oil Drain


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



**Oil Lines, 5.9L Diesel [ETC,ETH]
Figure 5.9LD-1115**

[illegible]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 011

Exhaust

GROUP 11 - Exhaust

Illustration Title


Group-Fig. No.



Exhaust System

Exhaust System, 3.9L [EHC], 5.2L [ELF],5.9 L Light Duty [EML]	Fig. 011-110
Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA]	Fig. 011-115
Exhaust System, 5.9L Diesel [ETC,ETH]	Fig. 011-120


Heat Shields

Heat Shields, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 011-210
--	--------------



011-100 Exhaust System	011-200 Heat Shields		
			

Exhaust System, 3.9L [EHC], 5.2L [ELF],5.9 L Light Duty [EML]
Figure 011-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DD0]= All 5 Speed Manual Transmissions									
[DG0]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	6035 375	4				EM0			BOLT, Hex Head, .375-16x2.50
2	4004 001	4				EM0, EW0			RETAINER, Exhaust Pipe to Manifold
3	0154 732	1				EM0, EW0			NUT, Hex, .375-16
4	52103 078AJ	2				EMM, EW0			CONVERTER, Catalytic
	52103 201AD	1				EW0			
	52103 631AA	1	2, 7		62, 65	EML	DG0		California
	52103 345AC	1				EML			Federal
5	5202 0003	1			62, 65	EML			PIPE, Exhaust
-6									PIPE, Exhaust Extension
	52103 179AA-	1	3, 8		63	EML			
	52103 180AB-	1	3, 8		64	EML			
7	5201 8855	1			62, 65	EML			HANGER, Exhaust
-8									BRACKET, Converter Hanger
	5201 9513	2	3, 8		64	EML			
		1	3, 8		63	EML			
9	3420 1888	2							SCREW, Hex Head
-10	3420 1888	6	3, 8		64	EML			SCREW, Hex Head
11	4004 445	1				EML			CLAMP, Exhaust
12	5201 7607	2							INSULATOR, Exhaust
13	5210 3159	1				EML			MUFFLER, Exhaust
14	5210 3094	1				EML			TAILPIPE, Exhaust
15	52018 890AB	1							BRACKET, Muffler
16	3420 1888	3							SCREW, Hex Head
17	5210 3053	1				EML, EW0			HANGER, Tailpipe
18	3420 1888	1							SCREW, Hex Head
19	4616 750	2							ISOLATOR, Exhaust Support

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA] Figure 011-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EMM]= Magnum 5.9L V-8									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	6035 375	4				EM0			BOLT, Hex Head, .375-16x2.50
-2									BOLT, Hex Flange Head, .375-16 x 2.75, 8.0L, (NOT SERVICED) (Not Serviced)
3	4004 001	4				EM0, EW0			RETAINER, Exhaust Pipe to Manifold
4	0154 732	1				EM0, EW0			NUT, Hex, .375-16
5	52103 078AJ	2				EMM, EW0			CONVERTER, Catalytic
	52103 201AD	1				EW0			
-6	52103 000AB-	2				EMM			RESONATOR, Exhaust, Leaded Fuel
7	5201 9397	2				EW0			CLAMP, Exhaust
8									PIPE, Exhaust
	5201 8550	2	3, 8		63	EMM			
	5201 9171	1	3, 8		63	EW0			California
	5201 9172	1	3, 8		64	EW0			California
-9	5201 8551	2	3, 8		64	EMM			RESONATOR, Exhaust
10									HANGER, Exhaust
	5201 8498	1				EMM			
		1				EW0			Federal
	52018 668AB	1				EW0			California
11	5201 7607	2							INSULATOR, Exhaust
12									HANGER, Exhaust
	5201 7629	1				EW0			
		1				EMM			
-13	5201 8666	1				EW0			BRACKET, Catalytic Converter
14	3420 1888	2							SCREW, Hex Head
15									MUFFLER, Exhaust
	5201 9323	1				EMM			
		1				EW0			
16	5201 8623	1				EMM, EW0			CLAMP, Exhaust
17	52018 890AB	1							BRACKET, Muffler
18	3420 1888	2							SCREW, Hex Head


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Heavy Duty [EMM], 8.0L [EWA] Figure 011-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	52103 096AB	1				EMM, EWO			TAILPIPE, Exhaust
20	5210 3053	1				EMM, ETO			HANGER, Tailpipe
21	3420 1888	3							SCREW, Hex Head
22	4616 750	2							ISOLATOR, Exhaust Support
23									SCREW, M10x1.50x30.00, (NOT SERVICED) (Not Serviced)
24									BRACKET, Engine Mount
	5201 8654	1				EMM			
		1				EWO			
25									BRACKET, Engine Mount
	5201 8654	1				EMM			
		1				EWO			
26	6502 337	2							NUT, M10x1.5
27									PIPE, Exhaust
	52006 532AD	1				EMM			Right
	52103 109AD	1				EMM			Left
28									CLAMP, Exhaust
	5201 9397	2				EWO			
		2	3, 8		62, 63, 64	EMM			
29	52019 170AB	1				EWO			PIPE, Exhaust

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ETO= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EWO = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exhaust System, 5.9L Diesel [ETC,ETH] Figure 011-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EMM]= Magnum 5.9L V-8									
[ET0]= All 5.9L Turbo Diesels									
1	6100 940	2				ET0			BOLT, Hex Flange Head, M10x1.5x50
2									CONVERTER, Catalytic, (NOT REQUIRED)
-3	52103 042AB-	1				ET0			RESONATOR, Exhaust
4									PIPE, Exhaust
	5201 9171	1	3, 8		63	ET0			
	5201 9172	1	3, 8		64	ET0			
5	5201 8532	1	3, 8		63, 64	ET0			CLAMP, Exhaust
6	5201 8666	1				ET0			BRACKET, Catalytic Converter
7	52018 668AB	1				ET0			HANGER, Exhaust
8	5201 7607	2							INSULATOR, Exhaust
9	3420 1888	1							SCREW, Hex Head
10	52019 324AD	1				ET0			MUFFLER, Exhaust
11	5201 8623	1				ET0			CLAMP, Exhaust
12	52018 890AB	1							BRACKET, Muffler
13	3420 1888	3							SCREW, Hex Head
14	52103 095AB	1				ET0			TAILPIPE, Exhaust
15	5210 3053	1				EMM, ET0			HANGER, Tailpipe
16	3420 1888	3							SCREW, Hex Head
17	52006 534AC	1				ET0			PIPE, Exhaust
18									PIPE, Exhaust
	5136 024AA	1				ETC	DBB		Turbo Elbow to Exhaust
		1				ETH	DBB		Turbo Elbow to Exhaust


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Heat Shields, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 011-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EMM]= Magnum 5.9L V-8

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1	5527 4650	1				EM0, EW0			SHIELD, Heat
2	55275 738AB	1				EM0, EW0			SHIELD, Heat
3	5527 4656	1				EW0			SHIELD, Heat, Right
4	5527 4738	1			62, 63, 65	EM0, EW0			SHIELD, Floor Pan
		1	3, 8		64	EM0, EW0			
5									NUT, [.250-20], (NOT SERVICED) (Not Serviced)
6	55274 655AB	1				EMM, EW0			SHIELD, Heat, Left
7									CLIP, Heat Shield, (NOT REQUIRED)
8	5205 8190	1				EMM, EW0			BRACKET, Heat Shield

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title Group-Fig. No.

Frames

Frame Fig. 013-140

Front Bumper and Fascia

Bumper, Front Fig. 013-230

Bumper, Front, Sport Fig. 013-235

Rear Bumper and Fascia


Rear Bumper and Licence Plate Attaching Fig. 013-310






Body Hold Down

Body Hold Down And Front End Mounting Fig. 013-520


Trailer Tow

Rear Hitch Fig. 013-610



013-100 Frames 	013-200 Front Bumper and Fascia 	013-300 Rear Bumper and Fascia 	013-500 Body Hold Down 
013-600 Trailer Tow 			

Frame
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME ASSEMBLY, Chassis
	52020 524AH	1	2, 3		62, 65				
	52020 427AH	1	7, 8		62, 65				
	52020 328AH	1	3, 8		63				
	52020 329AH	1	3, 8		64				
2									RIVET
	0104 114	12	2, 3		62, 65				
		12	7, 8		62, 65				
		12	3, 8		63				
		12	3, 8		64				
3									NUT AND WASHER, Hex Nut-Coned Washer, .375-16
	6025 011	8	2, 3		62, 65				
		8	7, 8		62, 65				
		8	3, 8		63				
		8	3, 8		64				
4									BRACKET, Parking Brake
	52020 439AC	1	2, 3		62, 65				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
5									CROSSMEMBER, Fuel Tank
	52057 523AB	1	3, 8		64				Front
	52057 524AB	1	2, 3		62, 65				Rear
		1	7, 8		62, 65				Rear
		1	3, 8		63				Rear
		2	3, 8		64				Rear
6									CROSSMEMBER, Rear Spring Front
	52057 525AB	1	2, 3		62, 65				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
7									CROSSMEMBER, Transmission
	5003 051AC	1	2, 3		62, 65				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
8									BRACKET, Frame
	5016 868AA	1	2, 3		62, 65				
		1	7, 8		62, 65				
		2	3, 8		63				

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual

DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions


Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3, 8		64				
9									BRACKET ASSEMBLY, Cab Mounting
	5016 876AA	1	2, 3		62, 65				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
10									BRACKET, Shackle
	5205 8658	2	2, 3		62, 65				
		2	7, 8		62, 65				
		2	3, 8		63				
		2	3, 8		64				
11									RAIL, Rear Right
	52057 860AD	1	2, 3		62, 65				
		1	7, 8		62, 65				
12									RAIL, Rear Left
	52057 861AD	1	2, 3		62, 65				
		1	7, 8		62, 65				
13									BRACKET ASSEMBLY, Cab Mounting
	5016 875AA	1	2, 3		62, 65				
		1	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
-14									BRACKET, Jounce Bumper
	5203 8233	4			62, 65				
		4	3, 8		63, 64				
15									BRACKET, Shackle
	5205 8658	2	2, 3		62, 65				
		2	7, 8		62, 65				
		2	3, 8		63				
		2	3, 8		64				
16									BRACKET, Spring Pivot
	5017 109AA	2	2, 3		62, 65				
		2	7, 8		62, 65				
		1	3, 8		63				
		1	3, 8		64				
17	5205 8603	1	2, 3		62, 65				BRACKET, Idler Arm
18	52058 604AD	2	2, 3		62, 65				BRACKET, Upper Control Arm
19									CUP, Jounce Bumper
	5205 8224	2	7, 8		62, 65				

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Frame
Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	3, 8		63				
		2	3, 8		64				
20	5203 8233	4			62, 65				BRACKET, Jounce Bumper
		4	3, 8		63, 64				
21	5205 8418	2	2, 7		65				ADAPTER, Frame To Body
	52019 897AB	2	3, 8		63				
		4	3, 8		64				
22	5205 8068	2	2, 7		65				BRACKET, Frame
23	5015 412AB	1	3, 8		63				CROSSMEMBER, Radiator
		1	3, 8		64				
		1	7, 8		62, 65				
		1	2, 3		62, 65				
		1	6		61				
		1	6, 7		62				
		1	6		31				
		1	6		32				
		1	1		61				
		1	1, 2		62				
		1	1		32				
		1	1		31				
24	4773 168AB	1	3, 8		63				CROSSMEMBER, K Type
		1	3, 8		64				
		1	7, 8		62, 65				
		1	2, 3		62, 65				


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Bumper, Front
Figure 013-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Front Bumper
	5523 4724	1							Right
	5523 4725	1							Left
2									BOLT, Bumper to Bracket, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4									NUT, (NOT SERVICED) (Not Serviced)
5									NUT, (NOT SERVICED) (Not Serviced)
6	55235 115AB	1							SEAL, Radiator
7	6101 712	2							NUT, U, M6x1
8	55076 599AE	1							BUMPER, Front
-9	55295 455AD-	1							BRACKET, License Plate
10									SHIELD, Bumper
	5507 6600	1							Without Fog Lamps, Right
	5507 6601	1							Without Fog Lamps, Left
	55076 786AB	1							With Fog Lamps, Right
	55076 787AB	1							With Fog Lamps, Left
11	6503 938	4							RIVET, Blind, .25xM4/M7
12	55076 610AB	1							FASCIA, Front, Upper
-13	6033 018	2							FASTENER, Hood Silencer, Valance to (For Square Holes) Bumper
-14	6503 698	8							SCREW AND WASHER, Truss Head, M6-1.00x30.00
15	55076 614AC	1							FASCIA, Front
16									AIR DAM
	55077 350AA	1							[XEA]
	5527 4811	1							[-XEA]
-17	3420 1631	18							RIVET, M6.25x28 Black
18	6503 698	8							SCREW AND WASHER, Truss Head, M6-1.00x30.00
19									BRACKET, Front Bumper
	55076 778AB	1							Right
	55076 779AB	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bumper, Front, Sport
Figure 013-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Front, Primed
	5013 818AE	1							Without Tow Hooks
	5016 301AA	1							With Tow Hooks
2	55077 011AB	1							BEAM, Front Bumper
3	55077 012AB	1							STRIP, Front Fascia, Black
4	6101 402	8							SCREW, Pan Head, M5x.80x125
5									NUT, Hex, .42-14, (NOT SERVICED) (Not Serviced)
-6	56021 863AB-	1							WIRING, Fog Lamp Jumper
7	6503 698	5							SCREW AND WASHER, Truss Head, M6-1.00x30.00
8	6503 221	4							PIN
9	6504 394	4							BOLT AND RETAINER, M12X1. 75X35.00
10	6504 118	5							U-NUT, M6 x 1.00, M6x1.00
11	6504 790	6							BOLT, Square Neck, M12x1.75x30.5
12									NUT, U, M6x1, (NOT SERVICED) (Not Serviced)
13									BRACKET, Front Bumper
	55077 014AB	1							Right
	55077 015AB	1							Left
14	6503 938	4							RIVET, Blind, .25xM4/M7
15									SCREW, Pan Head, M8x1.25x35, (NOT SERVICED) (Not Serviced)
16	55077 019AC	1							SUPPORT, Front Fascia
17	6502 697	2							NUT, Hex Flange Lock, M12x1.75
18									BRACKET, Front Bumper
	55077 022AB	1							Right
	55077 023AB	1							Left
19									BOLT AND RETAINER, M12X1. 75X32.50, (NOT SERVICED) (Not Serviced)
20	55076 970AD	1							PANEL, Front Facsia
21									BRACKET, Front Bumper
	55076 972AD	1							Right
	55076 973AD	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Bumper and Licence Plate Attaching
Figure 013-310


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Rear
	5FG80 GW7AE	1							[W7]
	5FG80 PR4AE	1							[R4]
	55076 634AE	1							Bright
	5FG80 DX8AE	1							[X8]
	5FG80 WSB AE	1							[SB]
	5FG80 ZBJAE	1							[BJ]
	5FG80 ZDRAE	1							[DR]
2	5527 4863	2							BRACKET, Rear Bumper
3	6504 394	4							BOLT AND RETAINER, M12X1. 75X35.00
4	6505 099AA	6							NUT, Hex Flange Lock, M12x1.75
5									BRACKET, Rear Bumper Side
	5527 4868	1							Right
	5527 4869	1							Left
6	6504 122	8							BOLT, m12x1.75x35.00
7	6100 055	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M12 x 1.75
8	6504 395	2							BOLT AND RETAINER, M12X1. 75X35.00
9									BRACKET, License Plate
	55077 064AD	1							Kit w/Bracket, Bag and Screws
	55295 455AD	1							Kit Plate Attaching Hardware
10	3738 921	1			63, 64, 65				BRACKET, License Plate
11	6027 958	2							NUT, Snap In, .25
12									SCREW, (NOT SERVICED) (Not Serviced)
13									STEP PAD, Rear Bumper
	5503 4460	1							Right
	5503 4461	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Body Hold Down And Front End Mounting
 Figure 013-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4855	2							CUSHION, Body Hold Down, Load
2	5527 4857	2							CUSHION, Body Hold Down, Front Load
3	5527 4828	2							CUSHION, Body Hold Down Club Cab (Green)
	5527 4853	2							Rear Load
-4	5523 4693	6							INSULATOR, Body Hold Down
	5527 4831	6							Club Cab
5	6501 557	6							BOLT, Hex Flange Head, M12x1.75x95.50


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Hitch Figure 013-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7492	1		L					RECEIVER KIT, Trailer Tow
2	6503 252	8							BOLT, Hex Flange Head, M12x1.75x45
3	6031 635	6							NUT, Push
4	6100 055	6							NUT AND WASHER, Hex Nut-Coned Washer, M12 x 1.75



DODGE RAM STANDARD CAB (BR)

BODGE RAM STAND.
SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Group – 014









Fuel



Group – 014


Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			

GROUP 14 - Fuel		GROUP 14 - Fuel		
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.	
Tank, Fuel		Accelerator Pedal		
Fuel Tank, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH] . . .	Fig. 014-110	Accelerator Pedal, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,	Fig. 014-1110	
Skid Plates	Fig. 014-115	ETH]		
Fuel Tank Filler Tube				
Fuel Filler Tube, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]	Fig. 014-210			
Fuel Lines				
Fuel Lines, Front, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-310			
Fuel Lines, Rear, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,	Fig. 014-315			
ETH]				
Fuel Lines, 5.9L Diesel [ETC,ETH]	Fig. 014-320			
Fuel Injector, 5.9L Diesel [ETC,ETH]	Fig. 014-330			
Air Fuel Control and Fuel Filter, 5.9L Diesel [ETC,ETH]	Fig. 014-335			
Fuel Rail				
Fuel Rail, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-410			
Fuel Pump and Sending Unit				
Fuel Module, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH] . .	Fig. 014-510			
Fuel Injection Pump, 5.9L Diesel [ETC,ETH]	Fig. 014-520			
Fuel Accessories, 5.9L Diesel [ETC,ETH]	Fig. 014-525			
Fuel PumpTransfer Conversion	Fig. 014-535			
Throttle Body				
Throttle Body, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-610			
Turbocharger, 5.9L Diesel [ETC,ETH]	Fig. 014-620			
Throttle Controls				
Throttle Controls, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]	Fig. 014-710			
Throttle Controls, 5.9L Diesel [ETC,ETH]	Fig. 014-720			
Air Cleaner				
Air Cleaner, 5.2L [ELF], 5.9L [EML]	Fig. 014-810			
Air Cleaner, 5.9L [EMM]	Fig. 014-815			
Air Cleaner, 8.0L [EWA]	Fig. 014-820			
Air Cleaner, 5.9L Diesel [ETC,ETH]	Fig. 014-825			
Air Intake System				
Air Intake System, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM]	Fig. 014-910			
Air Intake System, 8.0L [EWA]	Fig. 014-915			
Air Intake System, 5.9L Diesel [ETC,ETH]	Fig. 014-920			
Charge Air Cooler System, 5.9L Diesel [ETC,ETH]	Fig. 014-930			
Speed Control				
Speed Control, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]	Fig. 014-1010			

Fuel Tank, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EML]= Magnum 5.9L V-8

[EMM]= Magnum 5.9L V-8

[EM0]= All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesels

[EW0]= All 8.0L Gas Engines

1									TANK, Fuel
	52102 076AE	1			62	EM0, EW0			
		1			63, 64, 65	EM0, EW0			
	52102 080AD	1				ET0			
2									STRAP, Fuel Tank
	52102 058AC	1							Front
	5210 2059	1							Rear
3	6502 337	2							NUT, M10x1.5
4	J400 0235	4				EMM, EW0			NUT, Push, .375
5	5210 2317	1				EM0, EW0			SHIELD, Heat, 35 Gallon
6	5210 2422	1			62, 63, 65	EMM, EW0			SHIELD, Heat

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Skid Plates

Figure 014-115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SKID PLATE, Fuel Tank, (NOT REQUIRED)
2									SCREW, Hex Head, (NOT REQUIRED)




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EMLEMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Fuel Filler Tube, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesels									
[EW0]= All 8.0L Gas Engines									
1									SCREW, [.190-16x1.00], (NOT SERVICED) (Not Serviced)
2	5278 632AA	1							CAP, Fuel Filler
3	52102 142AB	1	2, 7		62	ET0			HOUSING, Fuel Filler
4	52102 492AA	1	2, 7		62	ET0			TUBE, Fuel Filler
	52102 493AA	1			63, 64,	EM0,			
		1	3, 8		65	EW0			
		1	3, 8		62	EM0,			
		1	3, 8		62	ET0			
		1			63, 64,	ET0			
	52102 494AA	1			65				Upper
					63, 64,	EM0,			
					65	EW0			
5	6505 321AA	2							CLAMP, Fuel Filler Pipe
6	52102 376AA	1			62				HOSE, Fuel Filler Vent
	52102 358AA	1			63, 64,	EM0,			
		1			65	EW0			
		1			63, 64,	ET0			
					65				
7	6504 998AA	2							CLAMP, Fuel Filler Pipe
8	52102 357AA	1			63, 64,	EM0,			HOSE, Fuel Filler
	52102 375AA	1			65	EW0			
					62				
9	4428 652	1				ET0			LABEL, Fuel
10	4206 059	1				EM0,			LABEL, Unleaded Fuel Only
						EW0			
11	5210 2306	1	2, 7		62	ET0			GASKET, Filler Tube Housing
12	4682 676	1							TETHER, Fuel Filler Cap


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, Front, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[EH0]= All 3.9L Gas Engines
[ELF]= Magnum 5.2L V-8 Engines
[EM0]= All 5.9L Gas Engines
[EW0]= All 8.0L Gas Engines

1									BUNDLE, Fuel Line
	52127 820AF	1				EW0			
	52127 819AE	1				EM0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Fuel Lines, Rear, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[EH0]= All 3.9L Gas Engines
[ELF]= Magnum 5.2L V-8 Engines
[EL0]= All 5.2L Gas Engines
[EML]= Magnum 5.9L V-8 Engines
[EM0]= All 5.9L Gas Engines
[ET0]= All 5.9L Turbo Diesels
[EW0]= All 8.0L Gas Engines


1									TUBE, Fuel Supply
	5210 2308	1			62, 65	ET0			
	5210 2309	1	3, 8		63	ET0			
	5210 2312	1	3, 8		64	ET0			
-2	52102 292AC-	1	3, 8		64	EM0,			BUNDLE, Fuel Line, Chassis Supply
						EW0			
3									TUBE, Fuel Return
	52102 307AB	1			62, 65	ET0			Chassis Return
	52102 311AB	1	3, 8		63	ET0			Chassis Return
	52102 313AB	1	3, 8		64	ET0			Chassis Return
-4	52102 290AC-	1	3, 8		64	EM0,			TUBE, Fuel Vapor
						EW0			
5									CLIP, Fuel
	5210 2003	2	3, 8		63	EM0,			
		3	3, 8		64	EM0,			
						EW0			
		2	3, 8		63	ET0			
		3	3, 8		64	ET0			
		2			62, 65	EM0,			
						EW0			
		2			62, 65	ET0			
6	52102 373AC	3	3, 8		63, 64	ET0			CLIP, Fuel Line
7									SCREW, (NOT SERVICED) (Not Serviced)
8									SHIELD, Fuel Line
	5202 1002	1				EM0,			
						EW0			
		1				ET0			
9	4364 375	AR				EW0			TUBE, Convoluted
10									TUBE, Fuel, Serviced in Fuel Tank, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L Diesel [ETC,ETH]
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1	5011 885AB	6				ETC			O RING, Fuel Injector
		6				ETH	DBB		
2	5011 824AA	1				ETC			CHECK VALVE, Fuel
		1				ETH	DBB		
3	4638 695	3				ETC			SCREW, Fuel Tube Cap
		3				ETH	DBB		
4	5011 826AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
5	5016 556AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
6	5013 856AA	6				ETC			CONNECTOR, Injector
		6				ETH	DBB		
7	5011 439AA	1				ETC			TUBE, Fuel Return
		1				ETH	DBB		
8	4429 519	2				ETC			BRACE, Fuel Tube
		2				ETH	DBB		
9	4762 019	2				ETC			BRACE, Fuel Tube
		2				ETH	DBB		
10	4740 354	1				ETC			BRACE, Fuel Tube
		1				ETH	DBB		
11	4762 021	3				ETC			BRACE, Fuel Tube
		2				ETH	DBB		
12	4762 022	6				ETC			ISOLATOR, Fuel Filter Vibration
		4				ETH	DBB		
13									ISOLATOR, Tube

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L Diesel [ETC,ETH]
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4638 687	6				ETC			
14	4897 205AA	4				ETH	DBB		BRACE, Fuel Tube
		1				ETC			
15	5011 887AA	1				ETH	DBB		BRACE, Fuel Tube
		1				ETC			
16	5011 888AA	2				ETH	DBB		ISOLATOR, Tube
		2				ETC			
17	4761 708	11				ETH	DBB		SCREW, Fuel Tube Bracket
		7				ETC			
18	5011 889AA	1				ETH	DBB		BRACE, Fuel Tube
		1				ETC			
19	5011 457AA	1				ETH	DBB		TUBE, Fuel Injector Supply CYLINDER #1
		1				ETC			
20	5011 458AA	1				ETH	DBB		TUBE, Fuel Injector Supply CYLINDER #2
		1				ETC			
21	5011 460AA	1				ETH	DBB		TUBE, Fuel Injector Supply CYLINDER #4
		1				ETC			
22	5011 890AA	1				ETH	DBB		BRACE, Fuel Tube
		1				ETC			
23	5017 788AA	1				ETH	DBB		BRACE, Fuel Tube
		1				ETC			
24	5011 459AA	1				ETH	DBB		TUBE, Fuel Injector Supply CYLINDER #3
		1				ETC			
25	5011 461AA	1				ETH	DBB		TUBE, Fuel Injector Supply CYLINDER #5
		1				ETC			
26	5011 462AA	1				ETH	DBB		TUBE, Fuel Injector Supply CYLINDER #6
		1				ETC			
27									SCREW, Hex Head, M8x1.25x12

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Lines, 5.9L Diesel [ETC,ETH]
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 818AA	1				ETC			
		1				ETH	DBB		
28	4429 135	2				ETC			BOLT, Banjo
		2				ETH	DBB		
29	5011 820AA	1				ETC			TEE
		1				ETH	DBB		
30	5015 576AA	2				ETC			WASHER, Fuel Pump
		2				ETH	DBB		
31	5016 555AA	8				ETC			WASHER, Fuel Line Banjo
		8				ETH	DBB		
32	4429 451	3				ETC			GROMMET
		3				ETH	DBB		
-33	52113 950AA-	1	2, 3			ET0			CLIP, Fuel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Injector, 5.9L Diesel [ETC,ETH]
Figure 014-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[ETC]= 5.9L, 24 Valve Cummins Diesel
[ETH]= 5.9L High Output Cummins Turbo Diesel


1	5013 847AA	6				ETC			INJECTOR, Fuel
	5018 177AA	6				ETH	DBB		
2	5011 886AA	6				ETC			CLAMP, Injector
		6				ETH	DBB		
3	4761 269	6				ETC			SCREW, Hex Flange Head
		6				ETH	DBB		
4	5011 417AA	6				ETC			SCREW
		6				ETH	DBB		
5	5011 885AB	6				ETC			O RING, Fuel Injector
		6				ETH	DBB		
6	4798 375	6				ETC			SEAL, Fuel Injector
		6				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Fuel Control and Fuel Filter, 5.9L Diesel [ETC,ETH]
Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes
[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[ETC]= 5.9L, 24 Valve Cummins Diesel
[ETH]= 5.9L High Output Cummins Turbo Diesel


1	5014 261AA	4				ETC ETH			CLAMP, Hose
		4					DBB		
2	5016 554AA	2				ETC ETH			CONNECTOR, Fuel Filter
		2					DBB		
3	5015 711AA	1				ETC ETH			HOSE, Fuel
		1					DBB		
4	4429 135	2				ETC ETH			BOLT, Banjo
		2					DBB		
5	5016 555AA	8				ETC ETH			WASHER, Fuel Line Banjo
		8					DBB		
6	5015 712AA	2				ETC ETH			BOLT, Banjo
		2					DBB		
7	5015 714AA	1				ETC ETH			TUBE, Fuel Supply
		1					DBB		
8	5015 715AA	1				ETC ETH			TUBE, Fuel Supply
		1					DBB		
9	5015 716AA	1				ETC ETH			HOSE, Fuel
		1					DBB		
10	4429 634	12				ETC ETH			SCREW, Hex Head Header Point, 24x.44
		12					DBB		
11	5083 368AA	1				ETC ETH			HOSE, Fuel Drain
		1					DBB		
12	5015 578AC	1				ETC			HEAD, Fuel Filter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Fuel Control and Fuel Filter, 5.9L Diesel [ETC,ETH]
Figure 014-335



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
13	5015 584AB	1				ETC			O RING
		1				ETH	DBB		
14	5015 581AB	1				ETC			FILTER, Fuel
		1				ETH	DBB		
15	5015 585AB	1				ETC			HEATER
		1				ETH	DBB		
16	5015 579AC	1				ETC			HOUSING, Fuel Filler
		1				ETH	DBB		
17	5015 586AA	1				ETC			THERMOSTAT
		1				ETH	DBB		
18	5080 552AA	1				ETC			DRAIN, Fuel Filter Bowl
		1				ETH	DBB		
19	5015 582AB	1				ETC			SENSOR, Fuel/Water
		1				ETH	DBB		
20	5080 553AA	1				ETC			SEAL
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Fuel Rail, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[ELF]= Magnum 5.2L V-8 Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1									RAIL, Fuel
	53030 598AB	1				EM0			
	5304 1029	1				EW0			
2									CLIP, Fuel Line
	5212 7788	2				EM0			
		2				EW0			
3									INJECTOR, Fuel
	53031 740AA	8				EM0			
	5303 1571	10				EW0			
4	4418 257AB	8				EM0			CLIP, Fuel Injector
5	6034 380	4				EW0			STUD, .312-18/250-20x4.00
6	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned
									Washer, .25-20
7	6034 549	6				EW0			SCREW, Hex Head, .312-18x.94
8									CLIP, Fuel Line, (NOT REQUIRED)
-9	5018 781AA-	1				EM0			CAP
-10									O RING KIT, Fuel Injector
	5083 745AA-	8				EM0			
		10				EW0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Module, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesels									
[EW0]= All 8.0L Gas Engines									
1	4897 667AF	1			62	EM0, EW0			MODULE KIT, Fuel Pump/Level Unit
		1			63, 64, 65	EM0, EW0 ET0			
2	5200 5389	1			62	EM0, EW0 ET0			NUT, Fuel Pump Module
3	4798 825AB	1			62	EM0, EW0			FILTER, Fuel Pressure Regulator
		1			63, 64, 65	EM0, EW0			
4									VALVE, Fuel Vapor, Service in Item#1, (NOT SERVICED) (Not Serviced)
-5	5212 7666	1				ET0			VALVE, Fuel Tank Rollover Safety
6	4616 244	1			62	EM0, EW0			GROMMET, Rollover Valve
		1			63, 64, 65	EM0, EW0			
7	4897 669AB	1			62	EM0, EW0			LEVEL UNIT KIT, Fuel
		1			63, 64, 65	EM0, EW0			
8									FILTER, Fuel, Serviced in Module, (NOT SERVICED) (Not Serviced)
9	5201 8808	1				ET0			SEAL, Fuel Pump and Level Unit

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Fuel Module, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-510**

[illegible]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Injection Pump, 5.9L Diesel [ETC,ETH]
Figure 014-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note; Sales Codes
[DBB]= All Manual Transmissions
[ETC]= 5.9L, 24 Valve Cummins Diesel
[ETH]= 5.9L High Output Cummins Turbo Diesel

1									BOLT, Hex Head
	5016 188AA	2				ETC			
		2				ETH	DBB		
2	4429 862	1				ETC			NUT, Hex Flange, M10x1.5
		1				ETH	DBB		
3	5080 537AA	4				ETC			STUD, Fuel Pump
		4				ETH	DBB		
4	5014 189AA	1				ETC			O RING, Fuel Injection Pump, Diesel
		1				ETH	DBB		
5	5015 179AA	1				ETC			GEAR, Injection Pump
		1				ETH	DBB		
6	5016 186AA	1				ETC			BRACE, Fuel Pump
		1				ETH	DBB		
7	5015 362AA	1				ETC			BRACE, Fuel Pump
		1				ETH	DBB		
8	5011 423AA	2				ETC			SCREW
		2				ETH	DBB		
9	5011 813AA	1				ETC			DOWEL
		1				ETH	DBB		
10	5019 657AD	1				ETH	DBB		PUMP, Fuel Injection
	5019 658AD	1				ETC			
11	5013 000AA	1				ETC			KEY, Fuel Injection Pump
		1				ETH	DBB		0.36
	5013 026AA	1				ETC			0.35
		1				ETH	DBB		0.35
	5013 052AA	1				ETC			0.34
		1				ETH	DBB		0.34

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Fuel Injection Pump, 5.9L Diesel [ETC,ETH]
Figure 014-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5013 078AA	1				ETC			0.33
		1				ETH	DBB		0.33
	5013 104AA	1				ETC			0.32
		1				ETH	DBB		0.32
	5013 130AA	1				ETH	DBB		0.31
		1				ETC	DBB		0.31
	5013 156AA	1				ETC			0.30
		1				ETH	DBB		0.30
	5013 182AA	1				ETC			0.29
		1				ETH	DBB		0.29
	5013 208AA	1				ETC			0.28
		1				ETH	DBB		0.28
	5013 234AA	1				ETC			0.27
		1				ETH	DBB		0.27
	5013 260AA	1				ETC			0.26
		1				ETH	DBB		0.26
	5014 026AA	1				ETC			0.46
		1				ETH	DBB		0.46
	5014 052AA	1				ETC	DBB		0.45
		1				ETH	DBB		0.45
	5014 078AA	1				ETC	DBB		0.44
		1				ETH	DBB		0.44
	5014 104AA	1				ETC	DBB		0.43
		1				ETH	DBB		0.43
	5014 130AA	1				ETH	DBB		0.42
		1				ETC	DBB		0.42
	5014 156AA	1				ETH	DBB		0.41
		1				ETC	DBB		0.41
	5014 182AA	1				ETC	DBB		0.40
		1				ETH	DBB		0.40
	5014 208AA	1				ETC	DBB		0.39
		1				ETH	DBB		0.39
	5014 234AA	1				ETC	DBB		0.38
		1				ETH	DBB		0.38
	5014 260AA	1				ETH	DBB		0.37
		1				ETC	DBB		0.37

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Fuel Accessories, 5.9L Diesel [ETC,ETH]
Figure 014-525


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
1									NUT, Hex
	5011 815AA	3				ETC			
		3				ETH	DBB		
2									BOLT, Hex Head
	4429 630	2				ETC			
		2				ETH	DBB		
3									BOLT, Banjo
	4429 135	2				ETC			
		2				ETH	DBB		
4									WASHER, Fuel Line Banjo
	5016 555AA	8				ETC			
		8				ETH	DBB		
5									SCREW, Hex Head, M8x1.25x16
	4882 110	1				ETC			
		1				ETH	DBB		
6									BRACKET, Pump
	5015 720AA	1				ETC			
		1				ETH	DBB		
7									GASKET, Engine Block Cover
	5011 437AB	1				ETC			
		1				ETH	DBB		
8									TUBE, Fuel Injector Supply
	5011 463AA	1				ETC			
		1				ETH	DBB		
9									PUMP, Fuel
	5080 885AA	1				ETC	DG0		
		1				ETH	DBB		
10									CLIP, (NOT REQUIRED)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fuel Pump Transfer Conversion Figure 014-535

[illegible]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE

BODY

62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION

DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Body, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1									THROTTLE BODY
	5303 1808	1				EW0			
	53032 691AA	1				EM0			
2									GASKET, Throttle Body To Intake
	5303 0541	1				EM0			
	5304 1120	1				EW0			
3	6034 380	4				EW0			STUD, .312-18/.250-20x4.00
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned
									Washer, .25-20
5									MOTOR, Air Idle Speed
	53030 657AC	1				EM0			
	53032 067AA	1				EW0			
6	5003 467AA	2				EM0			SCREW, A.I.S. Motor
7	5300 9672	1				EM0			CONNECTOR, Emission Hose
8									SENSOR KIT, Throttle Position
	5017 479AA	1				EM0			
		1				EW0			
-9	6036 338AA-	4				EM0			SCREW AND WASHER, Hex Head, .312-18x2.38


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Turbocharger, 5.9L Diesel [ETC,ETH]
Figure 014-620**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesel									
[ETH]= 5.9L High Output Cummins Turbo Diesels									
1									TURBOCHARGER
	5017 509AA	1				ETC	DBB		
		1				ETH	DBB		
	5017 787AD	1				ETC	DG0		
2									GASKET, Turbocharger
	4886 034AA	1				ETH	DBB		
	5018 525AA	1				ETC	DG0		
3									STUD
	4429 823	4				ETC	DG0		
		4				ETC	DBB		
4									NUT, Turbo Mounting
	4429 825	4				ETC	DG0		
		4				ETC	DBB		
5									O RING, Air Intake Line
	4761 275	1				ETC			
		1				ETH	DBB		
6									NUT, Lock
	4882 114	1				ETC			
		1				ETH	DBB		
7									CLAMP, Air Intake Connection, V Clamp
	4882 048	1				ETC			
		1				ETH	DBB		
8									ELBOW, Air Intake
	4746 644	1				ETC			
		1				ETH	DBB		
9									GASKET, Turbo Oil Drain Pipe
	4886 033AA	1				ETC	DBB		
		1				ETH	DBB		
-10	5136 024AA-	1				ETC	DBB		PIPE, Exhaust
-11	4874 541	1				ETC	DBB		GASKET, Turbocharger, Located between the turbo& elbow
-12	5161 580AA-	5				ETH	DBB		SCREW

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 014-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DGK]= 4 Speed Automatic Transmission 42RE									
[DGT]= 4 Speed Automatic Transmission 46RE									
[DG0]= All Automatic Transmissions									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8 Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	5207 8102	1				EM0, EW0	DBB		SPRING, Throttle Return
2	5207 7860	1				EW0			LINK, Accelerator Linkage
3									CABLE, Throttle Valve
	52104 030AD	1				EM0, EW0	DG0		
	52107 742AC	1				ETC	DG0		
4	5303 1501	1				EW0			CABLE, Accelerator
5									CLIP, Serviced in Cable, (NOT SERVICED) (Not Serviced)
6	5303 1525	1				EW0			BELLCRANK, Accelerator and Cruise
7	5207 8481	1				EM0			CLIP, Accelerator Cable
8	5207 9101	1					DG0		BRACKET, Cable
9	6029 799	1					DG0		BOLT, Hex Head, .375-16x1.00
10	52107 807AC	1					DGP		BRACKET, Torque Shaft
11	5207 8718	1					DG0		BRACKET, Throttle Valve Spring
12	6028 114	1					DG0		NUT, Hex, .437-14
13	5207 9065	1					DG0		LEVER, Throttle Valve
14	5300 9055	1					DG0		SPRING, Throttle Valve Return

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Throttle Controls, 5.9L Diesel [ETC,ETH] Figure 014-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesels									
[ETH]= 5.9L High Output Cummins Turbo Diesel									
[ET0]= All 5.9L Turbo Diesels									
1	4429 631	1				ETC	DBB		SCREW, Hex Head
		1				ETH	DBB		
2	4429 779	1				ETC			BOLT, Hex Head
		1				ETH	DBB		
3									BELLCRANK, Accelerator and
									Cruise, Also Includes Throttle
									Position Sensor
	53031 575AF	1				ETC	DG0		
	53031 576AC	1				ETC	DBB		
		1				ETH	DBB		
4	5011 838AA	1				ETC			SUPPORT, Bellcrank
		1				ETH	DBB		
5	5303 1577	1				ET0			SHROUD, Bellcrank
6	6502 871	2				ET0			RETAINER
7	52107 742AC	1				ETC	DG0		CABLE, Throttle Valve
8	53031 626AC	1				ET0			CABLE, Accelerator


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Air Cleaner, 5.2L [ELF], 5.9L [EML]
Figure 014-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
1	53030 817AE	1				EM0			HOSE, Crankcase Vent
-2	53008 675AD-	1				EM0			TUBE, PCV Valve
3	4897 529AA	1				EML			BODY, Air Cleaner
4									SCREW, (NOT SERVICED) (Not Serviced)
5	5303 0406	1				EM0			FASTENER, Mounting Post
6	6034 985	1				EM0, EW0			STUD, .375-16x3.04
7	53030 353AB	1				EM0			BRACKET, Air Cleaner
8	5277 576	3				EML			LATCH, Air Cleaner
9	5018 219AC	1				EML			COVER, Air Cleaner
10	4268 295	1				EML			GROMMET, Air Cleaner Bracket
11	5300 4383	1				EML			FILTER, Air
12	53032 451AA	1				EM0			GASKET, Air Cleaner To T/Body
13	53032 106AA	1				EML			CLAMP, Air Cleaner to T/Body

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Air Cleaner, 5.9L [EMM]
Figure 014-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EMM]= Magnum 5.9L V-8 Engines

[EM0]= All 5.9L Gas Engines

1	53008 675AD	1				EM0			TUBE, PCV Valve
2	5018 219AC	1				EML			COVER, Air Cleaner
3	53030 817AE	1				EM0			HOSE, Crankcase Vent
4	6034 985	1				EM0,			STUD, .375-16x3.04
						EW0			
5	5303 0406	1				EM0			FASTENER, Mounting Post
6									SCREW, (NOT SERVICED) (Not Serviced)
7	53030 353AB	1				EM0			BRACKET, Air Cleaner
-8	4897 529AA-	1				EMM			BODY, Air Cleaner
9	5277 576	3				EMM			LATCH, Air Cleaner
10	53032 106AA	1				EMM			CLAMP, Air Cleaner to T/Body
11	5300 4383	1				EMM			FILTER, Air
12	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
13	4268 295	1				EMM			GROMMET, Air Cleaner Bracket

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Air Cleaner, 8.0L [EWA]
Figure 014-820

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EW0]= All 8.0L Gas Engines


1	5303 0867	1				EW0			GASKET, Air Cleaner To T/Body
2	53040 044AB	1				EW0			AIR CLEANER
3	53032 068AA	1				EW0			FILTER, Air
4	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Air Cleaner, 5.9L Diesel [ETC,ETH]
Figure 014-825



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[ET0]= All 5.9L Turbo Diesels

1	4864 443AA	1				ET0			GAUGE, Air Restriction Indicator
2	4897 530AA	1				ET0			COVER, Air Cleaner
3	5303 0294	1				ET0			DUCT, Ambient Air
4	4864 442	1				ET0			ELEMENT, Air Cleaner
5	4728 407	1				ET0			HOUSING, Air Cleaner
6	5303 0406	3				ET0			FASTENER, Mounting Post
7	5277 576	4				ET0			LATCH, Air Cleaner
8									CLAMP, Air Cleaner Duct
	53032 105AA	1				ET0			Turbo End
	53032 134AA	1				ET0			Air Cleaner End
9	4428 963	1				ET0			LABEL, Diesel Starting
10	4268 295	4				ET0			GROMMET, Air Cleaner Bracket, Air Cleaner Mounting
11	4728 405	1				ET0			FITTING, Indicator Gauge
12	6503 955	3				ET0			STUD, M6x1.00x18

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Air Intake System, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM]
Figure 014-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[EL0]= All 5.2L Gas Engines

[EM0]= All 5.9L Gas Engines

1	5303 0304	1				EM0			DUCT, Ambient Air
---	-----------	---	--	--	--	-----	--	--	-------------------



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Air Intake System, 8.0L [EWA]
Figure 014-915

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EW0]= All 8.0L Gas Engines

1	5303 0165	1				EW0			HOSE, Air Cleaner to T/Body
2	5300 6584	2				EW0			CLAMP, Hose to Air Cleaner
3	5304 1043	1				EW0			DUCT, Ambient Air
4	0154 910AA	1				EW0			SCREW
5	5304 1042	1				EW0			DUCT, Ambient Air
6	6502 064	2				EW0			SCREW, Tapping, M6x1x20




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Intake System, 5.9L Diesel [ETC,ETH]
Figure 014-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes


[ET0]= All 5.9L Turbo Diesels

1	5303 1610	1				ET0			DUCT, Ambient Air
---	-----------	---	--	--	--	-----	--	--	-------------------

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Charge Air Cooler System, 5.9L Diesel [ETC,ETH]
Figure 014-930



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[ET0]= All 5.9L Turbo Diesels

1	52028 724AD	1				ET0			COOLER, Charge Air
2	5202 7827	2				ET0			ISOLATOR, Radiator
3	5202 7502	2				ET0			ISOLATOR, Radiator
4									BRACKET, Intercooler
	5202 7724	1				ET0			Right
	5202 7725	1				ET0			Left
5									SCREW, M8x1.25x20.00, (NOT SERVICED) (Not Serviced)
6									SCREW, M6x1.00x55.00, (NOT SERVICED) (Not Serviced)
7	6503 245	2				ET0			NUT/RIVET, Cooler To Closure Panel
8	5202 8489	1				ET0			DUCT, Charge Air Cooler
9	52027 815AB	1				ET0			HOSE, Charge Air Cooler
10	52027 990AB	1				ET0			HOSE, Intercooler Intake
11	5202 7813	1				ET0			CLAMP, Hose
12	52028 492AB	1				ET0			DUCT, Charge Air Cooler
13	52027 516AB	1				ET0			HOSE, Outlet Duct To Cooler
14									CLAMP, Hose
	52028 980AA	2				ET0			Duct to engine
	52028 979AA	1				ET0			Charge air cooler to duct


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Speed Control, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[EL0]= All 5.2L Gas Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesels									
[EW0]= All 8.0L Gas Engines									
1	4669 977	1				EM0			SERVO, Speed Control
2	5300 7958	1				EM0			BRACKET, Speed Control Servo
3	5207 8598	1				EM0			CABLE, Speed Control
4	6100 775	2				EM0, EW0			NUT, Hex Flange, M5x.8
5	5503 5614	1				EM0, EW0			RESERVOIR, Vacuum
6	6032 988	3				ET0	DG0		SCREW
7	6502 493	2				EM0			NUT, Hex Flange Serration, M6x1
8	6025 867	1				EM0			CLIP, Cable to Servo Attach
9	5207 8320	1				EM0			HARNESS, Vacuum Speed Control
10	5207 8479	1				EM0			CLIP, Vacuum Harness
11	6503 441	1				EM0			CLIP, Cruise Control
12	55055 705AB	1				EM0, EW0			HARNESS ASSEMBLY, vacuum

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Accelerator Pedal, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 014-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5303 1526	1							LEVER, Accelerator Linkage, With Pedal, Accelerator
2	5207 8653	2							BUSHING, Accelerator Pedal, Lever



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints

Illustration Title

Group-Fig. No.


Propeller Shaft

Shaft,Propeller,Front,BR 7,8	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 62,65,BR 2,3,7,8	Fig. 016-120
Shaft,Propeller,Rear,1 Piece,Body 63,BR 8	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 2,3	Fig. 016-140
Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8	Fig. 016-150



<div>016-100</div> <div>Propeller Shaft</div> <div></div>			
---	--	--	--

Shaft,Propeller,Front,BR 7,8
Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;
[DDP]=Transmission - 5-Speed Manual
[DDX]=Transmission - 5-Speed HD Manual
[DEE]=Transmission - 6-Speed HD Manual
[DGP]=Transmission - 4-Speed Automatic
[DGT]=Transmission - 4-Speed Automatic
[DHH]=Transmission - Shift-On-The-Fly, 24
[DHG]=Transmission - Shift-On-The-Fly, 24

1									SHAFT, Drive, Front
	52105 840AB	1	7, 8				DDP		
	52105 871AB	1	7, 8				DDX, DGT		
	52105 866AB	1	7, 8				DEE		
	52105 862AB	1	7, 8				DGP		[DHG]
	52105 860AB	1	7, 8				DGP		[DHH]
2									U JOINT
	5014 733AA	3	7, 8				DDP		
		3	7, 8				DDX, DGT		
		3	7, 8				DEE		
		3	7, 8				DGP		[DHG]
		3	7, 8				DGP		[DHH]
3	6033 358	4	7, 8						SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Drive Shaft to Transfer Case Flange
4	J324 0553	2	7, 8						STRAP, Prop Shaft
5	J400 6928	4	7, 8						BOLT
6									BOOT, Driveshaft
	5012 793AA	1	7, 8				DDP		
		1	7, 8				DDX, DGT		
		1	7, 8				DEE		
		1	7, 8				DGP		[DHG]
		1	7, 8				DGP		[DHH]
7									YOKE, Drive Shaft
	5014 056AA	1	7, 8				DDP		
		1	7, 8				DDX, DGT		
		1	7, 8				DEE		
		1	7, 8				DGP		[DHG]
		1	7, 8				DGP		[DHH]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 62,65,BR 2,3,7,8
Figure 016-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed Heavy Duty Manual

[DEE]=Transmission - 6-Speed Heavy Duty Manual

[DGP]= Transmission - 4 - Speed Automatic,47RE

[DGT]= Transmission - 4 - Speed Automatic,46RE

[DHG]=Transfer Case-Shift-On-The-Fly

[DHH]= Transfer Case Shift-On-The-Fly

[DRD]=Axle - Rear,Dana M60 HD/248MM

[DRE]=Axle - Rear,Dana M70/267MM

[DRL]=Axle - Rear,Dana M80

[EM0]=Engine - Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesel

[EW0]=Engines - All 8.0L Gas

1									SHAFT, Drive
	5210 5322	1	2		62, 65	EM0	DGT		[DRD]
	5210 5320	1	2		62, 65	ET0,	DGP		[DRE]
						EW0			
	5210 5321	1	3		62	ET0,	DGP		[DRL]
						EW0			
	5210 5320	1	3		62	EM0	DGT		[DRL]
	5209 9190	1	7		62, 65		DGP		[DHH,DRE]
	5210 5103	1	7		62, 65		DGT		[DHG]
	5210 5104	1	7		62, 65		DDP		[DHG]
	5208 8055	1	7		62, 65		DDP		[DHH]
	5209 8243	1	7		62, 65	ET0	DDX		[DHH]
	5210 5233	1	7		62, 65	ET0,	DGP		[DHG,DRE]
						EW0			
	5209 9113	1	7		62, 65		DGT		[DHH,DRD]
	5209 8243	1	7		62, 65	EW0	DDX		[DHH]
	52105 281AB	1	7		62, 65		DEE		[DHH]
	5210 5233	1	7, 8		62, 65	ET0	DDX		[DHG]
	52105 282AB	1	7, 8		62, 65		DEE		[DHG]
	5210 5233	1	7, 8		62, 65	EW0	DDX		[DHG]
		1	8		62	EM0	DGT		[DHG]
	5210 5232	1	8		62	ET0,	DGP		[DHG]
						EW0			
	5210 5105	1	8		62		DDP		
2									YOKE, Drive Shaft
	5003 625AA	1	2		62, 65	EM0	DGT		[DRD]

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual


DEE = 6 Spd. Manual

DBB = All Manual Transmissions


DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Shaft,Propeller,Rear,1 Piece,Body 62,65,BR 2,3,7,8
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2		62, 65	ET0, EW0	DGP		[DRE]
		1	3		62	ET0, EW0	DGP		[DRL]
		1	3		62	EM0	DGT		[DRL]
4773 021		1	7		62, 65		DGP		[DHH,DRE]
4882 185		1	7		62, 65		DGT		[DHG]
		1	7		62, 65		DDP		[DHG]
4773 017		1	7		62, 65		DDP		[DHH]
		1	7		62, 65	ET0	DDX		[DHH]
4882 185		1	7		62, 65	ET0, EW0	DGP		[DHG,DRE]
4773 021		1	7		62, 65		DGT		[DHH,DRD]
4773 017		1	7		62, 65	EW0	DDX		[DHH]
		1	7		62, 65		DEE		[DHH]
4882 185		1	7, 8		62, 65	ET0	DDX		[DHG]
		1	7, 8		62, 65		DEE		[DHG]
		1	7, 8		62, 65	EW0	DDX		[DHG]
		1	8		62	EM0	DGT		[DHG]
		1	8		62	ET0, EW0	DGP		[DHG]
		1	8		62		DDP		
3	6034 965	4							BOLT, Hex Head
4	4428 723	2							CLAMP, U-Joint
5									U JOINT
5003 146AA		1	2		62, 65	EM0	DGT		[DRD]
		1	2		62, 65	ET0, EW0	DGP		[DRE]
		1	3		62	ET0, EW0	DGP		[DRL]
		1	3		62	EM0	DGT		[DRL]
		1	7		62, 65		DGP		[DHH,DRE]
		1	7		62, 65		DGT		[DHG]
		1	7		62, 65		DDP		[DHG]
		1	7		62, 65		DDP		[DHH]
		1	7		62, 65	ET0	DDX		[DHH]
		1	7		62, 65	ET0, EW0	DGP		[DHG,DRE]
		1	7		62, 65		DGT		[DHH,DRD]
		1	7		62, 65	EW0	DDX		[DHH]
		1	7		62, 65		DEE		[DHH]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 62,65,BR 2,3,7,8
 Figure 016-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8		62, 65	ET0	DDX		[DHG]
		1	7, 8		62, 65		DEE		[DHG]
		1	7, 8		62, 65	EW0	DDX		[DHG]
		1	8		62	EM0	DGT		[DHG]
		1	8		62	ET0,	DGP		[DHG]
						EW0			
		1	8		62		DDP		
6	5010 937AA	1	2		62, 65	EM0	DGT		RETAINER, U Joint [DRD]
		1	2		62, 65	ET0,	DGP		[DRE]
						EW0			
		1	3		62	ET0,	DGP		[DRL]
						EW0			
		1	3		62	EM0	DGT		[DRL]
		1	7		62, 65		DGP		[DHH,DRE]
		1	7		62, 65		DGT		[DHG]
		1	7		62, 65		DDP		[DHG]
		1	7		62, 65		DDP		[DHH]
		1	7		62, 65	ET0	DDX		[DHH]
		1	7		62, 65	ET0,	DGP		[DHG,DRE]
						EW0			
		1	7		62, 65		DGT		[DHH,DRD]
		1	7		62, 65	EW0	DDX		[DHH]
		1	7		62, 65		DEE		[DHH]
		1	7, 8		62, 65	ET0	DDX		[DHG]
		1	7, 8		62, 65		DEE		[DHG]
		1	7, 8		62, 65	EW0	DDX		[DHG]
		1	8		62	EM0	DGT		[DHG]
		1	8		62	ET0,	DGP		[DHG]
						EW0			
		1	8		62		DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 63,BR 8
 Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed Heavy Duty Manual

[DEE]=Transmission - 6-Speed Heavy Duty Manual

[DGP]= Transmission - 4 - Speed Automatic,47RE

[DGT]= Transmission - 4 - Speed Automatic,46RE

[DHG]=Transfer Case-Shift-On-The-Fly

[DHH]= Transfer Case Shift-On-The-Fly

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesel

[EW0]=Engines - All 8.0L Gas

1									SHAFT, Drive
	52105 283AB	1	8		63		DEE		
	5210 5122	1	8		63	EM0	DDP, DGT		
	5210 5120	1	8		63	ET0, EW0	DGP		[DHG]
	5210 5122	1	8		63	ET0, EW0	DDX		[DHG]
2									YOKE, Drive Shaft
	4882 185	1	8		63		DEE		
		1	8		63	EM0	DDP, DGT		
		1	8		63	ET0, EW0	DGP		[DHG]
		1	8		63	ET0, EW0	DDX		[DHG]
3	6034 965	4							BOLT, Hex Head
4	4428 723	2							CLAMP, U-Joint
5									U JOINT
	5003 146AA	1	8		63	EM0	DDP, DGT		
		1	8		63	ET0, EW0	DGP		[DHG]
		1	8		63	ET0, EW0	DDX		[DHG]
		1	8		63		DEE		
6									RETAINER, U Joint
	5010 937AA	1	8		63		DEE		
		1	8		63	EM0	DDP, DGT		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions



AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,1 Piece,Body 63,BR 8
 Figure 016-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

		1	8		63	ET0, EW0	DGP		[DHG]
		1	8		63	ET0, EW0	DDX		[DHG]



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 2,3
 Figure 016-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DBB]=Transmissions - All Manual

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed Heavy Duty Manual

[DEE]=Transmission - 6-Speed Heavy Duty Manual

[DG0]=Transmissions - All Automatic

[EMM]=Engine - 'MAGNUM' 5.9L Singe Multi-Point Injection V8

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesel


[EW0]=Engines - All 8.0L Gas

1									SHAFT, Drive, 2 Piece
	52105 490AB	1	2		62, 65	EM0	DDP		
	52105 494AE	1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
2									YOKE, Drive Shaft
	4882 170	1	2		62, 65	EM0	DDP		
		1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
3									BEARING, Drive Shaft
	4773 014	1	2		62, 65	EM0	DDP		
		1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
4									CLAMP, Boot
	5212 720	1	2		62, 65	EM0	DDP		
		1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
5									BOOT, Driveshaft
	4428 807	1	2		62, 65	EM0	DDP		
		1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
6									CLAMP, Boot
	4428 808	1	2		62, 65	EM0	DDP		
		1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
7									YOKE, Drive Shaft

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Shaft,Propeller,Rear,2 Piece,Body 62,65,BR 2,3
 Figure 016-140


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4428 804	1	2		62, 65	EM0	DDP		
		1	3		62	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
8									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	2		62, 65		DBB		
		6	2, 3		62, 63		DG0		
9	5210 5279	1	2, 3		62, 65		DBB		BRACKET, Drive Shaft Bearing
10	6502 696	4	2, 3, 8		62, 64, 65				NUT, Hex Flange Lock, M10x1.5
11	5209 7944	1	2, 3		62, 63, 65	EMM, EW0	DBB		SHIELD, Center Bearing
12	3420 1888	2	2, 3, 8			EMM, EW0			SCREW, Hex Head, Heat Shield, Mounting
13	6034 965	4							BOLT, Hex Head
14	4428 723	2							CLAMP, U-Joint
15									U JOINT
	5003 146AA	1	2		62, 65	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
		1	3		62	EM0	DDP		
16									RETAINER, U Joint
	5010 937AA	1	2		62, 65	EM0	DDP		
		1	2, 3		62, 65	ET0, EW0	DDX, DEE		
		1	3		62	EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DBB]=Transmissions - All Manual

[DDP]=Transmission - 5-Speed Manual

[DDX]=Transmission - 5-Speed Heavy Duty Manual

[DEE]=Transmission - 6-Speed Heavy Duty Manual

DGP = 4 Speed Automatic Transmission 47RE

DGT = 4 Speed Automatic Transmission 46RE

[DG0]=Transmissions - All Automatic

[EMM]=Engine - 'MAGNUM' 5.9L Singe Multi-Point Injection V8

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesel

[EW0]=Engines - All 8.0L Gas


1									
SHAFT, Drive, 2 Piece									
	5210 5500	1	3		63	EM0	DGT		
	52105 502AE	1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
	5210 5504	1	3		63	ET0, EW0	DGP		
2									
YOKE, Drive Shaft									
	4773 015	1	3		63	EM0	DGT		
	4882 170	1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
	4773 015	1	3		63	ET0, EW0	DGP		
3									
BEARING, Drive Shaft									
	4773 014	1	3		63	EM0	DGT		
		1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
		1	3		63	ET0, EW0	DGP		
4									
CLAMP, Boot									
	5212 720	1	3		63	EM0	DGT		
		1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
		1	3		63	ET0, EW0	DGP		
5									
BOOT, Driveshaft									

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4428 807	1	3		63	EM0	DGT		
		1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
		1	3		63	ET0, EW0	DGP		
6	4428 808	1	3		63	EM0	DGT		CLAMP, Boot
		1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
		1	3		63	ET0, EW0	DGP		
7	4428 804	1	3		63	EM0	DGT		YOKE, Drive Shaft
		1	3		63	EM0	DDP		
		1	3		63	ET0, EW0	DDX, DEE		
		1	3		63	ET0, EW0	DGP		
8	52105 503AE	1	3		64	ET0, EW0	DDX, DEE		SHAFT, Drive, 2 Piece
	5210 5501	1	3		64	EM0	DGT		
	5210 5505	1	3		64	ET0, EW0	DGP		
	52105 503AE	1	3		64	EM0	DDP		
	5210 5509	1	8		64	EM0	DGT		
	52105 511AD	1	8		64	EM0	DDP		
	5210 5510	1	8		64	ET0, EW0	DGP		
	52105 271AB	1	8		64		DEE		
	52105 511AD	1	8		64	ET0, EW0	DDX		
9	4882 170	1	3		64	ET0, EW0	DDX, DEE		YOKE, Drive Shaft
	4773 015	1	3		64	EM0	DGT		
	4882 170	1	3		64	EM0	DDP		
	4773 015	1	3		64	ET0, EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4882 170	1	8		64	EM0	DGT		BEARING, Drive Shaft
		1	8		64	EM0	DDP		
		1	8		64	ET0, EW0	DGP		
		1	8		64		DEE		
	4773 014	1	8		64	ET0, EW0	DDX		
		1	3		64	ET0, EW0	DDX,		
		1	3		64	EM0	DGT		
		1	3		64	ET0, EW0	DGP		
		1	3		64	EM0	DDP		
		1	8		64	EM0	DGT		
11	5212 720	1	8		64	EM0	DDP		CLAMP, Boot
		1	8		64	EM0	DGT		
		1	8		64	EM0	DDP		
		1	8		64	ET0, EW0	DGP		
		1	8		64		DEE		
		1	8		64	ET0, EW0	DDX		
		1	3		64	ET0, EW0	DDX,		
		1	3		64	EM0	DGT		
		1	3		64	ET0, EW0	DGP		
		1	3		64	EM0	DDP		
12	4428 807	1	8		64	EM0	DGT		BOOT, Driveshaft
		1	8		64	ET0, EW0	DGP		
		1	8		64		DEE		
		1	8		64	ET0, EW0	DDX		
		1	3		64	ET0, EW0	DDX,		
		1	3		64	EM0	DGT		

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		64	EM0	DDP		
		1	8		64	EM0	DGT		
		1	8		64	EM0	DDP		
		1	8		64	ET0, EW0	DGP		
		1	8		64		DEE		
		1	8		64	ET0, EW0	DDX		
13									CLAMP, Boot
	4428 808	1	3		64	ET0, EW0	DDX, DEE		
		1	3		64	EM0	DGT		
		1	3		64	ET0, EW0	DGP		
		1	3		64	EM0	DDP		
		1	8		64	EM0	DGT		
		1	8		64	EM0	DDP		
		1	8		64	ET0, EW0	DGP		
		1	8		64	ET0, EW0	DDX		
14		1	8		64		DEE		YOKE, Drive Shaft
	4428 804	1	3		64	ET0, EW0	DDX, DEE		
		1	3		64	EM0	DGT		
		1	3		64	ET0, EW0	DGP		
		1	3		64	EM0	DDP		
		1	8		64	EM0	DGT		
		1	8		64	EM0	DDP		
		1	8		64	ET0, EW0	DGP		
		1	8		64	ET0, EW0	DDX		
15		1	8		64		DEE		SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	2, 3		62, 63		DG0		
		6	3, 8		64				
16									BRACKET, Drive Shaft Bearing

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5210 5293	1	3		63				
	5210 5268	1	3, 8		64				
17	6502 696	4							NUT, Hex Flange Lock, M10x1.5
18									SHIELD, Center Bearing
	5209 7944	1	2, 3		62, 63,	EMM,	DBB		
		1	3, 8		65	EW0			
					64	EMM,			
						EW0			
19	3420 1888	2							SCREW, Hex Head, Heat Shield, Mounting
20	6034 965	4							BOLT, Hex Head
21	4428 723	2							CLAMP, U-Joint
22									U JOINT
	5003 146AA	1	3		63	ET0,	DDX,		Front,Center,Rear
						EW0	DEE		
		1	3		63	EM0	DGT		Front,Center,Rear
		1	3		64	ET0,	DDX,		Front,Center,Rear
						EW0	DEE		
		1	3		63	EM0	DDP		Front,Center,Rear
		1	3		64	EM0	DGT		Front,Center,Rear
		1	3		64	ET0,	DGP		Front,Center,Rear
						EW0			
		1	3		64	EM0	DDP		Front,Center,Rear
		1	3		63	ET0,	DGP		Front and Rear
						EW0			
		1	8		64	EM0	DGT		Front and Rear
		1	8		64	EM0	DDP		Front,Center,Rear
		1	8		64	ET0,	DGP		Front and Rear
						EW0			
		1	8		64		DEE		Front,Center,Rear
		1	8		64	ET0,	DDX		Front,Center,Rear
						EW0			
23									RETAINER, U Joint
	5010 937AA	1	3		63	ET0,	DDX,		
						EW0	DEE		
		1	3		63	EM0	DGT		
		1	3		63	EM0	DDP		
		1	3		64	ET0,	DDX,		
						EW0	DEE		
		1	3		64	EM0	DGT		
		1	3		64	EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Shaft,Propeller,Rear,2 Piece,Body 63,64,BR 3,8
 Figure 016-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		64	ET0, EW0	DGP		
		1	3		63	ET0, EW0	DGP		
		1	8		64	EM0	DGT		
		1	8		64	EM0	DDP		
		1	8		64	ET0, EW0	DGP		
		1	8		64		DEE		
		1	8		64	ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Suspension, Rear,Leaf With Shock Absorber	Fig. 017-110
Rear Stabilizer	
Stabilizer, Rear	Fig. 017-210



017-100 Rear Suspension	017-200 Rear Stabilizer		
			

Suspension, Rear,Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[AHJ] = Camper Special Group									
[DRD]=Axle - Rear,Dana M60 HD/248MM									
[DRE]=Axle - Rear,Dana M70/267MM									
[DRL]=Axle - Rear,Dana M80									
[ZAR] Through [ZWR]=Spring sales codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.									
[Z2B] Through [Z8B]=Shock sales codes and various sping parts will be found on Vehicle Identification Number [VIN] Sales Code Listing.									
1									SEAT, Spring
	52038 310AB	2	2, 7		62, 65				[Z2B,Z7B,DRD,DRE
	52038 311AB	2	2, 7		62, 65				[Z2B,Z7B,DRL]
		2	3, 8		62				[Z3A,Z8A,Z8B,DRL]
		2	3, 8		63, 64				[Z3B,Z8B,DRL]
2									CLIP, Spring
	5203 8221	4	2		62, 65				[Z2B,Z3A,DRL,AHJ]
	52106 313AA	4	2		62, 65				[Z2B,DRD,DRE,AHJ]
	52106 412AA	4	2, 3						[Z2B,Z3A,DRL]
	5203 7933	4	2, 3						[Z2B,Z3A,DRD,DRE]
	5203 8221	4	3		62, 63, 64				[Z2B,Z3A,DRL,AHJ]
	52850 673AA	4	3, 8		63, 64				[Z3B,Z8B]
	5203 8486	4	7		62, 65				[Z7B,DRD,DRE]
	52113 025AA	4	7		62, 65				[Z7B,DRD,DRE,AHJ]
		4	7		62, 65				[Z7B,Z8A,Z8B,DRL,AHJ]
	5203 8650	4	7, 8		62, 65				[Z7B,Z8A,Z8B,DRL]
	52113 025AA	4	8		62				[Z7B,Z8A,Z8B,DRL,AHJ]
3	5203 8718	2							BUMPER, Jounce
4	6502 817	2							LOCK NUT, M14-2.00, Shock Mounting, Upper
5									SCREW, Hex Head
	6101 223	12	3, 8		63, 64				[Z3B,Z8B] Bumper Bracket, Mounting
		12			62, 65				[AHJ] Bumper Bracket, Mounting
6									BRACKET, Bumper
	52106 435AA	4	3, 8		63, 64				with Pad [Z3B,Z8B]
		4			62, 65				[AHJ]
7									NUT, Hex Flange Lock
	6502 698	8	2, 3						[Z2B, Z3A]
		8	3, 8		63, 64				[Z3B,Z8B]
		8	7		62, 65				[Z7B]
		8	8		62				[Z8A, Z8B]
	6502 396	6							[Z2B,Z3A,Z3B,Z7B,Z8A,Z8B]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Rear, Leaf With Shock Absorber Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6504 782	6							SCREW, Pilot Point, [Z2B,Z3A,Z3B, Z7B,Z8A,Z8B]
9	5203 8359	4	3, 8		63, 64				NUT, Hex Flange Lock, M10x1.5 [Z3B,Z8B]
		4			62, 65				[AHJ]
10	6502 818	4							BOLT, Hex Flange Head, M14x2.00x80, Shock Mounting, Upper or Lower
11	52038 664AB	2							SHACKLE, Spring, [Z2B,Z3A,Z3B, Z7B,Z8A,Z8B]
12									SHOCK ABSORBER, Suspension, Rear
	52106 385AE	2	2		62				[Z2B]
	52106 381AE	2	2, 3		62, 65				[Z2B,Z3A]
	52106 496AE	2	3, 8		64				[Z3B,Z8B]
	52106 495AE	2	3, 8		63				[Z3B,Z8B]
	52039 488AE	2	7		62	EM0, EW0 ET0			[Z7B]
	52039 490AE	2	7		62				[Z7B]
	52039 491AE	2	7, 8		62, 65				[Z7B,Z8A]
13	6502 698	2							NUT, Hex Flange Lock, Shock Mounting, Lower
14									PLATE, Rear Spring Clip
	5203 8458	2	2, 7		62, 65				[Z2B,Z7B,DRD,DRE]
	5203 8459	2	2, 7		62, 65				[Z2B,Z7B,DRL]
	52113 294AA	2	3, 8		63, 64				[Z3B,Z8B,DRL]
	5203 8459	2	3, 8		62				[Z3A,Z8A,DRL]
15									NUT, Hex Flange Lock
	6502 698	8	2, 3						[Z2B,Z3A]
		8	3, 8		63, 64				[Z3B,Z8B]
		8	7		62, 65				[Z7B]
		8	8		62				[Z8A,Z8B]
16									SPACER, Spring
	52106 299AB	2	2, 3		62, 65				[Z2B,Z3A]
	52106 926AA	2	3, 8		63, 64				[Z3B,Z8B]
	52106 925AA	2	7, 8		62, 65				[Z7B,Z8A,Z8B]
17									BUSHING, Spring
	52039 480AA	2							[ZAR,ZNR]
		2							[ZER,ZTR]
		2							[ZDR,ZSR]
18									SPRING, Rear Leaf
	52106 015AG	1							[ZDR,ZSR]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Suspension, Rear,Leaf With Shock Absorber
Figure 017-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 016AG	1							[ZGR,ZVR]
	52106 017AG	1							[ZHR,ZWR]
	52106 018AG	1							[ZCR,ZRR]
	52106 020AG	1							[ZJR,ZXR]
	52106 032AF	1							[ZAR,ZNR]
	52106 033AF	1							[ZER,ZTR]
	52106 292AH	1							[ZFR,ZUR]
-19	52113 142AA-	4							ISOLATOR, As Required
-20	52113 136AA-	4							LINER, SPRING TIP, As Required
21									SPACER, Spring
	52038 327AB	2	3, 8		63, 64				[Z3B,Z8B]
		2			62, 65				[AHJ]
22									SPRING, Rear Auxilliary
	52039 181AF	2	2, 3		62, 65				[Z2B, Z3A,AHJ]
	52106 402AF	2	3, 8		63, 64				[Z3B, Z8B]
		2	7, 8		62, 65				[Z7B,Z8A,Z8B,AHJ]
23	6503 183	4							SCREW, Hex Head, M10x1.5x30, Jounce Bumper, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Stabilizer, Rear Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[AHJ] = Camper Special Group									
[Z2A] Through [Z8B]=Shock sales codes and various sping parts sales codes will be found on Vehicle Identification Number [VIN]									
Sales Code Listing.									
1									BAR, Rear Sway
	5203 8907	1	2, 3		62, 65				[Z2A,Z3B,AHJ]
	5203 9120	1	3, 8		63, 64				[Z3B,Z8B]
		1	7, 8		62, 65				[Z7B,Z8A,Z8B,AHJ]
2									PLATE, Sway Bar
	5203 8713	2							[AHJ]Stud Plate to Frame or Axle, Mounting
		2			62, 65				[AHJ]Stud Plate to Frame or Axle, Mounting
3	J400 0235	4							NUT, Push, .375, [AHJ]
4	1150 5098	2							BOLT, Hex Flange Head, M12x1.75x60, [AHJ] Stabilizer Bar Link
5									BRACKET, Stabilizer Bar
	5203 8700	2	3, 8		63, 64				[Z3B,Z8B]
		2			62, 65				[AHJ]
6	6502 697	2							NUT, Hex Flange Lock, M12x1.75, [AHJ] Stabilizer Bar Link to Frame
7	6101 223	4	3, 8		63, 64				SCREW, Hex Head, [Z3B,Z8B] Stabilizer Bar Bracket to Frame, Mounting
8	6502 696	4							NUT, Hex Flange Lock, M10x1.5, [AHJ] Stabilizer Bar Retainer
9									LINK, Sway Eliminator
	52106 057AA	2	2, 3		62, 65				[Z2B,Z3A,+AHJ]
	52106 058AA	2	3, 8		63, 64				[Z3B,Z8B]
		2	7, 8		62, 65				[Z7B,Z8A,Z8B,+AHJ]
10	6502 748	2							NUT, Hex, M12x1.75, [AHJ] Stabilizer to Link, Mounting
11	6100 017	2							PIN, Cotter, M2.5x28.00, [AHJ]
12	5208 7865	2							Stabilizer Bar Link RETAINER, Sway Bar, [AHJ] Bushing
13									BUSHING, Sway Bar
	5203 8843	2	2, 3						[Z2B,Z3A,AHJ]
	5203 7548	2	3, 7, 8						[AHJ]

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 019


Steering



<div>019-100</div> <div>Steering Wheel</div> <div></div>	<div>019-200</div> <div>Steering Column</div> <div></div>	<div>019-300</div> <div>Steering Gear</div> <div></div>	<div>019-400</div> <div>Steering Linkage</div> <div></div>
<div>019-500</div> <div>Power Steering Pump</div> <div></div>	<div>019-700</div> <div>Power Steering Hoses</div> <div></div>		

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering,Upper And Lower	Fig. 019-210
Steering Gear	
Power Steering Gear	Fig. 019-310
Steering Linkage	
Linkage, Steering,BR 2,3	Fig. 019-410
Linkage, Steering,BR 3 with Z3B Suspension,BR 7,8	Fig. 019-420
Power Steering Pump	
Pump,Power Steering and Mounting,5.9L [EM0] Gas	Fig. 019-510
Pump,Power Steering and Mounting,8.0 [EW0] Gas	Fig. 019-520
Pump,Power Steering and Mounting,5.9L [ET0] Diesel	Fig. 019-530
Power Steering Hoses	
Hoses,Power Steering,5.9L [EM0] Gas	Fig. 019-710
Hoses,Power Steering,8.0L [EW0] Gas	Fig. 019-720
Hoses,Power Steering,with Hydroboost System with 5.9L [EM0],5.9L [ET0],8.0L [EW0] Engines	Fig. 019-730

Wheel, Steering Figure 019-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE ASSEMBLY itself.									
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[NHM]=Speed Control									
[RDZ]=Audio Controls-Steering Wheel Mounted									
[SCB] = Steering Wheel-2 Spoke									
[SCV] = Steering Wheel-Leather Wrapped									
1									WHEEL, Steering
	5EH10 DX9AC	1							Black [SCB]
	5FM14 DX9AC	1							Black [SCB,NHM]
	5FL42 1X9AD	1							Black [SCV,NHM]
	5GC42 1X9AG	1							Black [SCV,NHM,RDZ]
2									NUT, Hex Flange Lock
	6505 248AA	1					DBB		Steering Wheel, Mounting
		1					DG0		Steering Wheel, Mounting
3									SWITCH, Speed Control
	56021 332AB	1							Right
	56021 333AB	1							Left
4	6036 149AA	4							SCREW, Pan Head, Speed Control
									Switch, Mounting
5	5GK53 DX9AD	1							AIR BAG, Driver
6	UP99 DX9AA	1							COVER, Air Bag Module, Includes Horn Switch
-7	5066 184AA-	1							SWITCH, Horn
8	6506 091AA	2							SCREW, M6x1x25, Air Bag Module to Steering Wheel, Mounting
9									CLOCKSPRING
	56045 454AG	1							
	56045 455AG	1							[NHM]
	56045 456AG	1							[NHM,RDZ]
-10									SWITCH, Remote Radio
	4685 619AB-	1							Right
	4685 632AB-	1							Left
-11	56045 164AC-	1							WIRING, Steering Wheel, Jumper

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Column, Steering,Upper And Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[SUA]=Steering Column - Tilt									
1									SHROUD, Steering Column
	5CE58 JX8AB	1					DG0		Fixed, Upper Front
	5CN6 7PX8	1					DBB		Fixed, Upper Front
2	55351 014AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
3	6507 188AA	2							STUD, M6x1.00mmx48.80mm
4	4897 478AC	1					DG0		COLUMN, Steering, Tilt
	4897 479AC	1					DBB		[DG0]
									[DBB]
5									COLUMN, steering, non tilt
	4897 480AC	1					DG0		
	4897 481AC	1					DBB		
6									NUT AND WASHER, Hex Lock Nut-Coned Lock Washer, M8 x 1.25, (NOT SERVICED) (Not Serviced)
7									PIN, Pivot, Part of Column Assembly, (NOT SERVICED) (Not Serviced)
8	4690 522AC	1					DG0		LEVER, Gearshift, Includes 9,10
9	5602 1048	1					DG0		SWITCH, Overdrive Lockout
10	4470 108AB	1					DG0		GAP HIDER, Steering Column Shroud
11	6503 014	2							NUT AND WASHER, Hex, M6x1
12	6504 926AA	2							SCREW, Hex Flange Head, M10x1.5x40, Intermediate Shaft to Gear and Column, Mounting
13									SHAFT, Intermediate
	55351 113AE	1	3, 7, 8						
	55351 114AE	1	2, 3						
14									SCREW, .164-32x1.00
	6035 142	1							Lower Fixed Shroud to Steering Column, Mounting
		1							Lower Lock Housing to Steering Column, Mounting
15	KJ95 JX8AB	1							SHROUD, Steering Column, Lower Rear
16									SCREW, Filister Head, #8-16x.25
	4470 105	1							Upper to Lower Fixed Shroud, Mounting

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Column, Steering,Upper And Lower
Figure 019-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			2						Upper to Lower Lock Housing, Mounting
17	5CT42 JX8AD	1					DG0		SHROUD, Steering Column Fixed, Lower Front
	5CU51 JX8AB	1					DBB		Fixed, Lower Front
18	4470 103	1							LEVER, Tilt Column Release
19	DH69 JX8AC	1							SHROUD, Lock Housing With [SUA], Upper Rear
	DH72 JX8AB	1							Without [SUA], Upper Rear
-20									BEARING, Steering Column Shaft
	4147 362	1					DBB		With or Without [SUA]
		1					DG0		With or Without [SUA]
-21									SPRING, Steering Lock Plate
	4326 811	1					DBB		With or Without [SUA], Bearing
		1					DG0		With or Without [SUA], Bearing
-22	6032 364	1					DBB		SNAP RING, Steering Column, .687 With or Without [SUA]
		1					DG0		With or Without [SUA]
-23	4690 780AA-	1					DG0		GATE, Gearshift Lever, With or Without [SUA]
-24	4333 108	1					DG0		SEAL, Steering Column Shaft, With or Without [SUA]
-25	4326 926AB-	1					DBB		SPRING, Tilt Assist With [SUA]
		1					DG0		With [SUA]
-26	52079 094AC-	1					DBB		SEAL, Steering Column Shaft With Bearing-with or Without {SUA}, Lower
		1					DG0		With Bearing-with or Without {SUA}, Lower
-27	5207 8233	1					DG0		ARM, Gearshift Selector, With or Without [SUA]
-28									SILENCER, Steering Column Shaft
	4470 696	1					DBB		With or Without [SUA]
		1					DG0		With or Without [SUA]
-29	4470 605	1							KNOB, TILT LEVER RELEASE, With [SUA]
-30	56045 879AA-	1					DBB		SWITCH, Ignition
		1					DG0		
-31									SCREW, Ignition Switch


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



**Column, Steering,Upper And Lower
Figure 019-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6503 845	5					DBB		With Tilt Column
		5					DBB		Without Tilt Column
		5					DG0		With Tilt Column
		5					DG0		Without Tilt Column
-32									SCREW, 6 Lobed
	6506 514AA-	5					DBB		
		5					DG0		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes; [Z1B] Through [Z8B]=Suspension Sales Codes are found on Vehicle Identification Number [VIN] Sales Code Listing									
1	52113 611AG	1	2, 3						GEAR, Power Steering [Z2B,Z3A]
	52113 500AF	1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
2	3491 338	1	2, 3						NUT, Steering Gear Shaft, [Z2B,Z3A]
3	3893 554	1	2, 3						COVER, Steering Gear Housing [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
4	3893 558	1	2, 3						SEAL, Steering Gear Cover [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
5	4210 545	1	2, 3						VALVE, Power Steering Gear Check [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
6	J325 1183	1	2, 3						O RING, Power Steering Pump, [Z2B,Z3A]
7	4897 000AA	1	2, 3						REPAIR KIT, Thrust Bearing, Steering Gear [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
8	3491 350	1	2, 3						SEAL, Steering Gear Valve [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
9	4886 349AA	1	2, 3						SEAL KIT, Steering gear adjuster plug [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
10	J320 0501	1	2, 3						NUT, Steering Gear Arm [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
11	4470 365	1	2, 3						SEAL KIT, Steering gear pitman shaft [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
12	J448 7154	1	2, 3						BEARING, Steering Gear, Needle [Z2B,Z3A]
13	3893 559	1	2, 3						SEAL, Steering Gear [Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
14									SEAL KIT, Steering gear end plug

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Power Steering Gear
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3893 557	1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
15	J812 7965	1	2, 3						PLUG, Steering Gear Housing, Rack/ Piston
16									BALL, Steering Gear
	3822 799	1	2, 3						[Z2B,Z3A]
		1	3, 7, 8						[Z3B,Z7B,Z8A,Z8B]
17	3491 331	1	2, 3						SCREW AND WASHER, Steering Gear, [Z2B,Z3A]
18	3491 343	1	3, 7, 8						SHAFT, Pitman, [Z3B,Z7B,Z8A,Z8B]
19	6504 742	3							SCREW AND WASHER, Hex Head, M14 x 2 x 115.0, Gearbox, Mounting
-20	3822 792	1	2, 3						BOLT, Hex Head, [Z2B,Z3A]
-21	4886 352AA-	1	2, 3						SEAL, Steering gear thrust bearing, [Z2B,Z3A]
-22	S010 3336	1	2, 3						WASHER, Lock, .875x1.469, [Z2B, Z3A]
-23	J812 8427	1	2, 3						NUT, Hex Lock, [Z2B,Z3A]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Linkage, Steering, BR 2,3
Figure 019-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52106 054AB	1	2, 3						ARM, Pitman
2	6505 623AA	3	2, 3						NUT, Hex Locking, M14x1.5, As Required
3	5017 670AA	1	2, 3						SOCKET PACKAGE, Tie Rod End, Outer
4	5200 4472	1	2, 3						SLEEVE, Steering Linkage, Adjusting
5	5017 671AA	1	2, 3						SOCKET PACKAGE, Tie Rod End, Inner
6	6505 682AA	1	2, 3						NUT, Hex Flange Lock, M16x1.5
7	52039 496AA	1	2, 3						LINK, Steering Center
8	6506 660AA	2	2, 3						SCREW AND WASHER, Idler Arm to Frame, Mounting
9	52106 049AB	1	2, 3						ARM, Idler
10	J320 0501	1	2, 3						NUT, Steering Gear Arm, Mounting

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Linkage, Steering, BR 3 with Z3B Suspension, BR 7,8
Figure 019-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: BR 3 With Z3B Suspension Code, Uses 4WD Style Front Suspension.									
1	6505 623AA	1	3, 7, 8						NUT, Hex Locking, M14x1.5 Outer Drag Link to Right Knuckle Inner Tie Rod to Drag Link and Left Knuckle
2	52106 954AA	1	3, 7, 8						SOCKET, Drag Link, Outer
3	5203 7600	1	3, 7, 8						TUBE, Tie Rod, Right or Left
4	52106 463AA	1	3, 7, 8						SOCKET, Drag Link, Inner
5	52106 473AA	1	3, 7, 8						ARM, Pitman
6	52106 984AA	1	3, 7, 8						SOCKET, Tie Rod, Inner
7	52106 975AA	1	3, 7, 8						SOCKET, Tie Rod, Outer
8	6506 276AA	1	3, 7, 8						NUT, Hex Flange Lock, M12x1.75, Damper to Inner Tie Rod, Mounting
9	52106 909AC	1	3, 7, 8						DAMPER, Steering
10	6502 473	1	3, 7, 8						BOLT, Hex Flange Head, M12x1. 75x65, Damper to Axle Bracket, Mounting
11	6502 697	2							NUT, Hex Flange Lock, M12x1.75, Damper to Axle Bracket, Mounting



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Pump,Power Steering and Mounting,5.9L [EM0] Gas
Figure 019-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	4694 766	1	2, 7			EM0			CAP, Power Steering Pump Reservior
		1	3, 8			EM0			Reservior
2	52039 145AB	1	2, 7			EM0			PUMP, Power Steering
	52039 042AB	1	3, 8			EM0			
3	5300 5613	1	2, 7			EM0			BRACKET, Power Steering Pump Front, Mounting
		1	3, 8			EM0			Front, Mounting
4									SCREW AND WASHER, Hex Head, M10-1.50x30, (NOT SERVICED) (Not Serviced)
5	6502 501	3	2, 7			EM0			BOLT, Hex Head, M10x1.50x28 Power Steering Bracket to Pump
		3	3, 8			EM0			Power Steering Bracket to Pump
6	5300 5614	1	2, 7			EM0			PULLEY, Power Steering Pump
		1	3, 8			EM0			
7	6034 247	1				EM0			BOLT, Hex Head, .375-16x.25, Power Steering Bracket to Cylinder Head, Mounting
8	6034 249	2				EM0			SCREW AND WASHER, Power Steering Bracket to Cylinder Head, Mounting
9	6034 985	1				EM0, EW0			STUD, .375-16x3.04, Power Steering Bracket to Cylinder Head, Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,8.0 [EW0] Gas Figure 019-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	4694 766	1	2, 7			EW0			CAP, Power Steering Pump Reservior
		1	3, 8			EW0			Reservior
2	6034 549	2	2, 7			EW0			SCREW, Hex Head, .312-18x.94 Rear Bracket to Front Bracket, Mounting
		2	3, 8			EW0			Rear Bracket to Front Bracket, Mounting
3	6502 135	2	2, 7			EW0			NUT, Hex Flange, M10x1.5 Pump Stud to Rear Bracket,
		2	3, 8			EW0			Mounting Pump Stud to Rear Bracket, Mounting
4	5301 0011	1	2, 7			EW0			BRACKET, Power Steering Pump Rear
		1	3, 8			EW0			Rear
5	52039 145AB	1	2, 7			EW0			PUMP, Power Steering
	52039 042AB	1	3, 8			EW0			
6	6502 501	1	2, 7			EW0			BOLT, Hex Head, M10x1.50x28 Front Bracket to Pump, Mounting
		1	3, 8			EW0			Front Bracket to Pump, Mounting
7	6101 864	2	2, 7			EW0			SCREW, M10x1.5x35 Front Bracket to Pump, Mounting
		2	3, 8			EW0			Front Bracket to Pump, Mounting
8	5300 5614	1	2, 7			EW0			PULLEY, Power Steering Pump
		1	3, 8			EW0			
9	5301 0002	1	2, 7			EW0			BRACKET, Power Steering Pump Front
		1	3, 8			EW0			Front
-10	6034 985	1				EM0, EW0			STUD, .375-16x3.04
-11	6034 247	2				EM0, EW0			BOLT, Hex Head, .375-16x.25
-12	6034 242	1				EW0 EW0			SCREW AND WASHER

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,5.9L [ET0] Diesel
Figure 019-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[ETC]=Engine - 5.9L Cummins 24V Diesel									
[ETH]=Engine - 5.9L HO Cummins Turbo Diesel									
[ET0]=Engines - All 5.9L Turbo Diesels									
1	4883 960AA	1				ETC			PUMP, Power Steering
		1				ETH	DBB		
2	5018 358AA	1				ETC			CAP, Power Steering Pump
		1				ETH	DBB		
3	5003 637AA	1				ETC			NIPPLE, Pump
		1				ETH	DBB		
4	5015 841AA	1				ETC			HOSE, Vacuum Pump
		1				ETH	DBB		
5	5011 799AA	1				ETC			BRACKET, Vacuum Pump
		1				ETH	DBB		
6	4429 862	1				ETC			NUT, Hex Flange, M10x1.5
		1				ETH	DBB		
7	4429 862	1				ETC			NUT, Hex Flange, M10x1.5
		1				ETH	DBB		
8	4429 637	1				ETC			SCREW, Hex Head, m12X1.75X.35
		1				ETH	DBB		
9	5011 617AA	1				ETC			CHECK VALVE, Vacuum Pump
		1				ETH	DBB		
10	4638 531	1				ETC			GASKET, Hydraulic Pump
		1				ETH	DBB		
11	5011 797AA	1				ETC			GEAR, Accessory Drive
		1				ETH	DBB		
12	5019 734AA	1				ETC			PUMP, Vacuum
		1				ETH	DBB		
13									SCREW

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump,Power Steering and Mounting,5.9L [ET0] Diesel
Figure 019-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 421AA	1				ETC			
		1				ETH	DBB		
14	4728 162	1				ETC			HUB, Hydraulic Brake Pump
		1				ETH	DBB		
15	4761 972	4				ETC			STUD
		4				ETH	DBB		
16									SEAL KIT, Vacuum Pump
	5140 342AA	1				ETC	DBB		THIS KIT CONTAINS LIP SEAL , SMALL O-RING~~ & LARGE O- RING AND I SHEET.
		1				ETH	DBB		THIS KIT CONTAINS LIP SEAL , SMALL O-RING~~ & LARGE O- RING AND I SHEET.

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,5.9L [EM0] Gas
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:Sales Codes;

[AHC]=Trailer Tow Prep Group

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[EW0]=Engines - All 8.0L Gas

1	52038 432AC	1				EM0			HOSE, Power Steering Return, Without [AHC]
2	2448 761	4							CLAMP, Hose, As Required
3	52038 434AB	1	2			EM0, EW0			HOSE, Power Steering Pressure
	52039 358AC	1	3, 8			EM0, EW0			
	52038 434AB	1	7			EM0, EW0			
4	5205 254	1				EM0			O RING, Power Steering Hose, As Required
5	52106 395AB	1				EM0			HOSE AND COOLER, Power Steering, [AHC]
6	6502 064	1				EM0			SCREW, Tapping, M6x1x20, Cooler, Mounting
7	52038 567AC	1				EM0			HOSE, Power Steering Return, With [AHC]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,8.0L [EW0] Gas
Figure 019-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Notes:Sales Codes;									
[EM0]=Engines - All 5.9L 8 Cylinder Gas									
[EW0]=Engines - All 8.0L Gas									
1	5205 254	1				EW0			O RING, Power Steering Hose, Use as required, As Required
2	52038 434AB	1	2			EM0, EW0			HOSE, Power Steering Pressure
		1	7			EM0, EW0			
	52039 358AC	1	3, 8			EM0, EW0			
3	2448 761	1				EW0			CLAMP, Hose, As Required
4	52110 311AA	1				EW0			HOSE AND COOLER, Power Steering
5	6502 064	1				EW0			SCREW, Tapping, M6x1x20, Cooler, Mounting
6	52110 300AA	1				EW0			HOSE, Power Steering Return
7	4641 780	1				EW0			STRAP, Tie

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hoses,Power Steering,with Hydroboost System with 5.9L [EM0],5.9L [ET0],8.0L [EW0] Engines
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:Sales Codes;

[ET0]=Engines - All 5.9L Turbo Diesels

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[EW0]=Engines - All 8.0L Gas

1									HYDRO-BOOSTER, Power Brake
	5018 222AA	1	3, 8						
		1	2, 7			ET0			
2	4695 734	2	3, 8			EM0,			CLIP, Power Steering Hose
		2				EW0			
						ET0			
3	52039 358AC	1	3, 8			EM0,			HOSE, Power Steering Pressure
						EW0			Gear to Hydroboost
		1				ET0			
4									Gear to Hydroboost
	52106 996AD	1	3, 8			EM0,			HOSE, Power Steering Return
						EW0			Hydroboost
						ET0			
	52106 085AD	1							Pump to Hydroboost
5									O RING, Power Steering Hose
	5205 254	2	3, 8			EM0,			as Required
		2	2, 3, 7, 8			EW0			
						ET0			as Required
6									HOSE, Power Steering Return
	52038 432AC	1				EM0			Gear to Pump
	52110 300AA	1				EW0			Gear to Pump
	52006 724AB	1				ET0			Gear to Pump
7	2448 761	4							CLAMP, Hose, as Required
8									HOSE, Power Steering Pressure
	52106 302AA	1	3, 8			EM0,			Pump to Hydroboost
						EW0			
		1				ET0			Pump to Hydroboost

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 46RE

Automatic Transmission 4 Speed




GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly [DGT] 46 RE	Fig. 46RE-110
Case and Extension	
Case and Related Parts [DGT] 46 RE	Fig. 46RE-210
Extension [DGT] 46 RE	Fig. 46RE-220
Oil Pump	
Pump, Oil with Reaction Shaft [DGT] 46 RE	Fig. 46RE-310
Gear Train	
Clutch, Front and Rear - 46RE [DGT]	Fig. 46RE-410
Gear Train and Intermediate Shaft - 46RE [DGT]	Fig. 46RE-420
Output Shaft - 46RE [DGT]	Fig. 46RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown - 46RE [DGT]	Fig. 46RE-510
Valve Body	
Valve Body - 46RE [DGT]	Fig. 46RE-710
Servos, Accumulator Piston and Spring - 46RE [DGT]	Fig. 46RE-720
Parking Sprag - 46RE [DGT]	Fig. 46RE-730
Overdrive Gear Train	
Clutch, Overdrive with Gear Train - 46RE [DGT]	Fig. 46RE-1010
Gearshift Controls	
Controls, Gearshift, Lower - 46RE [DGT]	Fig. 46RE-1210

46RE-100 Transmission Assembly	46RE-200 Case and Extension	46RE-300 Oil Pump	46RE-400 Gear Train
			
46RE-500 Bands, Reverse and Kickdown	46RE-700 Valve Body	46RE-1000 Overdrive Gear Train	46RE-1200 Gearshift Controls
			

Transmission Assembly [DGT] 46 RE
Figure 46RE-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:Transmission Package Includes Torque Converter, Transmission & Converter Bolts
Sales Codes
[DGT]=46RE 4 Speed Automatic Transmission
[EL0]=All 5.2L V-8 Engines
[EM0]=All 5.9L V-8 Engines

1	5014 771AB	1	2, 3			EM0	DGT		TRANSMISSION PACKAGE With Transmission Stamp # [52119845AB]
	5014 772AB	1	7, 8			EM0	DGT		With Transmission Stamp # [52119846AB]
-2	5211 8156	1	7, 8			EM0	DGT		OVERDRIVE
	5211 8784	1	2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Case and Related Parts [DGT] 46 RE Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes:									
[DGT]=46RE 4 Speed Automatic Transmission									
[EL0]=All 5.2L V-8 Engines									
[EM0]=All 5.9L V-8 Engines									
-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884AI-	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	52118 629AB	1					DG0		SEAL, Oil Filler Tube
3	6029 799	1					DG0		BOLT, Hex Head, .375-16x1.00
4	52118 620AD	1					DGT		TUBE, Transmission Oil Filler
5	52107 769AB	1					DG0		INDICATOR, Transmission Fluid
6	6036 385AA	2				EW0	DDX		Level SCREW AND WASHER, Hex Head, .437-14x2.00
7	6023 092	3					DGT		SCREW AND WASHER, Hex Head, .25-20x.50
8	6022 266	4				EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
9									SCREW AND WASHER, Hex Head, .437-14x.25, (NOT SERVICED) (Not Serviced)
10	5211 7772	1					DGT		STRUT, Transmission to Block
11	52117 501AB	1					DGT		COVER, Transmission Dust
12	5211 7709	1				EM0			GROMMET, Timing Probe
13	5601 9959	1				EM0, EW0	DG0		CLIP, Wiring
14	6022 266	4				EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
15									CASE, Transmission
	5211 8757	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
16									PLUG, Pressure Check
	6028 095	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
17									SWITCH, Neutral, Safety, Back Up
	56028 181AB	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
18									WASHER, Switch
	2408 143	1	2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Case and Related Parts [DGT] 46 RE
Figure 46RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
19									SCREW AND WASHER, Hex Head, .312-18x.625
	4723 548	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
20									PAN, Transmission Oil
	5211 8780	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
21									MAGNET, Transmission
	3681 601	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
22									GASKET, Oil Pan
	2464 324AC	1	7, 8			EM0	DGT		
		1	2, 3			EM0	DGT		
23									SCREW, Trans Kick Down Band Adjusting, .5-20x2.54, (NOT SERVICED) (Not Serviced)
24	52117 771AB	1					DGT		STRUT, Transmission to Block
25									CAMS Unknown, SCREW, (Not Serviced), (NOT SERVICED) (Not Serviced)
26									NUT, Inverted Flare, .62-18
	6033 879	2	2, 3			EM0	DGT		
		2	7, 8			EM0	DGT		
27									O RING, Trans Speed Sensor
	6501 701	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
28									SENSOR, Transmission Output Speed
	4800 879	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)



ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Extension [DGT] 46 RE
Figure 46RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DGT]=46RE 4 Speed Automatic Transmission									
[EL0]=All 5.2L V-8 Engines									
[EM0]=All 5.9L V-8 Engines									
1	5003 231AA	1	2, 3			EM0	DGT		CASE, Transmission Rear
2	4531 216AB	1	2, 3			EM0	DGT		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
5									GASKET, Transmission
	2801 398	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	2, 3			EM0	DGT		
		7	7, 8			EM0	DGT		
8	4798 535	1	7, 8			EM0	DGT		ADAPTER, Transfer Case
9	4269 956AB	1	7, 8			EM0	DGT		SEAL, Adapter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Pump, Oil with Reaction Shaft [DGT] 46 RE
Figure 46RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes:

[DGT] = 46RE Automatic Transmission

[EM0]=All 5.9L V-8 Engines


-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109AB-	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	4531 225	1	2, 3			EM0	DGT		SEAL, Impeller Hub, 57.25mm OD
		1	7, 8			EM0	DGT		
3	1942 021	1	2, 3			EM0	DGT		SEAL, Front Pump Housing
		1	7, 8			EM0	DGT		
4	4796 467AB	1	7, 8			EM0	DGT		PUMP PACKAGE, Transmission
		1	2, 3			EM0	DGT		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11	0179 815	6	2, 3			EM0	DGT		SCREW, Hex Head, .312-18x.687
		6	7, 8			EM0	DGT		
12	3420 087	1	2, 3			EM0	DGT		BAFFLE PACKAGE, Pump
		1	7, 8			EM0	DGT		
13	4028 377	1	2, 3			EM0	DGT		GASKET, Transmission Oil Pump
		1	7, 8			EM0	DGT		
14	4617 161	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch [.062] Thick
		1	7, 8			EM0	DGT		[.062] Thick

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Pump, Oil with Reaction Shaft [DGT] 46 RE
Figure 46RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15									THRUST WASHER, Front Clutch, Pink .085
	4617 162	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
-16									THRUST WASHER, Front Clutch, Yellow .103
	4617 163	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
-17									THRUST WASHER, Front Clutch, Orange .121
	4617 164	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
-18									THRUST WASHER, Front Clutch, Blue .139"
	4617 165	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
-19									THRUST WASHER, Front Clutch, Black .157
	4617 166	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
20									SEAL, Reaction Shaft
	3743 689	2	2, 3			EM0	DGT		Reaction Shaft Support
		2	7, 8			EM0	DGT		
21									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	2, 3			EM0	DGT		With Washer Housing [5/16-18 x 1-3/8
		7	7, 8			EM0	DGT		With Washer Housing [5/16-18 x 1-3/8


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Clutch, Front and Rear - 46RE [DGT] Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
-1									SEAL PACKAGE, Transmission Clutch
	4637 078	1	2, 3			EM0	DGT		RETAINER, Clutch
2		1	7, 8			EM0	DGT		
	4058 648AB	1	2, 3			EM0	DGT		BUSHING, Front Clutch
3		1	7, 8			EM0	DGT		
	4058 647	1	2, 3			EM0	DGT		SEAL, Front Clutch Piston
4		1	7, 8			EM0	DGT		
	52852 922AA	1	2, 3			EM0	DGT		Front Clutch Piston, Inner
5		1	7, 8			EM0	DGT		
	52852 924AA	1	2, 3			EM0	DGT		SEAL, Front Piston Clutch
6		1	7, 8			EM0	DGT		
	2464 651AB	1	2, 3			EM0	DGT		Front Clutch Piston, Outer
-7		1	7, 8			EM0	DGT		
	0147 483	1	2, 3			EM0	DGT		CHECK BALL, Dia-.187 3/16" Diameter
8		1	7, 8			EM0	DGT		
	4617 205	9	2, 3			EM0	DGT		SPRING, Front Clutch
9		9	7, 8			EM0	DGT		
	2801 949	1	2, 3			EM0	DGT		RETAINER, Transmission
-10		1	7, 8			EM0	DGT		
	0147 483	1	2, 3			EM0	DGT		CHECK BALL, Dia-.187 3/16" Diameter
11		1	7, 8			EM0	DGT		
	2124 824	1	2, 3			EM0	DGT		SNAP RING
		1	7, 8			EM0	DGT		
12									Front Clutch, Inner, .060" Thick, 3" I.D.
	2124 826AB	3	2, 3			EM0	DGT		
									PLATE, Clutch Separator

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front and Rear - 46RE [DGT]
Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3	7, 8			EM0	DGT		
13	3410 570	1	2, 3			EM0	DGT		SNAP RING Front Clutch, .050" Thick, 7-8/64" O.D.
		1	7, 8			EM0	DGT		Front Clutch, .050" Thick, 7-8/64" O.D.
14	4617 567	1	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction Front, Clutch Reaction
		1	7, 8			EM0	DGT		Front, Clutch Reaction
15	4617 201AB	3	2, 3			EM0	DGT		DISC, Direct Clutch
		3	7, 8			EM0	DGT		
16	3743 624AB	1	2, 3			EM0	DGT		PISTON, Clutch
		1	7, 8			EM0	DGT		
-17	0147 483	1	2, 3			EM0	DGT		CHECK BALL, Dia-.187 3/16" Diameter
		1	7, 8			EM0	DGT		3/16" Diameter
18	1942 054	1	2, 3			EM0	DGT		SEAL, Rear Clutch Piston Rear Clutch Piston, Inner
		1	7, 8			EM0	DGT		Rear Clutch Piston, Inner
19	2124 835	1	2, 3			EM0	DGT		SEAL, Rear Clutch Piston
		1	7, 8			EM0	DGT		
20	4505 186	1	2, 3			EM0	DGT		THRUST WASHER, Output Shaft, Red .068
		1	7, 8			EM0	DGT		
21	4617 855	1	2, 3			EM0	DGT		RETAINER, Transmission Rear Clutch Piston
		1	7, 8			EM0	DGT		Rear Clutch Piston
-22	4058 443	1	7, 8			EM0	DGT		SEAL, Rear Clutch Retainer Piston Retainer Oil Seal Lock, 1-7/8" O.D.
		1	2, 3			ET0	DGP		Piston Retainer Oil Seal Lock, 1-7/8" O.D.
23	4617 161	1	2, 3			EM0	DGT		THRUST WASHER, Front Clutch Front. Clutch Thrust, Rear
		1	7, 8			EM0	DGT		Front. Clutch Thrust, Rear
24									INPUT SHAFT, Transmission

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front and Rear - 46RE [DGT] Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	4617 396	1	2, 3			EM0	DGT		Input
		1	7, 8			EM0	DGT		Input
	4617 418AB	1	2, 3			EM0	DGT		SEAL, Input Shaft
		1	7, 8			EM0	DGT		
26									SNAP RING
	2124 872	1	2, 3			EM0	DGT		Rear Clutch Piston Retainer, .060" Thick, 1-31/64"
		1	7, 8			EM0	DGT		Rear Clutch Piston Retainer, .060" Thick, 1-31/64"
27									RETAINER, Rear Clutch
	3743 622	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
28									DISC, Clutch
	2801 992AC	4	2, 3			EM0	DGT		
		4	7, 8			EM0	DGT		
29									SPRING, Rear Clutch Piston
	3743 621AB	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
30									SPACER, Rear Clutch Piston
	3515 077	1	2, 3			EM0	DGT		Rear Clutch Piston Spring, Plastic, 6-13/16" O.D
									Rear Clutch Piston Spring, Plastic, 6-13/16" O.D
		1	7, 8			EM0	DGT		
31									SPRING, Rear Clutch
	2466 806	1	2, 3			EM0	DGT		Rear. Clutch Wave
		1	7, 8			EM0	DGT		Rear. Clutch Wave
32									PLATE, Clutch Pressure
	2466 803	1	2, 3			EM0	DGT		Rear. Clutch Pressure, Front
		1	7, 8			EM0	DGT		Rear. Clutch Pressure, Front
33									PLATE, Clutch Separator
	2124 826AB	3	2, 3			EM0	DGT		
		3	7, 8			EM0	DGT		
34									PLATE, Transmission Clutch Reaction
	4617 567	1	2, 3			EM0	DGT		Rear. Clutch Reaction
		1	7, 8			EM0	DGT		Rear. Clutch Reaction
35									SNAP RING
	1942 063	1	2, 3			EM0	DGT		[.060]" Thick
		1	7, 8			EM0	DGT		[.060]" Thick
	1942 064	1	2, 3			EM0	DGT		[.074]" Thick

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front and Rear - 46RE [DGT] Figure 46RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		[.074]" Thick
	1942 065	1	2, 3			EM0	DGT		[.088]" Thick
		1	7, 8			EM0	DGT		[.088]" Thick
	2466 811	1	2, 3			EM0	DGT		[.106]" Thick
		1	7, 8			EM0	DGT		[.106]" Thick

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train and Intermediate Shaft - 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[EM0] = All 5.9L Gas Engines

[DGT] = 46RE Automatic Transmission

1	6024 312	1	2, 3			EM0	DGT		SNAP RING, 1.108 Free Diameter
		1	7, 8			EM0	DGT		
2	5211 8693	1	2, 3			EM0	DGT		CARRIER, Planetary Pinion
		1	7, 8			EM0	DGT		
3	2801 060	1	2, 3			EM0	DGT		THRUST WASHER, Planetary Carrier
		1	7, 8			EM0	DGT		4 Tabs
	4539 129	1	2, 3			EM0	DGT		5 Tabs
		1	7, 8			EM0	DGT		5 Tabs
4	2892 656	1	2, 3			EM0	DGT		GEAR, Front Annulus
									With Support 2-1/2" I.D. Center Hole
		1	7, 8			EM0	DGT		With Support 2-1/2" I.D. Center Hole
5	4618 000	1	2, 3			EM0	DGT		WASHER
		1	7, 8			EM0	DGT		
6	1736 521	1	2, 3			EM0	DGT		SNAP RING, Sun Gear Driving Shell Lock
		1	7, 8			EM0	DGT		Driving Shell Lock
7	2801 311	1	2, 3			EM0	DGT		GEAR, Sun
		1	7, 8			EM0	DGT		With Bushing
8	4617 978	1	2, 3			EM0	DGT		SHELL, Sun Gear Driving
		1	7, 8			EM0	DGT		Driving
9	4617 611	1	2, 3			EM0	DGT		INTERMEDIATE SHAFT, Transmission
		1	7, 8			EM0	DGT		With Plug
10	4505 188	1	2, 3			EM0	DGT		PLATE, Transmission Module
		1	7, 8			EM0	DGT		Intermediate Shaft, Thrust .060" Thick
11									PLATE, Sun Gear Driving Shell


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train and Intermediate Shaft - 46RE [DGT] **Figure 46RE-420**



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	1942 080	1	2, 3			EM0	DGT		Thrust, with 4 Inside Tongs
		1	7, 8			EM0	DGT		Thrust, with 4 Inside Tongs
	1736 521	1	2, 3			EM0	DGT		SNAP RING, Sun Gear
		1	7, 8			EM0	DGT		
13									THRUST WASHER, Planetary Carrier
	2801 060	1	2, 3			EM0	DGT		Rear, with 4 Tabs, 3-13/32"
		1	7, 8			EM0	DGT		Rear, with 4 Tabs, 3-13/32"
14									CARRIER, Planetary Pinion
	2801 061	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
15									PLATE, Annulus Gear Thrust
	2400 580	1	2, 3			EM0	DGT		Rear Annulus Gear Thrust, with 31 Inside Teeth, 3-23/64"
		1	7, 8			EM0	DGT		Rear Annulus Gear Thrust, with 31 Inside Teeth, 3-23/64"
16									GEAR, Rear Annulus
	4810 002AB	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
17									SNAP RING
	6033 591	1	2, 3			EM0	DGT		Reverse Drum Retaining
		1	7, 8			EM0	DGT		Reverse Drum Retaining
18									DOWEL, .108x1.00
	6024 666	5	2, 3			EM0	DGT		Front
		5	7, 8			EM0	DGT		Front
		4	2, 3			EM0	DGT		Rear
		4	7, 8			EM0	DGT		Rear
19									SHAFT, Planetary
	4428 223	5	2, 3			EM0	DGT		Front
		5	7, 8			EM0	DGT		Front
		4	2, 3			EM0	DGT		Rear
		4	7, 8			EM0	DGT		Rear
20									THRUST WASHER, Planetary Carrier
	2801 315	10	2, 3			EM0	DGT		Front
		10	7, 8			EM0	DGT		Front
		8	2, 3			EM0	DGT		Rear
		8	7, 8			EM0	DGT		Rear
21									THRUST WASHER, Planet Pinion
	2204 649	10	2, 3			EM0	DGT		Front

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005

Gear Train and Intermediate Shaft - 46RE [DGT]
Figure 46RE-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		10	7, 8			EM0	DGT		Front
		8	2, 3			EM0	DGT		Rear
		8	7, 8			EM0	DGT		Rear
22									PINION, Transmission Planetary
	2400 667	5	2, 3			EM0	DGT		Front
		5	7, 8			EM0	DGT		Front
		4	2, 3			EM0	DGT		Rear
		4	7, 8			EM0	DGT		Rear
23									ROLLER, Front and Rear Pinion
	3743 664	115	2, 3			EM0	DGT		Front
		115	7, 8			EM0	DGT		Front
		92	2, 3			EM0	DGT		Rear
		92	7, 8			EM0	DGT		Rear
24									DRUM, Automatic Transmission
	5211 8057	1	2, 3			EM0	DGT		With Race, Reverse
		1	7, 8			EM0	DGT		With Race, Reverse
25									CAM, Overrunning Clutch
	4471 473	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
26									CLUTCH, Overrunning
	4617 199	1	2, 3			EM0	DGT		14 Rollers Nylon Caged, "O"
		1	7, 8			EM0	DGT		14 Rollers Nylon Caged, "O"
27	6023 092	3					DGT		SCREW AND WASHER, Hex Head, .25-20x.50
28									THRUST WASHER, Reverse Drum
	5211 8059	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
29									PLATE, Annulus Gear Thrust
	2400 580	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Output Shaft - 46RE [DGT]
Figure 46RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[EM0] = All 5.9L Gas Engines
[DGT] = 46RE Automatic Transmission


1									SHAFT, Output
	5003 232AA	1	2, 3			EM0	DGT		
	4798 536	1	7, 8			EM0	DGT		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4									BEARING, Output Shaft
	4461 008	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
5	2466 224	1	2, 3			EM0	DGT		BEARING, Output Shaft
6									SNAP RING
	1942 063	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
7									SNAP RING
	4461 057	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
8	4461 069	1	2, 3			EM0	DGT		SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse and Kickdown - 46RE [DGT]
Figure 46RE-510



REVERSE BAND




KICKDOWN BAND


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1	4617 044	1	2, 3			EM0	DGT		LINK, Transmission Reverse Band
		1	7, 8			EM0	DGT		
2	6030 910	2	2, 3			EM0	DGT		SEAL, Reverse Band
		2	7, 8			EM0	DGT		
3	2124 857	1	2, 3			EM0	DGT		SHAFT, Band Lever
		1	7, 8			EM0	DGT		
4	0271 506	1	2, 3			EM0	DGT		NUT, Hex, .42-20
		1	7, 8			EM0	DGT		
5									SCREW, Trans Reverse Band Adjusting, .437-20x1.5
	1942 141	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
6	4617 028AB	1	2, 3			EM0	DGT		LEVER, Reverse Band
		1	7, 8			EM0	DGT		
7	4617 014AB	1	2, 3			EM0	DGT		LEVER, Reverse Band
		1	7, 8			EM0	DGT		
8	4471 497AB	1	2, 3			EM0	DGT		STRUT, Reverse Band
		1	7, 8			EM0	DGT		
9	4471 476AB	1	2, 3			EM0	DGT		BAND, Reverse
		1	7, 8			EM0	DGT		
10	5211 8264	1	2, 3			EM0	DGT		LEVER, Kickdown
		1	7, 8			EM0	DGT		
11	4531 181	1	2, 3			EM0	DGT		SHAFT, Band Lever
		1	7, 8			EM0	DGT		
12	2124 848	1	2, 3			EM0	DGT		STRUT, Kickdown Band
		1	7, 8			EM0	DGT		
13									BAND, Kickdown

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Bands, Reverse and Kickdown - 46RE [DGT]
Figure 46RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4329 853	1	2, 3			EM0	DGT		ANCHOR, Kickdown Band
		1	7, 8			EM0	DGT		
	3743 338	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
15	6036 115AA	1	2, 3			EM0	DGT		SCREW
		1	7, 8			EM0	DGT		
16	0124 934	1	2, 3			EM0	DGT		NUT, Hex Jam, .50-20
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Valve Body - 46RE [DGT]
Figure 46RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[EM0] = All 5.9L Gas Engines
[DGT] = 46RE Automatic Transmission
-1


									SEAL AND GASKET PACKAGE, Valve Body and Servo
	4863 892AE-	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2	52118 793AD	1	2, 3			EM0	DGT		VALVE BODY ASSEMBLY
		1	7, 8			EM0	DGT		
3									GASKET PACKAGE, Transmission Solenoid
	4886 333AA	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
4	52118 500AB	1	2, 3			EM0	DGT		SOLENOID, Transmission Overdrive
		1	7, 8			EM0	DGT		
5	0181 071	3	2, 3			EM0	DGT		BOLT, Valve Body, .25-20x1.75
		3	7, 8			EM0	DGT		
6									SCREW, Tapping, .19-24x.75
	6033 985	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
7									O RING, Solenoid Wiring, Transmission
	6034 748	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
8	6033 985	1	2, 3			EM0	DGT		SCREW, Tapping, .19-24x.75
		1	7, 8			EM0	DGT		
9									FILTER, Valve Body
	5211 8789	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
10									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
11									LEVER, Throttle Valve
	3681 227	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
12									LEVER, Manual Valve
	4617 439	1	2, 3			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 46RE [DGT]
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
13	0147 488	1	2, 3			EM0	DGT		BALL, Manual Lever Detent, .343 Diameter
		1	7, 8			EM0	DGT		
14	2466 548	1	2, 3			EM0	DGT		SEAL, Valve Lever Shift
		1	7, 8			EM0	DGT		
15	2538 062	1	2, 3			EM0	DGT		WASHER, Manual Valve Lever
		1	7, 8			EM0	DGT		
16	6035 208	1	2, 3			EM0	DGT		SNAP RING
		1	7, 8			EM0	DGT		
17	6030 609	1	2, 3			EM0	DGT		SCREW, Cap Head Lock, .312-24x1.25
		1	7, 8			EM0	DGT		
18	4617 010	1	2, 3			EM0	DGT		BRACKET, Valve Body Switch
		1	7, 8			EM0	DGT		
19	4130 492	1	2, 3			EM0	DGT		SPRING, Switch Valve
		1	7, 8			EM0	DGT		
20	4505 036	1	2, 3			EM0	DGT		VALVE, Trans Lockup Switch
		1	7, 8			EM0	DGT		
21	4617 008	1	2, 3			EM0	DGT		TUBE, Boost Valve
		1	7, 8			EM0	DGT		
22	5211 7958	1	2, 3			EM0	DGT		RETAINER, Boost Valve Oil Supply Tube
		1	7, 8			EM0	DGT		
23	4617 219	1	2, 3			EM0	DGT		CLIP, Transmission Governor Transducer
		1	7, 8			EM0	DGT		
24	56028 196AB	1	2, 3			EM0	DGT		TRANSDUCER, Pressure Sensor
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Valve Body - 46RE [DGT]
Figure 46RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25									O RING, Pressure Switch, Serviced with Transducer, (NOT SERVICED) (Not Serviced)
26	4617 216	1	2, 3			EM0	DGT		GASKET, Transmission Solenoid
		1	7, 8			EM0	DGT		
27									RETAINER, Transmission Governor Solenoid
	52117 937AB	1	7, 8			EM0	DGT		
		1	7, 8			ET0	DGP		
28									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
29	4617 210	1	2, 3			EM0	DGT		SOLENOID, Transmission Governor
		1	7, 8			EM0	DGT		
-30									SCREEN, Transmission Regulator Valve
	3878 313	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Servos, Accumulator Piston and Spring - 46RE [DGT]
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1	1942 130	1	2, 3			EM0	DGT		SNAP RING
		1	7, 8			EM0	DGT		
2	1942 123	1	2, 3			EM0	DGT		SEAL
		1	7, 8			EM0	DGT		
3	3410 441	1	2, 3			EM0	DGT		GUIDE, Kickdown Servo
		1	7, 8			EM0	DGT		
4	4617 573	1	2, 3			EM0	DGT		SPRING, Kickdown Servo Piston
		1	7, 8			EM0	DGT		
5	3410 444	1	2, 3			EM0	DGT		SPRING, Kickdown Servo Piston
		1	7, 8			EM0	DGT		
6	6031 392	1	2, 3			EM0	DGT		SNAP RING, Brake Master Cylinder
		1	7, 8			EM0	DGT		
7	3410 437	1	2, 3			EM0	DGT		RETAINER, Kick Down
		1	7, 8			EM0	DGT		
8	3410 445	1	2, 3			EM0	DGT		PISTON, Kickdown Servo
		1	7, 8			EM0	DGT		
9	6028 864	1	2, 3			EM0	DGT		O RING, Kick Down Servo
		1	7, 8			EM0	DGT		
10	1942 123	1	2, 3			EM0	DGT		SEAL
		1	7, 8			EM0	DGT		
11	3410 440	1	2, 3			EM0	DGT		PISTON, Kickdown Servo
		1	7, 8			EM0	DGT		
12	4412 444	1	2, 3			EM0	DGT		SEAL
		1	7, 8			EM0	DGT		
13	1942 130	1	2, 3			EM0	DGT		SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions


Servos, Accumulator Piston and Spring - 46RE [DGT]
Figure 46RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	1942 150	1	7, 8			EM0	DGT		RETAINER, Transmission Reverse Servo Piston Spring
		1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
15	2801 241	1	2, 3			EM0	DGT		SPRING, Reverse Servo Piston
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
16	52118 740AB	1	2, 3			EM0	DGT		PLUG, Reverse Servo Piston
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
17	52118 759AB	1	2, 3			EM0	DGT		SPRING, Reverse Servo Piston
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
18	4058 741	1	2, 3			EM0	DGT		SEAL, Piston Reverse Servo, Rubber
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
19	2801 281	1	2, 3			EM0	DGT		PISTON, Reverse Servo
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
20	6027 153	1	2, 3			EM0	DGT		SNAP RING, .435 ID
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
21	3515 079	1	2, 3			EM0	DGT		SPRING, Accumulator Piston
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
22	3743 013	1	2, 3			EM0	DGT		SEAL, Piston Accumulator
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
23	3743 650	1	2, 3			EM0	DGT		PISTON, Accumulator
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
24	3743 010	1	2, 3			EM0	DGT		SEAL, Piston Accumulator
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		
25		1	2, 3			EM0	DGT		SPRING, Accumulator Piston, (NOT REQUIRED)
		1	7, 8			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Parking Sprag - 46RE [DGT]
Figure 46RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[EM0] = All 5.9L Gas Engines
[DGT] = 46RE Automatic Transmission


1	2466 909	1	2, 3			EM0	DGT		SPRING, Parking Sprag
		1	7, 8			EM0	DGT		
2	4471 415AB	1	2, 3			EM0	DGT		SPRAG, Transmission Parking
		1	7, 8			EM0	DGT		
3	2466 892	1	2, 3			EM0	DGT		SHAFT, Parking Sprag
		1	7, 8			EM0	DGT		
4	6035 256	1	2, 3			EM0	DGT		SNAP RING, Rod
		1	7, 8			EM0	DGT		
5	2538 042	1	2, 3			EM0	DGT		PLUG, Parking Sprag
		1	7, 8			EM0	DGT		
6	2538 034	1	2, 3			EM0	DGT		SNAP RING, Transmission
		1	7, 8			EM0	DGT		
7	4471 478	1	2, 3			EM0	DGT		ROD, Parking Sprag
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive with Gear Train - 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
1									PLATE PACKAGE, Transmission Module
	4740 774	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
2									BEARING, (NOT SERVICED) (Not Serviced)
3	5015 107AA	1	2, 3			EM0	DGT		GEAR, Overdrive Sun
		1	7, 8			EM0	DGT		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5	4798 520	1	2, 3			EM0	DGT		CARRIER, O/Drive Planet Pinion
		1	7, 8			EM0	DGT		
6	4461 124	1	2, 3			EM0	DGT		RACE, Overrunning Clutch
		1	7, 8			EM0	DGT		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
9	4761 010	1	2, 3			EM0	DGT		GEAR, Overdrive Annulus
		1	7, 8			EM0	DGT		
10	4461 059	1	2, 3			EM0	DGT		SNAP RING, 5.25 OD
		1	7, 8			EM0	DGT		
11	4461 060	2	2, 3			EM0	DGT		SNAP RING, 6.00 OD
		1	7, 8			EM0	DGT		
12	4461 089	1	2, 3			EM0	DGT		DRUM, Automatic Transmission
		1	7, 8			EM0	DGT		
13	4461 063	1	2, 3			EM0	DGT		SNAP RING, 2.1875 OD

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive with Gear Train - 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4461 027	1	7, 8			EM0	DGT		SPRING, Direct Clutch
		1	2, 3			EM0	DGT		
15	4461 072	1	7, 8			EM0	DGT		HUB, Direct Clutch
		1	2, 3			EM0	DGT		
16	4446 724	1	2, 3			EM0	DGT		THRUST BEARING, Overdrive
		1	7, 8			EM0	DGT		
17	4461 030	1	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
18	4461 042	8	2, 3			EM0	DGT		DISC, Direct Clutch
		1	7, 8			EM0	DGT		
19	4461 054	7	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
20	4461 031	1	2, 3			EM0	DGT		PLATE, Transmission Clutch Reaction
		1	7, 8			EM0	DGT		
21	4461 032	1	2, 3			EM0	DGT		SPRING, Direct Clutch
		1	7, 8			EM0	DGT		
22	4461 064	1	2, 3			EM0	DGT		SNAP RING, 1.875" OD
		1	7, 8			EM0	DGT		
23	4412 583	1	2, 3			EM0	DGT		FILTER, Overdrive Clutch
		1	7, 8			EM0	DGT		
24	5211 7975	1	2, 3			EM0	DGT		RETAINER, Transmission O/Drive Clutch Piston
		1	7, 8			EM0	DGT		
25	5211 8599	1	2, 3			EM0	DGT		PISTON, Overdrive Clutch
		1	7, 8			EM0	DGT		
26									SCREW, .25-20

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive with Gear Train - 46RE [DGT] Figure 46RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	0152 796	6	2, 3			EM0	DGT		SEAL, Overdrive Clutch Piston
		6	7, 8			EM0	DGT		
	4431 697	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
28	4617 352	1	2, 3			EM0	DGT		SEAL, Overdrive Clutch Piston
		1	7, 8			EM0	DGT		
29	4431 585	1	2, 3			EM0	DGT		PLATE, Transmission O/Drive Clutch
		1	7, 8			EM0	DGT		
	4431 586	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
	4431 587	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
	4431 588	1	2, 3			EM0	DGT		[.123 -.125]" Thick
		1	7, 8			EM0	DGT		
	4431 590	1	2, 3			EM0	DGT		[.123 -.125]" Thick
		1	7, 8			EM0	DGT		
	4431 731	1	2, 3			EM0	DGT		[.153 -.155]" Thick
		1	7, 8			EM0	DGT		
	4431 732	1	2, 3			EM0	DGT		[.153 -.155]" Thick
		1	7, 8			EM0	DGT		
	4431 733	1	2, 3			EM0	DGT		[.183 -.185]" Thick
		1	7, 8			EM0	DGT		
	4431 734	1	2, 3			EM0	DGT		[.183 -.185]" Thick
		1	7, 8			EM0	DGT		
	4431 735	1	2, 3			EM0	DGT		[.213 -.215]" Thick
		1	7, 8			EM0	DGT		
30	4431 916	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, 1.58mm
		1	7, 8			EM0	DGT		
-31	4431 917	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, .175
		1	7, 8			EM0	DGT		
-32	4431 918	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, .193
		1	7, 8			EM0	DGT		
-33	4431 919	1	2, 3			EM0	DGT		SPACER, Intermediate Shaft, .211
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive with Gear Train - 46RE [DGT]
Figure 46RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DGT		
34	4461 065	1	2, 3			EM0	DGT		SNAP RING, 6.50 OD
		1	7, 8			EM0	DGT		
35									PLATE, Transmission Clutch Reaction
	4461 033	2	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
36									PLATE, Transmission Clutch Reaction
	4461 047	3	2, 3			EM0	DGT		
		3	7, 8			EM0	DGT		
37									DISC, Direct Clutch
	4461 181	4	2, 3			EM0	DGT		
		4	7, 8			EM0	DGT		
38									PLATE, Transmission Clutch Reaction
	4461 033	2	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		
39									SPRING, Overdrive Clutch
	4461 066	1	2, 3			EM0	DGT		
		1	7, 8			EM0	DGT		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift, Lower - 46RE [DGT] Figure 46RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[EM0] = All 5.9L Gas Engines									
[DGT] = 46RE Automatic Transmission									
[DG0] = All Automatic Transmissions									
1	3575 333	AR					DG0		GROMMET, Control Rod Front
2	J012 0393	1					DGT		WASHER, Flat, Flat
3	3467 800	AR					DG0		BUSHING, Gearshift Torque Shaft, Torque Shaft
4	6504 763	2					DGT		WASHER, Flat, M13.5
5	6034 943	1					DGT		WASHER
6	J010 3374	1					DGT		PIN, Cotter
7	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mounting. Lock 7/16-14
8	0120 395	1							WASHER, Flat
9	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
10	52077 802AD	1					DGT		BRACKET, Gearshift
11	6100 576	3					DG0		SCREW AND WASHER, Hex Head, M8-1.25x30
12	6032 475	1					DGT		RING, Transmission Torque Shaft
13	52107 699AD	1					DG0		ROD, Gear Shift Control
14	5210 7734	1					DG0		CLAMP, With Screw, Control Rod Swivel
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod, Control Rod Clamp
16	3575 354AC	1					DG0		SPRING, Gearshift Control Rod, Control Rod Adjusting
17	52107 806AB	1				EM0	DGT		BRACKET, Torque Shaft
18	52079 228AE	1					DGT		TORQUE SHAFT, Gearshift
19	52107 780AA	1					DGT		ROD, Gear Shift Control, Transmission
20	52107 825AA	1					DGP, DGT		LEVER, Manual Control
21	0180 034	1					DG0		SCREW AND WASHER, Hex Head, .25-20x1.50
22	J012 0375	1					DG0		NUT, Hex, .250-20
23	5207 9065	1					DG0		LEVER, Throttle Valve
24	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
25	J012 0375	1					DG0		NUT, Hex, .250-20
26	0138 165	1					DG0		WASHER, Lock
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005









Group – 47RE

Automatic Transmission 4 Speed



GROUP 47RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly -47RE (DGP)	Fig. 47RE-110
Case and Extension	
Case and Related Parts - 47 RE (DGP)	Fig. 47RE-210
Extension -47RE (DGP)	Fig. 47RE-220
Oil Pump	
Pump, Oil With Reaction Shaft - 47RE (DGP)	Fig. 47RE-310
Gear Train	
Clutch, Front And Rear With Gear Train - 47RE (DGP)	Fig. 47RE-410
Gear Train And Intermediate Shaft - 47RE (DGP)	Fig. 47RE-420
Output Shaft - 47RE (DGP)	Fig. 47RE-430
Bands, Reverse and Kickdown	
Bands, Reverse And Kickdown With Linkage - 47RE (DGP)	Fig. 47RE-510
Valve Body	
Valve Body - 47RE (DGP)	Fig. 47RE-710
Servos, Accumulator Piston And Spring - 47RE (DGP)	Fig. 47RE-720
Parking Sprag - 47RE (DGP)	Fig. 47RE-730
Overdrive Gear Train	
Clutch, Overdrive With Gear Train - 47RE (DGP)	Fig. 47RE-1010
Gearshift Controls	
Controls, Gearshift, Lower - 47RE (DGP)	Fig. 47RE-1210

47RE-100 Transmission Assembly	47RE-200 Case and Extension	47RE-300 Oil Pump	47RE-400 Gear Train
			
47RE-500 Bands, Reverse and Kickdown	47RE-700 Valve Body	47RE-1000 Overdrive Gear Train	47RE-1200 Gearshift Controls
			

Transmission Assembly -47RE (DGP)
Figure 47RE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[ET0] = All 5.9L Turbo Diesel Engines
[EW0] = All 8.0L Gas Engines
[DGP] = 47 RE Automatic Transmission

1	TRANSMISSION PACKAGE								
	5014 773AB	1	2, 3			ET0	DGP		
	5014 774AC	1	2, 3			EW0	DGP		
	5014 775AB	1	7, 8			ET0	DGP		
	5014 776AC	1	7, 8			EW0	DGP		
-2	OVERDRIVE								
	5211 8786	1	2, 3			ET0	DGP		
	5211 8158	1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
	5211 8786	1	2, 3			EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Case and Related Parts - 47 RE (DGP)
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes:

[DG0] = All Automatic Transmissions

[DGP] = 47RE Automatic Transmission

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

-1									SEAL AND GASKET PACKAGE, Transmission
	4863 884AI-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	5211 7614	1				EW0	DGP		COVER, Transmission Case
3	5211 8621	1					DGP		TUBE, Transmission Oil Filler
4	52118 629AB	1					DG0		SEAL, Oil Filler Tube
5	52107 769AB	1					DG0		INDICATOR, Transmission Fluid Level
6									MAGNET, Transmission
	3681 601	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									GASKET, Oil Pan
	2464 324AC	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									PAN, Transmission Oil
	52118 780AC	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
9									SCREW
	6036 330AA	14	7, 8			ET0	DGP		Oil Pan to Case .312-18x.680
		14	7, 8			EW0	DGP		Oil Pan to Case .312-18x.680
		14	2, 3			EW0	DGP		Oil Pan to Case .312-18x.680
		14	2, 3			ET0	DGP		Oil Pan to Case .312-18x.680
	6036 402AA	14	7, 8			ET0	DGP		Oil Pan to Case .312-18x.750
		14	7, 8			EW0	DGP		Oil Pan to Case .312-18x.750
		14	2, 3			EW0	DGP		Oil Pan to Case .312-18x.750
		14	2, 3			ET0	DGP		Oil Pan to Case .312-18x.750

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts - 47 RE (DGP)
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4428 472	1					DGP		COVER, Transmission Dust
11	6024 487	8				ET0	DGP		SCREW AND WASHER, Hex Head, .375-16x1.75
12	6036 385AA	2				ET0, EW0	DG0		SCREW AND WASHER, Hex Head, .437-14x2.00
13	6036 115AA	1	7, 8			ET0	DGP		SCREW
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14	56028 181AB	1	7, 8			ET0	DGP		SWITCH, Neutral, Safety, Back Up
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15	2408 143	1	7, 8			ET0	DGP		WASHER, Switch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16	6028 095	1	7, 8			ET0	DGP		PLUG, Pressure Check
		1	7, 8			EW0	DGP		[.125-27x.436]
		1	2, 3			EW0	DGP		[.125-27x.436]
		1	2, 3			ET0	DGP		[.125-27x.436]
-17	5211 8746	1	7, 8			EW0	DGP		PLUG
		1	2, 3			EW0	DGP		[.125-27x.540]
		1	2, 3			ET0	DGP		[.125-27x.540]
		1	7, 8			ET0	DGP		[.125-27x.540]
18	6022 266	4				EM0, EW0	DG0		SCREW, Hex Head, .375-16x1.5
19	5211 8758	1	7, 8			ET0	DGP		CASE, Transmission
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
20	52028 764AA	2	2, 3			EW0	DGP		CONNECTOR, Oil Cooler Tube
		2	7, 8			EW0	DGP		
		2	7, 8			ET0	DGP		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case and Related Parts - 47 RE (DGP)
Figure 47RE-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	2, 3			ET0	DGP		
-21	52028 765AA-	1	7, 8			ET0	DGP		O RING Used In #19 - Oil Cooler Tube Connector
		1	7, 8			EW0	DGP		Used In #19 - Oil Cooler Tube Connector
		1	2, 3			EW0	DGP		Used In #19 - Oil Cooler Tube Connector
		1	2, 3			ET0	DGP		Used In #19 - Oil Cooler Tube Connector
-22	5211 8181	2	7, 8			ET0	DGP		CLIP Wire Harness Attaching
		2	7, 8			EW0	DGP		Wire Harness Attaching
		2	2, 3			EW0	DGP		Wire Harness Attaching
		2	2, 3			ET0	DGP		Wire Harness Attaching
23									SENSOR, Transmission Output Speed
	4800 879	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
24	6501 658AB	1	2, 3			ET0	DGP		O RING, Trans Speed Sensor
		1	7, 8			ET0	DGP		3.05 THK
		1	2, 3			EW0	DGP		3.05 THK
		1	7, 8			EW0	DGP		3.05 THK
	6501 701	1	7, 8			EW0	DGP		3.05 THK
		1	7, 8			ET0	DGP		2.70 THK
		1	7, 8			EW0	DGP		2.70 THK
		1	2, 3			EW0	DGP		2.70 THK
		1	2, 3			ET0	DGP		2.70 THK

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Extension -47RE (DGP)
Figure 47RE-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									CASE, Transmission Rear
	5003 231AA	1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									SEAL, Extension Yoke
	4531 216AB	1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
5									GASKET, Transmission
	2801 398	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	7, 8			ET0	DGP		
		7	7, 8			EW0	DGP		
		7	2, 3			EW0	DGP		
		7	2, 3			ET0	DGP		
8									ADAPTER, Transfer Case
	4798 535	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
9									SEAL, Adapter
	4269 956AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 47RE (DGP)
Figure 47RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DGP] = 47 RE Automatic Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	4746 109AB-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	4531 225	1	7, 8			ET0	DGP		SEAL, Impeller Hub, 57.25mm OD
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
3	1942 021	1	7, 8			ET0	DGP		SEAL, Front Pump Housing
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4	4796 467AB	1	2, 3			ET0	DGP		PUMP PACKAGE, Transmission
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11	0179 815	6	7, 8			ET0	DGP		SCREW, Hex Head, .312-18x.687
		6	7, 8			EW0	DGP		
		6	2, 3			EW0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 47RE (DGP)
Figure 47RE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6	2, 3			ET0	DGP		
12	4028 377	1	7, 8			ET0	DGP		GASKET, Transmission Oil Pump
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
13	3420 087	1	2, 3			ET0	DGP		BAFFLE PACKAGE, Pump
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
14	4617 161	1	7, 8			ET0	DGP		THRUST WASHER, Front Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-15									THRUST WASHER, Front Clutch, Pink .085
	4617 162	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
-16		1	2, 3			ET0	DGP		THRUST WASHER, Front Clutch, Yellow .103
	4617 163	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-17									THRUST WASHER, Front Clutch, Orange .121
	4617 164	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-18									THRUST WASHER, Front Clutch, Blue .139"
	4617 165	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-19									THRUST WASHER, Front Clutch, Black .157

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Pump, Oil With Reaction Shaft - 47RE (DGP)
Figure 47RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 166	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
20									SEAL, Reaction Shaft
	3743 689	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
21									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	7, 8			ET0	DGP		
		7	7, 8			EW0	DGP		
		7	2, 3			EW0	DGP		
		7	2, 3			ET0	DGP		
22									BALL, Valve Body Check
	0104 918	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines


[EW0] = All 8.0L Gas Engines

-1									SEAL PACKAGE, Transmission Clutch
	4637 078AB-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	4058 648AB	1	7, 8			ET0	DGP		RETAINER, Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
3	4058 647	1	7, 8			ET0	DGP		BUSHING, Front Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-4									CHECK BALL, Dia-.187
	0147 483	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
5	52852 922AA	1	7, 8			ET0	DGP		SEAL, Front Clutch Piston
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6	52852 924AA	1	7, 8			ET0	DGP		SEAL, Front Piston Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7	2464 651AB	1	7, 8			ET0	DGP		PISTON, Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-8									CHECK BALL, Dia-.187

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0147 483	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
9									SPRING, Front Clutch
	2801 243	9	7, 8			ET0	DGP		
		9	7, 8			EW0	DGP		
		9	2, 3			EW0	DGP		
		9	2, 3			ET0	DGP		
10									RETAINER, Transmission
	2801 949	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-11									CHECK BALL, Dia-.187
	0147 483	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
12									SNAP RING
	2124 824	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
13									PLATE, Clutch Separator
	2124 826AB	4	7, 8			ET0	DGP		
		4	7, 8			EW0	DGP		
		4	2, 3			EW0	DGP		
		4	2, 3			ET0	DGP		
14									SNAP RING
	3410 570	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15									PLATE, Transmission Clutch Reaction
	4617 567	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16									DISC, Direct Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 201AB	4	7, 8			ET0	DGP		
		4	7, 8			EW0	DGP		
		4	2, 3			EW0	DGP		
		4	2, 3			ET0	DGP		
17									PISTON, Clutch
	3743 624AB	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
-18	0147 483	1	2, 3			ET0	DGP		CHECK BALL, Dia-.187
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
19	1942 054	1	2, 3			ET0	DGP		SEAL, Rear Clutch Piston
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
20	2124 835	1	2, 3			ET0	DGP		SEAL, Rear Clutch Piston
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
21	4505 186	1	7, 8			ET0	DGP		THRUST WASHER, Output Shaft, Red .068
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22	4617 855	1	2, 3			ET0	DGP		RETAINER, Transmission
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
-23	4058 443	1	2, 3			ET0	DGP		SEAL, Rear Clutch Retainer
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
24									THRUST WASHER, Front Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 161	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
25									INPUT SHAFT, Transmission
	4617 396	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
26									SNAP RING
	2124 872	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
27									SEAL, Input Shaft
	4617 418AB	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
28									RETAINER, Rear Clutch
	3743 622	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
29									DISC, Clutch
	2801 992AC	4	2, 3			ET0	DGP		
		4	7, 8			ET0	DGP		
		4	2, 3			EW0	DGP		
		4	7, 8			EW0	DGP		
30									SPRING, Rear Clutch Piston
	3743 621AB	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
31									SPACER, Rear Clutch Piston
	3515 077	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
32									SPRING, Rear Clutch
	2466 806	1	2, 3			ET0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Front And Rear With Gear Train - 47RE (DGP)
Figure 47RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
33	2466 803	1	7, 8			ET0	DGP		PLATE, Clutch Pressure
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
34	52118 812AA	3	2, 3			ET0	DGP		PLATE, Clutch Separator
		3	7, 8			ET0	DGP		
		3	2, 3			EW0	DGP		
		3	7, 8			EW0	DGP		
		3	2, 3			ET0	DGP		
		3	7, 8			EW0	DGP		
35	4617 567	1	2, 3			ET0	DGP		PLATE, Transmission Clutch Reaction
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	7, 8			EW0	DGP		
36	1942 063	1	2, 3			ET0	DGP		SNAP RING [.060"-.062" Thick]
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		[.060"-.062" Thick]
		1	7, 8			EW0	DGP		
	1942 063AB	1	2, 3			ET0	DGP		[.060"-.062" Thick]
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		[.065"-.067" Thick]
		1	7, 8			ET0	DGP		
	1942 064	1	2, 3			ET0	DGP		[.065"-.067" Thick]
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		[.065"-.067" Thick]
		1	7, 8			EW0	DGP		
	1942 064AB	1	2, 3			ET0	DGP		[.065"-.067" Thick]
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		[.074"-.076" Thick]
		1	7, 8			ET0	DGP		
	1942 065	1	2, 3			ET0	DGP		[.074"-.076" Thick]
		1	7, 8			EW0	DGP		
1942 065AB		1	2, 3			ET0	DGP		[.074"-.076" Thick]
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		[.080"-.082" Thick]
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		[.080"-.082" Thick]
		1	7, 8			EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Figure 47RE-410




REAR CLUTCH

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

September 16, 2005

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									SNAP RING, 1.108 Free Diameter
	6024 311	1	7, 8			ET0	DGP		[.055"-.059" Thick]
		1	7, 8			EW0	DGP		[.055"-.059" Thick]
		1	2, 3			EW0	DGP		[.055"-.059" Thick]
		1	2, 3			ET0	DGP		[.055"-.059" Thick]
	6024 312	1	7, 8			ET0	DGP		[.062"-.066" Thick]
		1	7, 8			EW0	DGP		[.062"-.066" Thick]
		1	2, 3			EW0	DGP		[.062"-.066" Thick]
		1	2, 3			ET0	DGP		[.062"-.066" Thick]
2									CARRIER, Planetary Pinion
	4617 998	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
3									THRUST WASHER, Planetary Carrier
	4539 129	1	7, 8			ET0	DGP		5 Tabs
		1	7, 8			EW0	DGP		5 Tabs
		1	2, 3			EW0	DGP		5 Tabs
		1	2, 3			ET0	DGP		5 Tabs
4									BUSHING, Support Case
	4617 951	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
5									GEAR, Front Annulus
	2892 656	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									WASHER
	4618 000	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									SNAP RING, Sun Gear
	1736 521	1	7, 8			ET0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	2801 311	1	7, 8			EW0	DGP		GEAR, Sun
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
9	4617 978	1	7, 8			EW0	DGP		SHELL, Sun Gear
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			ET0	DGP		
10	4617 611	1	7, 8			ET0	DGP		INTERMEDIATE SHAFT, Transmission
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
11	4505 188	1	7, 8			ET0	DGP		PLATE, Transmission Module
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
12	1942 080	1	7, 8			ET0	DGP		PLATE, Sun Gear Driving Shell
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
13	1736 521	1	7, 8			ET0	DGP		SNAP RING, Sun Gear
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14	4617 888	1	7, 8			ET0	DGP		THRUST WASHER, Planetary Carrier
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15									CARRIER, Planetary Pinion

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2801 061	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16	2400 580	1	7, 8			ET0	DGP		PLATE, Annulus Gear Thrust
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
17	4810 002AB	1	7, 8			ET0	DGP		GEAR, Rear Annulus
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
18	6033 591	1	7, 8			ET0	DGP		SNAP RING
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
19	5211 8059	1	7, 8			ET0	DGP		THRUST WASHER, Reverse Drum
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
20	5211 8057	1	7, 8			ET0	DGP		DRUM, Automatic Transmission
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21	2801 315	10	7, 8			ET0	DGP		THRUST WASHER, Planetary Carrier Front
		8	7, 8			ET0	DGP		Rear
		10	7, 8			EW0	DGP		Front
		8	7, 8			EW0	DGP		Rear
		10	2, 3			EW0	DGP		Front
		8	2, 3			EW0	DGP		Rear
		10	2, 3			ET0	DGP		Front
		8	2, 3			ET0	DGP		Rear
22	2204 649	10	7, 8			ET0	DGP		THRUST WASHER, Planet Pinion Front

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	3743 664	8	7, 8			ET0	DGP		Rear
		10	7, 8			EW0	DGP		Front
		8	7, 8			EW0	DGP		Rear
		10	2, 3			EW0	DGP		Front
		8	2, 3			EW0	DGP		Rear
		10	2, 3			ET0	DGP		Front
		8	2, 3			ET0	DGP		Rear
									ROLLER, Front and Rear Pinion
		115	7, 8			ET0	DGP		Front
		92	7, 8			ET0	DGP		Rear
24	2400 667	115	7, 8			EW0	DGP		Front
		92	7, 8			EW0	DGP		Rear
		115	2, 3			EW0	DGP		Front
		92	2, 3			EW0	DGP		Rear
		115	2, 3			ET0	DGP		Front
		92	2, 3			ET0	DGP		Rear
									PINION, Transmission Planetary
		5	7, 8			ET0	DGP		Front
		4	7, 8			ET0	DGP		Rear
		5	7, 8			EW0	DGP		Front
25	4428 223	4	7, 8			EW0	DGP		Rear
		5	2, 3			EW0	DGP		Front
		4	2, 3			EW0	DGP		Rear
		5	2, 3			ET0	DGP		Front
		4	2, 3			ET0	DGP		Rear
		5	7, 8			ET0	DGP		Front
		5	7, 8			EW0	DGP		Front
		4	7, 8			EW0	DGP		Rear
		5	2, 3			EW0	DGP		Front
		4	2, 3			EW0	DGP		Rear
26	6024 666	5	2, 3			ET0	DGP		Front
		4	2, 3			ET0	DGP		Rear
		5	2, 3			ET0	DGP		Front
		4	2, 3			ET0	DGP		Rear
		4	7, 8			ET0	DGP		Rear
		5	7, 8			ET0	DGP		Front
		4	7, 8			ET0	DGP		Rear
		5	7, 8			EW0	DGP		Front
		4	7, 8			EW0	DGP		Rear
		5	2, 3			EW0	DGP		Front

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train And Intermediate Shaft - 47RE (DGP)
Figure 47RE-420




FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	4471 473	5	2, 3			ET0	DGP		Front
		4	2, 3			ET0	DGP		Rear
		1	7, 8			ET0	DGP		CAM, Overrunning Clutch
		1	7, 8			EW0	DGP		
28	4617 199	1	2, 3			EW0	DGP		CLUTCH, Overrunning
		1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					

Output Shaft - 47RE (DGP)
Figure 47RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									OUTPUT SHAFT, Transmission
	4874 036	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
	5003 233AA	1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									BUSHING, (NOT SERVICED) (Not Serviced)
3									BUSHING, (NOT SERVICED) (Not Serviced)
4									BEARING, Output Shaft
	4461 008	1	7, 8			ET0	DGP		Front
		1	7, 8			EW0	DGP		Front
		1	2, 3			EW0	DGP		Front
		1	2, 3			ET0	DGP		Front
5									SNAP RING
	4461 068	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									SNAP RING
	4461 057	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									SNAP RING
	4461 069	1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									BEARING, Output Shaft
	2466 224	1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
	4461 008	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
-9									SNAP RING, 1.108 Free Diameter
	6022 816	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Bands, Reverse And Kickdown With Linkage - 47RE (DGP)
Figure 47RE-510



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines


[EW0] = All 8.0L Gas Engines

1									O RING, Steering Gear
	6030 657	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
2									SHAFT, Band Lever
	4531 234	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
3									NUT, Hex, .375-24
	0114 942	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
4									LEVER, Reverse Band
	4531 226AB	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
-5									SHAFT, Band Lever
	4617 784	1	2, 3			EW0	DGP		Reverse Reaction
		1	7, 8			EW0	DGP		Reverse Reaction
		1	7, 8			ET0	DGP		Reverse Reaction
		1	2, 3			ET0	DGP		Reverse Reaction
6									BAND, Reverse
	4531 231	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
7									SCREW, Trans Reverse Band Adjusting, .375-24-1.88
	2538 472	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									LEVER, Kickdown


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Bands, Reverse And Kickdown With Linkage - 47RE (DGP)
Figure 47RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2125 067	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
9									SHAFT, Band Lever
	4531 181	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
10									STRUT, Kickdown Band
	2124 848	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
11									ANCHOR, Kickdown Band
	3743 338	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
12									SCREW
	6036 115AA	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
13									BAND, Kickdown
	4329 853	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14									NUT, Hex Jam, .50-20
	0124 934	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Valve Body - 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines


[EW0] = All 8.0L Gas Engines

-1								SEAL AND GASKET PACKAGE, Valve Body and Servo	
	4863 892AE-	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			ET0	DGP		
		1	2, 3			EW0	DGP		
2	52118 796AD	1	7, 8			ET0	DGP	BODY, Transfer Plate	
		1	2, 3			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
3	4617 216	1	7, 8			ET0	DGP	GASKET, Transmission Solenoid	
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4	52118 500AB	1	7, 8			EW0	DGP	SOLENOID, Transmission Overdrive	
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
5	0181 071	3	7, 8			ET0	DGP	BOLT, Valve Body, .25-20x1.75	
		3	7, 8			EW0	DGP		
		3	2, 3			EW0	DGP		
		3	2, 3			ET0	DGP		
6	5211 8789	1	7, 8			ET0	DGP	FILTER, Valve Body	
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7	6033 826	3	7, 8			ET0	DGP	SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2. 500	
		3	7, 8			EW0	DGP		
		3	2, 3			EW0	DGP		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Valve Body - 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6034 748	3	2, 3			ET0	DGP		O RING, Solenoid Wiring, Transmission
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
9	6033 985	1	7, 8			ET0	DGP		SCREW, Tapping, .19-24x.75
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
10	3681 227	1	7, 8			ET0	DGP		LEVER, Throttle Valve
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
11	4617 439	1	7, 8			ET0	DGP		LEVER, Manual Valve
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-12	0111 873	1	7, 8			ET0	DGP		RIVET, Blind, .125
		1	7, 8			EW0	DGP		Manual Lever
		1	2, 3			EW0	DGP		Manual Lever
		1	2, 3			EW0	DGP		Manual Lever
		1	2, 3			ET0	DGP		Manual Lever
13	0147 488	1	7, 8			ET0	DGP		BALL, Manual Lever Detent, .343 Diameter
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14	2466 548	1	7, 8			ET0	DGP		SEAL, Valve Lever Shift
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15	2538 062	1	7, 8			ET0	DGP		WASHER, Manual Valve Lever
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16									SNAP RING

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Valve Body - 47RE (DGP)
Figure 47RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 208	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
17									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
18									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
19									BRACKET, Valve Body Switch
	4617 010	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
20									SPRING, Switch Valve
	4130 492	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21									VALVE, Trans Lockup Switch
	4505 036	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22									TUBE, Boost Valve
	4617 008	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
23									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Valve Body - 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24									CLIP, Transmission Governor Transducer
	4617 219	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
25									TRANSDUCER, Pressure Sensor
	56028 196AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
26									O RING, Pressure Switch, Serviced with Transducer, (NOT SERVICED) (Not Serviced)
27									GASKET, Transmission Solenoid
	4617 216	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
28									RETAINER, Transmission Governor Solenoid
	52117 937AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
29									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
30									SOLENOID, Transmission Governor
	4617 210	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-31									SCREEN, Transmission Regulator Valve
	3878 313	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Valve Body - 47RE (DGP)
Figure 47RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			ET0	DGP		
-32	4130 169	1	7, 8			EW0	DGP		VALVE, Regulator
		1	2, 3			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
33	5211 8262	1	7, 8			ET0	DGP		BALL, Check
		1	7, 8			EW0	DGP		Large
		1	2, 3			EW0	DGP		Large
		1	2, 3			ET0	DGP		Large
	5211 8261	6	7, 8			ET0	DGP		Small
		6	7, 8			EW0	DGP		Small
		6	2, 3			EW0	DGP		Small
		6	2, 3			ET0	DGP		Small
-34	0179 798	3	7, 8			ET0	DGP		BOLT, .25-20
		3	7, 8			EW0	DGP		Transfer Plate and Valve Body to Case
		3	7, 8			EW0	DGP		Transfer Plate and Valve Body to Case
		3	2, 3			EW0	DGP		Transfer Plate and Valve Body to Case
		3	2, 3			ET0	DGP		Transfer Plate and Valve Body to Case
-35	52118 048AB-	1	2, 3			EW0	DGP		PLATE, Transmission Valve Body
		1	7, 8			EW0	DGP		
	52118 048AD-	1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
-36	6033 486	14	7, 8			ET0	DGP		SCREW AND WASHER
		14	7, 8			EW0	DGP		Valve Body
		14	2, 3			EW0	DGP		Valve Body
		14	2, 3			ET0	DGP		Valve Body

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DGP] = 47RE Automatic Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	SNAP RING								
	4531 244	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
2	SEAL								
	1942 123	1	2, 3			ET0	DGP		Large
		1	7, 8			ET0	DGP		Large
		1	7, 8			EW0	DGP		Large
		1	2, 3			EW0	DGP		Large
3	GUIDE, Kickdown Servo								
	3410 441	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4	SPRING, Kickdown Servo Piston, Outer								
	3410 518	1	2, 3			EW0	DGP		Outer
		1	7, 8			EW0	DGP		Outer
		1	7, 8			ET0	DGP		Outer
		1	2, 3			ET0	DGP		Outer
5	SPRING, Kickdown Servo Piston, Inner								
	3410 444	1	2, 3			ET0	DGP		Inner
		1	7, 8			ET0	DGP		Inner
		1	2, 3			EW0	DGP		Inner
		1	7, 8			EW0	DGP		Inner
6	SNAP RING, Brake Master Cylinder								
	6031 392	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
7	RETAINER, Kick Down								
	3410 437	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
8	PISTON, Kickdown Servo								

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.					
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.					
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual					
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual					
			EAG = All gas engines	DBB = All Manual Transmissions					
				DG0 = All Automatic Transmissions					


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3410 445	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
9									O RING, Kick Down Servo
	6028 864	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
10									SEAL
	1942 123	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
11									PISTON, Kickdown Servo
	3410 440	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
12									SEAL
	4412 444	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
13									SNAP RING
	1942 130	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14									RETAINER, Transmission Reverse Servo Piston Spring
	5211 8342	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
15									SPRING, Reverse Servo Piston
	4617 773	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
16									PLUG, Reverse Servo Piston

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52118 742AB	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
17									SPRING, Reverse Servo Piston, Cushion
	5211 8743	1	2, 3			EW0	DGP		Cushion
		1	7, 8			EW0	DGP		Cushion
		1	7, 8			ET0	DGP		Cushion
		1	2, 3			ET0	DGP		Cushion
18									SEAL, Reverse Servo Piston
	4531 233	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
19									PISTON, Reverse Servo
	5211 8745	1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			ET0	DGP		
20									SNAP RING, .435 ID
	6027 153	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21									SPRING, Accumulator Piston
	3515 079	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22									SEAL, Piston Accumulator
	3743 013	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
23									PISTON, Accumulator
	3743 650	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
24									SEAL, Piston Accumulator

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions					


Servos, Accumulator Piston And Spring - 47RE (DGP)
Figure 47RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3743 010	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
25									SPRING, Accumulator Piston
	4531 258	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-26									BALL, .625 Diameter
	0147 486	3	7, 8			ET0	DGP		Reaction Shaft Support
		3	7, 8			EW0	DGP		Reaction Shaft Support
		3	2, 3			EW0	DGP		Reaction Shaft Support
		3	2, 3			ET0	DGP		Reaction Shaft Support

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Parking Sprag - 47RE (DGP)
Figure 47RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes:

[DGP] = 47RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									SPRING, Parking Sprag
	2466 909	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									SPRAG, Transmission Parking
	4471 415AB	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
3									SHAFT, Parking Sprag
	2466 892	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4									SCREW
	8350 3127	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
5									PLUG, Parking Sprag
	2538 042	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									SNAP RING, Transmission
	2538 034	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									ROD, Parking Sprag
	4471 478	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									SNAP RING, Rod
	6035 256	1	7, 8			ET0	DGP		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Parking Sprag - 47RE (DGP)
Figure 47RE-730

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DGP] = 47 RE Automatic Transmission

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									PLATE PACKAGE, Transmission Module
	4740 774	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	5015 107AA	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	4761 011	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
6									RACE, Overrunning Clutch
	4461 124	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
9									GEAR, Overdrive Annulus


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 010	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
10									SNAP RING, 5.25 OD
	4461 059	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
11									SNAP RING, 6.00 OD
	4461 060	2	7, 8			ET0	DGP		
		2	7, 8			EW0	DGP		
		2	2, 3			EW0	DGP		
		2	2, 3			ET0	DGP		
12									DRUM, Automatic Transmission
	4461 089	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
13									SNAP RING, 2.1875 OD
	4461 063	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
14									SPRING, Direct Clutch
	4461 027	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
15									HUB, Direct Clutch
	4461 072	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
16									THRUST BEARING, Overdrive
	4446 724	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
17									PLATE, Transmission Clutch Reaction

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 030	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
18									DISC, Direct Clutch
	4461 042	10	7, 8			ET0	DGP		
		10	7, 8			EW0	DGP		
		10	2, 3			EW0	DGP		
		10	2, 3			ET0	DGP		
19									PLATE, Transmission Valve Body
	4864 053	9	7, 8			ET0	DGP		
		9	7, 8			EW0	DGP		
		9	2, 3			EW0	DGP		
		9	2, 3			ET0	DGP		
20									PLATE, Pressure
	4461 183	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
21									SPRING, Direct Clutch
	4461 032	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
22									SNAP RING, 1.875" OD
	4461 064	1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
23									FILTER, Overdrive Clutch
	4412 583	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
24									RETAINER, Transmission O/Drive Clutch Piston
	5211 7975	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
25									PISTON, Overdrive Clutch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5211 8599	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
26	SCREW, .25-20								
	0152 796	6	2, 3			ET0	DGP		
		6	7, 8			ET0	DGP		
		6	2, 3			EW0	DGP		
		6	7, 8			EW0	DGP		
27	SEAL, Overdrive Clutch Piston								
	4431 697	1	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
		1	2, 3			EW0	DGP		
		1	7, 8			EW0	DGP		
28	SEAL, Overdrive Clutch Piston								
	4617 352	1	2, 3			ET0	DGP		Outer
		1	2, 3			ET0	DGP		Inner
		1	7, 8			ET0	DGP		Inner
		1	7, 8			ET0	DGP		Outer
	4617 352	1	2, 3			EW0	DGP		Outer
		1	2, 3			EW0	DGP		Outer
		1	2, 3			EW0	DGP		Inner
		1	2, 3			EW0	DGP		Inner
	4617 352	1	7, 8			EW0	DGP		Inner
		1	7, 8			EW0	DGP		Outer
		1	7, 8			EW0	DGP		Outer
		1	7, 8			EW0	DGP		Inner
29	PLATE, Transmission O/Drive Clutch								
	4431 585	1	2, 3			ET0	DGP		[.123"-.125" Thick]
		1	7, 8			ET0	DGP		[.123"-.125" Thick]
		1	7, 8			EW0	DGP		[.123"-.125" Thick]
		1	2, 3			EW0	DGP		[.123"-.125" Thick]
	4431 586	1	2, 3			EW0	DGP		[.153"-.155" Thick]
		1	7, 8			EW0	DGP		[.153"-.155" Thick]
		1	2, 3			ET0	DGP		[.153"-.155" Thick]
		1	7, 8			ET0	DGP		[.153"-.155" Thick]
	4431 587	1	7, 8			ET0	DGP		[.183"-.185" Thick]
		1	2, 3			ET0	DGP		[.183"-.185" Thick]
		1	7, 8			EW0	DGP		[.183"-.185" Thick]
		1	2, 3			EW0	DGP		[.183"-.185" Thick]
	4431 588	1	2, 3			EW0	DGP		[.213"-.215" Thick]
		1	7, 8			EW0	DGP		[.213"-.215" Thick]
		1	7, 8			ET0	DGP		[.213"-.215" Thick]
		1	2, 3			ET0	DGP		[.213"-.215" Thick]
	4431 590	1	7, 8			ET0	DGP		[.243"-.245" Thick]
		1	7, 8			ET0	DGP		[.243"-.245" Thick]
		1	7, 8			ET0	DGP		[.243"-.245" Thick]
		1	7, 8			ET0	DGP		[.243"-.245" Thick]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			ET0	DGP		[.243"-.245" Thick]
		1	7, 8			EW0	DGP		[.243"-.245" Thick]
		1	2, 3			EW0	DGP		[.243"-.245" Thick]
4431 731		1	2, 3			ET0	DGP		[.138"-.140" Thick]
		1	2, 3			EW0	DGP		[.138"-.140" Thick]
		1	7, 8			EW0	DGP		[.138"-.140" Thick]
		1	7, 8			ET0	DGP		[.138"-.140" Thick]
4431 732		1	7, 8			ET0	DGP		[.168"-.170" Thick]
		1	2, 3			ET0	DGP		[.168"-.170" Thick]
		1	7, 8			EW0	DGP		[.168"-.170" Thick]
		1	2, 3			EW0	DGP		[.168"-.170" Thick]
4431 733		1	7, 8			EW0	DGP		[.198"-.200" Thick]
		1	2, 3			EW0	DGP		[.198"-.200" Thick]
		1	7, 8			ET0	DGP		[.198"-.200" Thick]
		1	2, 3			ET0	DGP		[.198"-.200" Thick]
4431 734		1	2, 3			ET0	DGP		[.228"-.230" Thick]
		1	2, 3			EW0	DGP		[.228"-.230" Thick]
		1	7, 8			ET0	DGP		[.228"-.230" Thick]
		1	7, 8			EW0	DGP		[.228"-.230" Thick]
4431 735		1	2, 3			EW0	DGP		[.108"-.110" Thick]
		1	7, 8			EW0	DGP		[.108"-.110" Thick]
		1	2, 3			ET0	DGP		[.108"-.110" Thick]
		1	7, 8			ET0	DGP		[.108"-.110" Thick]
30									SPACER, Intermediate Shaft, 1.58mm
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-31									SPACER, Intermediate Shaft, .175
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-32									SPACER, Intermediate Shaft, .193
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
-33									SPACER, Intermediate Shaft, .211
		1	7, 8			ET0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Clutch, Overdrive With Gear Train - 47RE (DGP)
Figure 47RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
34	4461 082	1	7, 8			ET0	DGP		SNAP RING, Overdrive Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
35									PLATE, Transmission Clutch
		1	7, 8			ET0	DGP		Reaction
		1	7, 8			EW0	DGP		Front
		1	2, 3			EW0	DGP		Front
		1	2, 3			ET0	DGP		Front
		1	7, 8			ET0	DGP		Rear
		1	7, 8			EW0	DGP		Rear
		1	2, 3			EW0	DGP		Rear
		1	2, 3			ET0	DGP		Rear
36	4461 181	5	7, 8			ET0	DGP		DISC, Direct Clutch
		5	7, 8			EW0	DGP		
		5	2, 3			EW0	DGP		
		5	2, 3			ET0	DGP		
		1	7, 8			ET0	DGP		
37	4461 066	1	7, 8			ET0	DGP		SPRING, Overdrive Clutch
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
38									SNAP RING, 6.50 OD
		1	7, 8			ET0	DGP		
		1	7, 8			EW0	DGP		
		1	2, 3			EW0	DGP		
		1	2, 3			ET0	DGP		
		5	7, 8			ET0	DGP		
		5	7, 8			EW0	DGP		
		5	2, 3			EW0	DGP		
		5	2, 3			ET0	DGP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift, Lower - 47RE (DGP) Figure 47RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DG0] = All Automatic Transmissions									
[DGP] = 47RE Automatic Transmission									
[DGT] = 46RE Automatic Transmission									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	3575 333	1					DGP		GROMMET, Control Rod Front
2	J012 0393	1					DGP		WASHER, Flat
3	3467 800	1					DGP		BUSHING, Gearshift Torque Shaft
4	6504 763	2					DGP		WASHER, Flat, M13.5
5	6034 943	1					DGP		WASHER
6	J010 3374	1					DGP		PIN, Cotter, Rod to Trans Shaft Lever
7	6028 114	1					DG0		NUT, Hex, .437-14, Bracket Mtg. Lock 7/16-14
8	J012 0393	1					DGP		WASHER, Flat
9	0181 082	1					DG0		BOLT, Hex Head, 5/16-18x1/2
10	52077 802AD	1					DGP		BRACKET, Gearshift
11									SCREW, (NOT SERVICED) (Not Serviced)
12	6032 475	1					DGP		RING, Transmission Torque Shaft
13	52107 699AD	1					DG0		ROD, Gear Shift Control
14	5210 7734	1					DG0		CLAMP, Control Rod Swivel, w/ Screw
15	3575 334	1					DG0		SWIVEL, Gearshift Control Rod
16	3575 354AC	1					DG0		SPRING, Gearshift Control Rod
17	52107 807AC	1					DGP		BRACKET, Torque Shaft
18	52079 228AE	1					DGP		TORQUE SHAFT, Gearshift
19	52077 630AB	1					DGP		ROD, Gear Shift Control, Transmission
20	52107 825AA	1					DGP, DGT		LEVER, Manual Control
21	0180 034	1					DG0		SCREW AND WASHER, Hex Head, .25-20x1.50
22	J012 0375	1					DG0		NUT, Hex, .250-20
23	5207 9065	1					DG0		LEVER, Throttle Valve
24	J012 0375	1					DG0		NUT, Hex, .250-20
25	0138 165	1					DG0		WASHER, Lock
26	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
27	5300 9055	1					DG0		SPRING, Throttle Valve Return
28	5207 8718	1					DG0		BRACKET, Throttle Valve Spring

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 4500

Manual Transmission 5 Speed

GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Assembly, Transmission [DDP] & [DDX] NV 4500 Fig. 4500-110

Case and Extension

Case, Transmission [DDP] & [DDX] NV 4500 Fig. 4500-210

Gear Train

Gear Train, Primary [DDP] & [DDX] NV 4500 Fig. 4500-410


Gear Train, Secondary [DDP] & [DDX] NV 4500 Fig. 4500-420






Fork and Rails

Fork and Control [DDP] [DDX] NV 4500 Fig. 4500-910


Gearshift Controls

Gear Shift, Controls [DDP] & [DDX] NV 4500 Fig. 4500-1210



<div>4500-100 Transmission Assembly</div> <div></div>	<div>4500-200 Case and Extension</div> <div></div>	<div>4500-400 Gear Train</div> <div></div>	<div>4500-900 Fork and Rails</div> <div></div>
<div>4500-1200 Gearshift Controls</div> <div></div>			

Assembly, Transmission [DDP] & [DDX] NV 4500
Figure 4500-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines


1							TRANSMISSION, 5 Speed		
	52108 128AF	1	2, 3			EM0	DDP		
	52108 129AF	1	7, 8			EM0	DDP		
	52108 130AD	1	2, 3			ET0, EW0	DDX		
	52108 131AD	1	7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transmission [DDP] & [DDX] NV 4500
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Code:									
[DDP] = 5 Speed Manual Transmissions									
[DDX] = 5 Speed Heavy Duty Manual Transmissions									
[EL0] = All 5.2L 8Cylinder Gas Engines									
[EM0]= All 5.9L Gas Engines									
[ET0]= All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1									RETAINER, Transmission Drive Gear
	4741 542	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
	4741 543	1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
2									SEAL, Input
	5012 115AA	1	7, 8			ET0,	DDX		
						EW0			
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
3									PLUG, Oil Fill
	4637 849	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
4									SCREW, Drive Gear
	4637 777	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
5									MAGNET, Transmission
	4773 012	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transmission [DDP] & [DDX] NV 4500
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX		
6	4637 847	1	2, 3			EM0	DDP		DOWEL, Gear Shift Cover
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
7	5019 654AA	1	2, 3			EM0	DDP		CASE, Transmission
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
8	5014 100AA	1	2, 3			EM0	DDP		PLATE, Transmission Module
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
9	0181 088	10	2, 3			EM0	DDP		BOLT, Hex Head, .312-18x1.00
		10	7, 8			EM0	DDP		
		10	7, 8			ET0, EW0	DDX		
		10	2, 3			ET0, EW0	DDX		
10	4637 785	1	2, 3			EM0	DDP		PLATE, Transmission Module
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
11	0556 875	1	2, 3			EM0	DDP		COVER, Power Take Off
		1	7, 8			EM0	DDP		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transmission [DDP] & [DDX] NV 4500
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
12	5015 221AA	12	7, 8			ET0, EW0	DDX		SCREW
		12	2, 3			ET0, EW0	DDX		
13	4637 691	1	2, 3			EM0	DDP		BEARING CUP, Intermediate Shaft
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
		1	7, 8			EW0 ET0, EW0	DDX		
14	4637 689	1	2, 3			EM0	DDP		PLUG, Countershaft
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
15	4637 804	1	2, 3			EM0	DDP		DOWEL, Transmission Case
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
16	5003 035AA	1	2, 3			EM0	DDP		RETAINER, Transmission Case Rear
		1	2, 3			ET0,	DDX		
	5014 479AA	1	7, 8			EW0 EM0	DDP		
		1	7, 8			ET0, EW0	DDX		
17	4269 956AB	1	7, 8			EM0	DDP		SEAL, Adapter
		1	7, 8			ET0, EW0	DDX		


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transmission [DDP] & [DDX] NV 4500
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	4531 216	1	2, 3			ET0	DGP		SEAL, Extension Yoke
19	5003 210AA	1	2, 3			EM0	DDP		BUSHING, Extension Housing
		1	2, 3			ET0, EW0	DDX		
20	4637 805	1	2, 3			EM0	DDP		SCREW, Hex Head
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Primary [DDP] & [DDX] NV 4500
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Code:

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0]= All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									BEARING, First Gear
	4798 769	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
2									GEAR, First
	4637 728	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
3									GEAR PACKAGE, Reverse Clutch
	5003 055AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
4									BEARING, Drive Gear
	4723 145	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
5									SNAP RING PACKAGE, Transmission
	5003 056AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual

DEE = 6 Spd. Manual


DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Primary [DDP] & [DDX] NV 4500
Figure 4500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4882 542	1	2, 3			ET0, EW0	DDX		SPACER, Reverse Synchronizer
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			ET0, EW0	DDX		
7	5017 924AA	1	2, 3			EM0	DDP		BEARING, Reverse Synchronizer
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
8	5014 478AA	1	7, 8			ET0, EW0	DDX		SYNCHRONIZER, Reverse
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
9	4637 763	1	2, 3			ET0, EW0	DDX		THRUST WASHER, Reverse Gear
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			ET0, EW0	DDX		
10	4773 176	1	2, 3			EM0	DDP		PIN, Split Thrust Washer
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
11	4637 771	1	7, 8			ET0, EW0	DDX		BEARING CONE, Main Shaft
		1	2, 3			EM0	DDP		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML, EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Primary [DDP] & [DDX] NV 4500
Figure 4500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
12	5016 384AA	1	2, 3			EM0	DDP		MAINSHAFT, Transmission
		1	2, 3			ET0, EW0	DDX		
	5016 386AA	1	7, 8			EM0	DDP		
		1	7, 8			ET0, EW0	DDX		
13									SYNCHRONIZER, First and Second
	5066 046AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			ET0, EW0	DDX		STOP RING PACKAGE, Synchronizer
	4637 726	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		GEAR, Second
	4637 730	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		THRUST WASHER, Third Gear
	4637 732	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		SPACER, Third Gear
		1	7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
L = RAM 2500, 3500		2, 7 = 2500		62 = Reg. Cab (134 WB)		ETC, ETH, ET0= 5.9L 6 Cyl.		DGP = 47RE 4 Spd. Auto.	
		3, 8 = 3500		63 = Reg. Cab (138 WB)		EML, EMM, EM0 = 5.9L 8 Cyl.		DGT = 46RE 4 Spd. Auto.	
				64 = Reg. Cab (162 WB)		EWA, EW0 = 8.0L V10 .		DDX = 5 Spd. Manual	
				65 = Reg Cab (134 WB)		EAA = All engines		DEE = 6 Spd. Manual	
						EAG = All gas engines		DBB = All Manual Transmissions	
								DGO = All Automatic Transmissions	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Primary [DDP] & [DDX] NV 4500
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 540	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
18	4874 369	1	2, 3			EM0	DDP		GEAR, Third
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
19	4798 768	1	2, 3			EM0	DDP		BEARING, Third Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
20	4897 883AA	1	2, 3			EM0	DDP		RING, Blocker
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
21	4740 824	1	2, 3			EM0	DDP		SYNCHRONIZER, Third and Fourth
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
22	4874 370	1	2, 3			EM0	DDP		GEAR, Clutch Drive
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
-23									RING, Blocker

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Primary [DDP] & [DDX] NV 4500
Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 883AA-	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
24	4637 755	1	2, 3			EM0	DDP		THRUST BEARING, Drive Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
25	4637 774	1	2, 3			EM0	DDP		NEEDLE BEARING, Input Shaft
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
26	4882 357	1	2, 3			EM0	DDP		SHAFT, Input
		1	7, 8			EM0	DDP		
	4882 358	1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Secondary [DDP] & [DDX] NV 4500
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									BEARING CUP, Main Shaft
	4637 782	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
2									SHIM PACKAGE, Rear Mainshaft Bearing
	4864 284	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
3									GEAR, Overdrive Mainshaft
	4741 551	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
4									WASHER, Overdrive Gear
	4741 552	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
5									NUT AND WASHER PACKAGE
	5013 887AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Secondary [DDP] & [DDX] NV 4500
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4269 956AB	1	7, 8			ET0, EW0	DDX		SEAL, Adapter
		1	7, 8			EM0	DDP		
		1	7, 8			ET0, EW0	DDX		
7	4882 366	1	2, 3			EM0	DDP		SHAFT, Idler
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
8	4882 538	1	2, 3			EM0	DDP		WASHER, Reverse Idler
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
9	5017 923AA	1	2, 3			EM0	DDP		BEARING, Idler Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
10	4882 364	1	2, 3			EM0	DDP		GEAR, Reverse Idler
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
11	4637 705	1	2, 3			EM0	DDP		BEARING CONE, Cluster Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
12									COUNTERSHAFT

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Gear Train, Secondary [DDP] & [DDX] NV 4500
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 367	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
13	4773 176	1	2, 3			EM0	DDP		PIN, Split Thrust Washer
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
14	4637 708	1	2, 3			EM0	DDP		BEARING CONE, Cluster Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
15	4637 707	1	2, 3			EM0	DDP		BEARING CUP, Cluster Gear
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
16	4637 780	1	2, 3			EM0	DDP		SHIM PACKAGE, Countershaft
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
17	5003 056AA	1	2, 3			EM0	DDP		SNAP RING PACKAGE, Transmission
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Gear Train, Secondary [DDP] & [DDX] NV 4500
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18		1	7, 8			ET0, EW0	DDX		SYNCHRONIZER PACKAGE, Overdrive
	5003 156AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
19						EW0			GEAR, Countershaft
	4637 786	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
20									BEARING, Overdrive
	4882 541	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
21						EW0			THRUST WASHER, Countershaft
		1	7, 8			ET0, EW0	DDX		
	4637 778	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Fork and Control [DDP] [DDX] NV 4500
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;

Sales Code:

[DDP]= 5 Speed Manual Transmissions

[DDX]= 5 Speed Heavy Duty Manual Transmissions

[EL0] = All 5.2L 8Cylinder Gas Engines

[EM0] = All 5.9L Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1									HOUSING, Shift Lever
	5003 036AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
2									VENT, Transmission
	4741 660	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
3									CLIP, Vent Tube
	4638 633	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
4									PIN, Shift Fork
	1664 355	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			
		1	7, 8			ET0,	DDX		
						EW0			
5									SPACER, Shift Tower
	5003 214AA	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0,	DDX		
						EW0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Control [DDP] [DDX] NV 4500
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	5003 212AA	1	7, 8			ET0, EW0	DDX		BUSHING, Gearshift Lever
		4	2, 3			EM0	DDP		
		4	7, 8			EM0	DDP		
		4	7, 8			ET0, EW0	DDX		
7	5003 213AA	4	2, 3			ET0, EW0	DDX		BOLT
		4	7, 8			EM0	DDP		
		4	7, 8			EM0	DDP		
		4	7, 8			ET0, EW0	DDX		
8	5003 211AA	4	2, 3			EW0 ET0, EW0	DDX		LEVER, Gearshift
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
9	0181 088	1	7, 8			ET0, EW0	DDX		BOLT, Hex Head, .312-18x1.00
		10	2, 3			EM0	DDP		
		10	7, 8			EM0	DDP		
		10	7, 8			ET0, EW0	DDX		
10	5211 8181	10	2, 3			ET0, EW0	DDX		CLIP
		5	2, 3			EM0	DDP		
		5	7, 8			EM0	DDP		
		5	7, 8			ET0, EW0	DDX		
11	6016 203	5	2, 3			ET0, EW0	DDX		CLIP, Vacuum Harness
		1	7, 8			EM0	DDP		
		1	7, 8			ET0, EW0	DDX		
		1	7, 8			EM0	DDP		
12									GASKET, Back Up Lamp Switch

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Control [DDP] [DDX] NV 4500
Figure 4500-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1302 807	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			ET0, EW0	DDX		
13	5600 7270	1	2, 3			ET0, EW0	DDX		SWITCH, Back Up Lamp
		1	7, 8			ET0, EW0	DDX		
		1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
14	4637 692	1	2, 3			EM0	DDP		LUG, Overdrive
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
15	4778 216	1	2, 3			EM0	DDP		RAIL, Over Drive Lug
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
16	5012 019AA	1	2, 3			EM0	DDP		PAD PACKAGE, Shift Fork
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
17	4773 178	1	2, 3			EM0	DDP		FORK, Transmission
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		
18									PIN, Shift Fork

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Fork and Control [DDP] [DDX] NV 4500
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1664 355	1	2, 3			EM0	DDP		
		1	7, 8			EM0	DDP		
		1	2, 3			ET0, EW0	DDX		
		1	7, 8			ET0, EW0	DDX		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Figure 4500-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Code:									
[DBB] = All Manual Transmissions									
[DD0]= All 5 Speed Manual Transmissions									
1	4446 921	1					DD0		INSERT, Transmission Shift Knob, Shift Pattern
2	6502 556	1					DBB		NUT, Hex, M10-1.5
3	5210 4174	1					DBB		KNOB, Gearshift, Gear Shift Lever ***
4	52107 614AC	1					DBB		BOOT, Gear Shift Lever
5	6101 946	6					DBB		SCREW, Tapping
6	5210 7612	1					DBB		LEVER, Gearshift
7									CONSOLE, Floor
	5EZ5 4LAZ	1					DBB		AGATE
	5EZ5 4RC8	1					DBB		DARK CIRRUS
	5EZ5 4VK9	1					DBB		DARK SUEDE
8	52107 613AB	1					DBB		BOOT, Gear Shift Lever
9									SCREW, Tapping, (NOT SERVICED) (Not Serviced)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

September 16, 2005

Group – 5600

Manual Transmission 6 Speed

GROUP 5600 - Manual Transmission 6 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission Assembly - 5600 6 Speed (DEE) Fig. 5600-110

Case and Extension

Case and Related Parts - 5600 6 Speed (DEE) Fig. 5600-210

Gear Train

Gear Train - 5600 6 Speed (DEE) Main Shaft Fig. 5600-410


Gear Train - 5600 6 Speed (DEE) Counter Shaft Fig. 5600-420






Fork and Rails

Fork and Rails - 5600 6 Speed (DEE) Fig. 5600-910

Gear Shift Controls

Controls, Gearshift - 5600 6 Speed (DEE) Fig. 5600-1210




5600-100 Transmission Assembly	5600-200 Case and Extension	5600-400 Gear Train	5600-900 Fork and Rails
			
5600-1200 Gear Shift Controls			
			

Transmission Assembly - 5600 6 Speed (DEE)
Figure 5600-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DEE] = 6 Speed Heavy Duty Manual Transmission
[ETH] = 5.9L Cummins Turbo Diesel
1 TRANSMISSION, 6 speed

52108 501AB	1	2, 3				ETH	DEE		
52108 502AB	1	7, 8				ETH	DEE		



DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel

1	5003 578AA	1	2, 3			ETH	DEE		CASE, Transmission
		1	7, 8			ETH	DEE		
-2	4882 280	1	2, 3			ETH	DEE		PLUG, Oil Fill
		1	7, 8			ETH	DEE		
-3	5003 579AA-	6	2, 3			ETH	DEE		BUSHING, Shift Rail
		6	7, 8			ETH	DEE		
-4	4761 099	2	2, 3			ETH	DEE		PIN, Locating
		2	7, 8			ETH	DEE		
5	0556 875	2	2, 3			ETH	DEE		COVER, Power Take Off
		2	7, 8			ETH	DEE		
6	5016 174AA	1	2, 3			ETH	DEE		LABEL, Equipment Identification
		1	7, 8			ETH	DEE		
7	5015 221AA	12	2, 3			ETH	DEE		SCREW
		12	7, 8			ETH	DEE		
8	5003 580AA	1	2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	7, 8			ETH	DEE		
9	5012 134AA	1	2, 3			ETH	DEE		CUP, Bearing Inner [Timken# 554241]
		1	7, 8			ETH	DEE		[Timken# 554241]
10	5003 582AA	1	2, 3			ETH	DEE		HOUSING, Clutch
		1	7, 8			ETH	DEE		
11	5003 583AA	1	2, 3			ETH	DEE		BEARING CUP, Input Shaft
		1	7, 8			ETH	DEE		
12	5003 584AA	1	2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	7, 8			ETH	DEE		
13	5015 205AA	1	2, 3			ETH	DEE		GUIDE, Oil

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual


DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ETH	DEE		
14	5012 112AA	1	2, 3			ETH	DEE		GUIDE, Oil
		1	7, 8			ETH	DEE		
15	5208 7542	1	2, 3			ETH	DEE		PIVOT, Clutch Release
		1	7, 8			ETH	DEE		
-16	6022 190	1	2, 3			ETH	DEE		WASHER, Clutch Pivot
		1	7, 8			ETH	DEE		
-17	5222 757	2	7, 8			ETH	DEE		DOWEL
		2	2, 3			ETH	DEE		
18	5015 213AA	1	2, 3			ETH	DEE		RETAINER, Transmission Input Shaft
		1	7, 8			ETH	DEE		
-19	5015 211AA-	1	2, 3			ETH	DEE		GUIDE, Oil
		1	7, 8			ETH	DEE		
-20	5015 214AA-	1	2, 3			ETH	DEE		SEAL, Input
		1	7, 8			ETH	DEE		
21	5003 585AA	1	2, 3			ETH	DEE		HOUSING, Transmission Rear Extension
	5003 586AA	1	7, 8			ETH	DEE		
-22	4740 901	1	2, 3			ETH	DEE		VENT, Transmission
		1	7, 8			ETH	DEE		
-23	5003 587AA-	1	2, 3			ETH	DEE		BUSHING, Crossover Shaft
		1	7, 8			ETH	DEE		
-24	4269 956AB-	1	7, 8			ETH	DEE		SEAL, Adapter
-25	5072 896AA-	1	2, 3			ETH	DEE		SEAL, Output Shaft
26	5011 966AA	1	2, 3			ETH	DEE		CAM, Alignment
		1	7, 8			ETH	DEE		
27	6100 880	1	2, 3			ETH	DEE		WASHER
		1	7, 8			ETH	DEE		
28									BOLT, Hex Head, M8x1.25x16

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual


DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Case and Related Parts - 5600 6 Speed (DEE)
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6501 474	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-29	5003 589AA-	1	2, 3			ETH	DEE		PLUNGER
		1	7, 8			ETH	DEE		
-30	5011 967AB-	1	2, 3			ETH	DEE		SPRING, Crossover Lever
		1	7, 8			ETH	DEE		
-31									PLUG, Oil Fill, Plug w/Washer Detent
	4210 616	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
32	5210 3101	1	2, 3			ETH	DEE		BRACKET, Exhaust Pipe to T/Case
		1	7, 8			ETH	DEE		
33	5208 5085	1	2, 3			ETH	DEE		BUSHING, Exhaust Hanger
		1	7, 8			ETH	DEE		
34	5600 7270	1	7, 8			ETH	DEE		SWITCH, Back Up Lamp
		1	2, 3			ETH	DEE		
-35									GASKET, Back Up Lamp Switch
	5012 138AA-	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-36	5300 8550	1	2, 3			ETH	DEE		CLIP
		1	7, 8			ETH	DEE		
-37	5012 136AA-	1	2, 3			ETH	DEE		CLIP, Wiring
		1	7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500


BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train - 5600 6 Speed (DEE) Main Shaft
Figure 5600-410

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel									
1	5010 047AA	1	2, 3			ETH	DEE		BEARING CONE, Input Shaft
		1	7, 8			ETH	DEE		
2	5066 026AA	1	2, 3			ETH	DEE		SHAFT, Input
		1	7, 8			ETH	DEE		Includes Fifth Gear
									Includes Fifth Gear
3	5010 046AA	1	2, 3			ETH	DEE		BEARING CUP, Input Shaft
		1	7, 8			ETH	DEE		
4									CONE, Input Shaft
	5083 021AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
5	5010 054AA	7	2, 3			ETH	DEE		RING, Blocker
		7	7, 8			ETH	DEE		
6	5010 058AA	1	2, 3			ETH	DEE		RETAINING RING, Bearing
		1	7, 8			ETH	DEE		
7	5010 057AA	1	2, 3			ETH	DEE		BEARING CONE, Output Shaft
		1	7, 8			ETH	DEE		
-8									SHIM PACKAGE, Drive Pinion
	5011 376AA-	1	7, 8			ETH	DEE		Bearing
		1	2, 3			ETH	DEE		
9	5010 055AA	1	2, 3			ETH	DEE		SYNCHRONIZER, Fifth
		1	7, 8			ETH	DEE		
10	5012 350AA	9	2, 3			ETH	DEE		SPRING, Synchronizer
		3	7, 8			ETH	DEE		
		6	7, 8			ETH	DEE		
11	5010 056AA	9	2, 3			ETH	DEE		KEY, Synchronizer
		3	7, 8			ETH	DEE		
		6	7, 8			ETH	DEE		
12	4741 136	9	2, 3			ETH	DEE		BALL, Shift Lever, M5
DODGE RAM STANDARD CAB (BR)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
L = RAM 2500, 3500		2, 7 = 2500		62 = Reg. Cab (134 WB)		ETC, ETH, ET0= 5.9L 6 Cyl.		DGP = 47RE 4 Spd. Auto.	
		3, 8 = 3500		63 = Reg. Cab (138 WB)		EML,EMM, EM0 = 5.9L 8 Cyl.		DGT = 46RE 4 Spd. Auto.	
				64 = Reg. Cab (162 WB)		EWA, EW0 = 8.0L V10 .		DDX = 5 Spd. Manual	
				65 = Reg Cab (134 WB)		EAA = All engines		DEE = 6 Spd. Manual	
						EAG = All gas engines		DBB = All Manual Transmissions	
								DG0 = All Automatic Transmissions	

Gear Train - 5600 6 Speed (DEE) Main Shaft
Figure 5600-410

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5019 885AA	3	7, 8			ETH	DEE		GEAR, Sixth
		6	7, 8			ETH	DEE		
		1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-14	5010 051AA-	1	2, 3			ETH	DEE		BEARING, Sixth Gear
		1	7, 8			ETH	DEE		
15									SHAFT, Output
	5010 049AA	1	2, 3			ETH	DEE		
16	5010 050AA	1	7, 8			ETH	DEE		SLEEVE, First Gear
	5010 077AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
17	5010 059AA	2	2, 3			ETH	DEE		BEARING
		2	7, 8			ETH	DEE		
18	5019 906AA	1	2, 3			ETH	DEE		GEAR, Second
		1	7, 8			ETH	DEE		
19									RING, Blocker
	5015 202AA	1	7, 8			ETH	DEE		
		2	7, 8			ETH	DEE		
		1	2, 3			ETH	DEE		
		2	2, 3			ETH	DEE		
20	5010 062AA	1	2, 3			ETH	DEE		SYNCHRONIZER, First and Second
		1	7, 8			ETH	DEE		
21	5019 907AA	1	2, 3			ETH	DEE		GEAR, First
		1	7, 8			ETH	DEE		
22	5012 128AA	1	2, 3			ETH	DEE		FORK, Transmission, Reverse
		1	7, 8			ETH	DEE		
23	5012 127AA	1	2, 3			ETH	DEE		RING
		1	7, 8			ETH	DEE		
24	5012 125AA	1	2, 3			ETH	DEE		SYNCHRONIZER, Reverse
		1	7, 8			ETH	DEE		
25									GEAR, Reverse

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Gear Train - 5600 6 Speed (DEE) Main Shaft
Figure 5600-410

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	5019 887AA	1	2, 3			ETH	DEE		BEARING, Reverse Synchronizer
		1	7, 8			ETH	DEE		
	5017 924AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
27									SLEEVE, Reverse
28	5012 129AA	1	2, 3			ETH	DEE		WASHER, Reverse Thrust
		1	7, 8			ETH	DEE		
	5012 131AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
29									BEARING CONE, Output Shaft
30	5010 065AA	1	2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	7, 8			ETH	DEE		
	5003 580AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-31									SNAP RING PACKAGE, Mainshaft
32	5011 352AA-	1	2, 3			ETH	DEE		NUT, Locking
		1	7, 8			ETH	DEE		
	5012 133AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Gear Train - 5600 6 Speed (DEE) Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel


1	5012 124AA	1	2, 3			ETH	DEE		CONE ASSEMBLY, Countershaft
		1	7, 8			ETH	DEE		
2	5012 122AA	1	2, 3			ETH	DEE		GEAR, Countershaft
		1	7, 8			ETH	DEE		
3	5012 123AA	1	2, 3			ETH	DEE		SLEEVE, Reverse
		1	7, 8			ETH	DEE		
4	5010 066AA	1	2, 3			ETH	DEE		COUNTERSHAFT
		1	7, 8			ETH	DEE		
5	5010 059AA	2	2, 3			ETH	DEE		BEARING
		2	7, 8			ETH	DEE		
		1	7, 8			ETH	DEE		
		1	2, 3			ETH	DEE		
6	5019 908AA	1	2, 3			ETH	DEE		THRUST WASHER, Second And Third Gear
		1	7, 8			ETH	DEE		
7	5019 909AA	1	2, 3			ETH	DEE		GEAR, Third
		1	7, 8			ETH	DEE		
8	5010 053AA	1	2, 3			ETH	DEE		CONE, Input Shaft
		1	7, 8			ETH	DEE		
9	5010 054AA	7	2, 3			ETH	DEE		RING, Blocker
		2	2, 3			ETH	DEE		
		7	7, 8			ETH	DEE		
		2	7, 8			ETH	DEE		
10	5010 070AA	1	2, 3			ETH	DEE		SYNCHRONIZER, Third and Fourth
		1	7, 8			ETH	DEE		
11	4741 136	9	2, 3			ETH	DEE		BALL, Shift Lever, M5
		3	7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Gear Train - 5600 6 Speed (DEE) Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6	7, 8			ETH	DEE		
12	5010 056AA	9	2, 3			ETH	DEE		KEY, Synchronizer
		3	7, 8			ETH	DEE		
		6	7, 8			ETH	DEE		
13	5012 350AA	9	2, 3			ETH	DEE		SPRING, Synchronizer
		3	7, 8			ETH	DEE		
		6	7, 8			ETH	DEE		
14	5010 071AA	1	2, 3			ETH	DEE		SLEEVE, Fourth Gear
		1	7, 8			ETH	DEE		
15	5019 904AA	1	2, 3			ETH	DEE		GEAR, Fourth
		1	7, 8			ETH	DEE		
16	5010 073AA	1	2, 3			ETH	DEE		GEAR, Countershaft
		1	7, 8			ETH	DEE		
17	5010 074AA	1	2, 3			ETH	DEE		GEAR, Countershaft
		1	7, 8			ETH	DEE		
18	5010 075AA	1	2, 3			ETH	DEE		CONE ASSEMBLY, Countershaft
		1	7, 8			ETH	DEE		
-19									SNAP RING PACKAGE, Countershaft
	5011 358AA-	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
20	5012 118AA	2	2, 3			ETH	DEE		WASHER, Idler Gear
		2	7, 8			ETH	DEE		
21	5012 121AA	1	2, 3			ETH	DEE		GEAR, Idler
		1	7, 8			ETH	DEE		
22	5012 119AA	2	2, 3			ETH	DEE		BEARING, Idler
		2	7, 8			ETH	DEE		
23	5012 120AA	1	2, 3			ETH	DEE		SPACER, Idler
		1	7, 8			ETH	DEE		
24									SHAFT, Idler


DODGE RAM STANDARD CAB (BR)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
L = RAM 2500, 3500		2, 7 = 2500		62 = Reg. Cab (134 WB)		ETC, ETH, ET0= 5.9L 6 Cyl.		DGP = 47RE 4 Spd. Auto.	
		3, 8 = 3500		63 = Reg. Cab (138 WB)		EML,EMM, EM0 = 5.9L 8 Cyl.		DGT = 46RE 4 Spd. Auto.	
				64 = Reg. Cab (162 WB)		EWA, EW0 = 8.0L V10 .		DDX = 5 Spd. Manual	
				65 = Reg Cab (134 WB)		EAA = All engines		DEE = 6 Spd. Manual	
						EAG = All gas engines		DBB = All Manual Transmissions	
								DG0 = All Automatic Transmissions	

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Gear Train - 5600 6 Speed (DEE) Counter Shaft Figure 5600-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5012 117AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Rails - 5600 6 Speed (DEE) Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel									
1	5010 078AA	1	2, 3			ETH	DEE		RAIL, Shift
		1	7, 8			ETH	DEE		
2	5010 086AA	1	2, 3			ETH	DEE		SOCKET, Shift Shaft
		1	7, 8			ETH	DEE		
3	4741 139	3	2, 3			ETH	DEE		PIN, Shift Shaft
		3	7, 8			ETH	DEE		
		2	2, 3			ETH	DEE		
		1	2, 3			ETH	DEE		
4	5010 090AA	1	2, 3			ETH	DEE		FORK, Third and Fourth
		1	7, 8			ETH	DEE		
5	5010 083AA	1	2, 3			ETH	DEE		PIN, Roll
		1	7, 8			ETH	DEE		
6	5010 091AA	1	2, 3			ETH	DEE		FORK, First and Second
		1	7, 8			ETH	DEE		
7	5010 079AA	1	2, 3			ETH	DEE		RAIL, Shift
		1	7, 8			ETH	DEE		
8	5010 082AA	1	2, 3			ETH	DEE		PIN, Roll
		1	7, 8			ETH	DEE		
-9	5010 088AA-	1	2, 3			ETH	DEE		BLOCKER, Shift
		1	7, 8			ETH	DEE		
-10	5010 089AA-	1	2, 3			ETH	DEE		GATE, Gearshift Rod
		1	7, 8			ETH	DEE		
11	5010 097AA	1	2, 3			ETH	DEE		RAIL, Reverse Shift
		1	7, 8			ETH	DEE		
12	5012 128AA	1	2, 3			ETH	DEE		FORK, Transmission
		1	7, 8			ETH	DEE		
13									FORK, Fifth Shift

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fork and Rails - 5600 6 Speed (DEE)
Figure 5600-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5010 093AA	1	2, 3			ETH	DEE		ARM, Transmission Shift
		1	7, 8			ETH	DEE		
	5016 173AA	1	2, 3			ETH	DEE		
		1	7, 8			ETH	DEE		
-15	5010 084AA-	1	2, 3			ETH	DEE		PIN, Shift Shaft
		1	7, 8			ETH	DEE		
16	5010 095AA	1	2, 3			ETH	DEE		BRACKET, Shift Fork
		1	7, 8			ETH	DEE		
17	5010 096AA	2	2, 3			ETH	DEE		BOLT, M8
		2	7, 8			ETH	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls, Gearshift - 5600 6 Speed (DEE)
Figure 5600-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
1	5012 139AA	1	2, 3			ETH	DEE		LEVER, Gearshift
		1	7, 8			ETH	DEE		
2	5003 213AA	4	2, 3			ETH	DEE		BOLT
		4	7, 8			ETH	DEE		
3	5003 212AA	4	2, 3			ETH	DEE		BUSHING, Gearshift Lever
		4	7, 8			ETH	DEE		
4	5003 214AA	1	2, 3			ETH	DEE		SPACER, Shift Tower
		1	7, 8			ETH	DEE		
5	5210 7612	1					DBB		LEVER, Gearshift
6	5210 4174	1					DBB		KNOB, Gearshift
7	5210 8192	1				ET0	DEE		INSERT, Transmission Shift Knob
8	6502 556	1					DBB		NUT, Hex, M10-1.5
9	52107 614AC	1					DBB		BOOT, Gear Shift Lever
10	52107 613AB	1					DBB		BOOT, Gear Shift Lever
11	5EZ5 4LAZ	1					DBB		CONSOLE, Floor
									[Agate]
	5EZ5 4RC8	1					DBB		[Dark Mist Gray]
	5EZ5 4VK9	1					DBB		[Dark Tan]
12									SCREW, (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 241

Transfer Case Model 241 [DHE, DHG, DHH]




GROUP 241 - Transfer Case Model 241 [DHE, DHG, DHH]

Illustration Title	Group-Fig. No.
Transfer Case Assembly	
Transfer Case [DHH] and [DHG]	Fig. 241-110
Case and Related Parts	
Case, Transfer and Related Parts [DHH] and [DHG]	Fig. 241-210
Gear Train	
Gear Train [DHH] and [DHG]	Fig. 241-410
Fork and Rails	
Forks [DHH] and [DHG]	Fig. 241-910
Gearshift Controls	
Controls [DHH] and [DHG]	Fig. 241-1210

<div><div>241-100</div><div>Transfer Case Assembly</div><div></div></div>	<div><div>241-200</div><div>Case and Related Parts</div><div></div></div>	<div><div>241-400</div><div>Gear Train</div><div></div></div>	<div><div>241-900</div><div>Fork and Rails</div><div></div></div>
<div><div>241-1200</div><div>Gearshift Controls</div><div></div></div>			

Transfer Case [DHH] and [DHG]
Figure 241-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DEE] = 6 Speed Heavy Duty Manual Transmission

[DG0] = All Automatic Transmissions

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesels


[EW0] = All 8.0L Gas Engines

1	52105 024AC	1	7, 8			ET0, EW0	DDX, DEE		TRANSFER CASE, NP241 Thru 01/06/2002
		1	7, 8			EM0	DDP		Thru 01/06/2002
	52105 025AC	1	7, 8				DG0		Thru 01/06/2002
-2	52105 024AD	1	7, 8			ET0, EW0	DDX, DEE		From 01/07/2002
		1	7, 8			EM0	DDP		From 01/07/2002
	52105 025AD	1	7, 8				DG0		From 01/07/2002
	52105 027AC-	1	7, 8			ET0, EW0	DDX, DEE		TRANSFER CASE, NP241 HD Thru 01/06/2002, Heavy Duty
		1	7, 8			EM0	DDP		Thru 01/06/2002, Heavy Duty
	52105 028AC-	1	7, 8			EM0, ET0, EW0	DG0		Thru 01/06/2002, Heavy Duty
	52105 027AD-	1	7, 8			ET0, EW0	DDX, DEE		From 01/07/2002, Heavy Duty
		1	7, 8			EM0	DDP		From 01/07/2002, Heavy Duty
	52105 028AD-	1	7, 8			EM0, ET0, EW0	DG0		From 01/07/2002, Heavy Duty
						ET0, EW0			

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Case, Transfer and Related Parts [DHH] and [DHG] Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes:

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmissions

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

1	5015 446AA	1	7, 8			ET0, EW0	DDX, DEE		CASE, Transfer Front W/ [52105027AC], Heavy Duty
		1	7, 8			EM0	DDP		W/ [52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/ [52105028AC], Heavy Duty
	5015 449AA	1	7, 8			ET0, EW0	DDX, DEE		W/ [52105024AC], Heavy Duty
		1	7, 8			EM0	DDP		W/ [52105024AC]
		1	7, 8				DG0		W/ [52105025AC]
	5015 446AA	1	7, 8			ET0, EW0	DDX, DEE		W/ [52105027AD]
		1	7, 8			EM0	DDP		W/ [52105027AD]
		1	7, 8			EM0, DG0			W/ [52105028AD], Heavy Duty
	5015 449AA	1	7, 8			ET0, EW0	DDX, DEE		W/ [52105024AD]
		1	7, 8			EM0	DDP		W/ [52105024AD]
		1	7, 8				DG0		W/ [52105025AD]
2	4746 253	6	7, 8			ET0, EW0	DDX, DEE		STUD W/ [52105027AC]
		6	7, 8			EM0	DDP		W/ [52105027AC]
		6	7, 8			EM0, ET0, EW0	DG0		W/ [52105028AC]
		6	7, 8			ET0, EW0	DDX, DEE		W/ [52105024AC]
		6	7, 8				DG0		W/ [52105025AC]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML, EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG] Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6	7, 8			ET0,	DDX,		W/ [52105024AD]
						EW0	DEE		
		6	7, 8			EM0	DDP		W/ [52105024AD]
		6	7, 8				DG0		W/ [52105025AD]
		6	7, 8			ET0,	DDX,		W/ [52105027AD]
						EW0	DEE		
		6	7, 8			EM0	DDP		W/ [52105027AD]
		6	7, 8			EM0,	DG0		W/ [52105028AD]
						ET0,			
3		6	7, 8			EW0	DDP		W/ [52105025AC]
	4219 065	1	7, 8			ET0,	DDX,		SNAP RING, Annulus Gear W/[52105027AC], Heavy Duty
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC], Heavy Duty
		1	7, 8			EM0,	DG0		W/[52105028AC], Heavy Duty
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105024AC]
						ET0,	DEE		
		1	7, 8			EW0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD], Heavy Duty
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD], Heavy Duty
		1	7, 8			EM0,	DG0		W/[52105028AD], Heavy Duty
						ET0,			
						EW0			
4									CASE, Transfer Rear
	4797 550	1	7, 8			ET0,	DDX,		W/[52105027AC], Heavy Duty
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC], Heavy Duty
		1	7, 8			EM0,	DG0		W/[52105028AC], Heavy Duty
						ET0,			
						EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD], Heavy Duty
		1	7, 8			EM0	DDP		W/[52105027AD], Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD], Heavy Duty
5									EXTENSION, Transfer Case
	4897 980AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
6									PLUG
	5018 919AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC], Heavy Duty
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD], Heavy Duty
		1	7, 8			EM0	DDP		W/[52105027AD], Heavy Duty
		1	7, 8			ET0,	DDX,		W/[52105027AC], Heavy Duty
		1	7, 8			EW0	DEE		W/[52105027AC], Heavy Duty
		1	7, 8			EM0	DDP		W/[52105027AC], Heavy Duty
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD], Heavy Duty
7									RETAINER, Transfer Case Rear
	5072 895AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC], Heavy Duty
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD], Heavy Duty
		1	7, 8			EM0	DDP		W/[52105028AC], Heavy Duty
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC], Heavy Duty
		1	7, 8			EM0	DDP		W/[52105027AC], Heavy Duty

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG] Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD], Heavy Duty
8	4210 617	7	7, 8			ET0, EW0	DDX, DEE		BOLT, Transfer Case W/[52105028AD], Heavy Duty
		7	7, 8			EM0	DDP		W/[52105028AD]
		7	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		7	7, 8			ET0, EW0	DDX, DEE		W/[52105028AC]
		7	7, 8			EM0	DDP		W/[52105028AC]
		7	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
9	6501 371	4	7, 8			ET0, EW0	DDX, DEE		BOLT, Retainer W/[52105027AC]
		4	7, 8			EM0	DDP		W/[52105027AC]
		4	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
	5086 051AA	4	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		4	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
10	6033 172	6	7, 8						NUT AND WASHER, Hex, .375-24
11	5072 896AA	1	7, 8			ET0, EW0	DDX, DEE		SEAL, Output Shaft W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
	5019 026AA	1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
	5086 054AA	1	7, 8			EM0,	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
12	4796 910	1	7, 8			EM0	DDP		W/[52105027AD] VENT, Transfer Case
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
13									CLAMP, Oil Cooler Line, (NOT SERVICED) (Not Serviced)
14									HOSE, Fuel, .31 I.D. 50 Foot Roll, (NOT SERVICED) (Not Serviced)
15	4338 943	1	7, 8			ET0, EW0	DDX, DEE		FILTER, Transfer Case Oil W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
16	4338 944	1	7, 8			ET0, EW0	DDX, DEE		CONNECTOR, Oil Tube Pickup W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
17	8350 3523	1	7, 8			ET0, EW0	DDX, DEE		TUBE, Oil Pickup W/[52105027AC]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105028AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
18	4338 942	1	7, 8			ET0, EW0	DDX, DEE		SEAL, Oil W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
19									MAGNET, Transmission

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG] Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3681 601	1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105024AC]
						ET0,	DEE		
		1	7, 8			EW0	DDP		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8			ET0,	DDX,		W/[52105025AC]
		1	7, 8			EW0	DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
									PLUG, Oil Fill
20	4856 641	1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105024AC]
						ET0,	DEE		
		1	7, 8			EW0	DDP		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		2	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105027AD]
21		2	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
									SWITCH, Transfer Case Mode

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.


DDX = 5 Spd. Manual

DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5300 1101	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
	J813 4473	1	7, 8			EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
22									SEAL, Vacuum Switch
	4338 956	1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		2	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		2	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	4886 473AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		SCREW W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8			ET0, EW0	DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
24	4798 257	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8						SPRING, Poppet W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
25									PLUNGER
	5300 8217	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
26									WASHER, Flat
	4210 983	2	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		2	7, 8			EM0	DDP		W/[52105027AC]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		2	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105024AC]
		2	7, 8				DG0		W/[52105025AC]
		2	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105024AD]
		2	7, 8				DG0		W/[52105025AD]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105027AD]
		2	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
27	4210 614	1	7, 8			EM0	DDP		BOLT, Hex Flange Head
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105024AC]
		1	7, 8			ET0,	DEE		
		1	7, 8			EW0	DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
28	0556 875	1	7, 8			ET0,	DDX,		COVER, Power Take Off
						EW0	DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105027AD]
		1	7, 8			ET0,	DEE		
		1	7, 8			EW0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
29									BOLT, Transfer Case

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 851	1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			EW0	DDX,		W/[52105027AD]
						ET0,	DEE		
		1	7, 8			EW0	DDP		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
						EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
30									STUD
	4746 253	6	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		6	7, 8			EM0	DDP		W/[52105027AC]
		6	7, 8			EM0,	DG0		W/[52105028AC]
		6	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		6	7, 8			EM0	DDP		W/[52105024AC]
		6	7, 8				DG0		W/[52105025AC]
		6	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		6	7, 8			EM0	DDP		W/[52105024AD]
		6	7, 8				DG0		W/[52105025AD]
		6	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		6	7, 8			EM0	DDP		W/[52105027AD]
		6	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
31									EXTENSION, Transfer Case
	5080 069AA	1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG]
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32	4210 617	1	7, 8				DG0		W/[52105025AD]
		7	7, 8			EM0, ET0, EW0	DG0		BOLT, Transfer Case W/[52105028AC]
		12	7, 8				DG0		W/[52105025AC]
		12	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		12	7, 8			EM0	DDP		W/[52105024AC]
		8	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		8	7, 8			EM0	DDP		W/[52105027AC]
		12	7, 8			ET0,	DDX,		W/[52105024AD]
		12	7, 8			EW0	DEE		W/[52105024AD]
		12	7, 8			EM0	DDP		W/[52105025AD]
		7	7, 8			ET0,	DDX,		W/[52105027AD]
		7	7, 8			EW0	DEE		W/[52105027AD]
		7	7, 8			EM0	DDP		W/[52105027AD]
		7	7, 8			EM0, ET0,	DG0		W/[52105028AD]
						EW0			
33	4856 645	1	7, 8			ET0, EW0	DDX, DEE		GASKET, Rear Oil Seal Retainer W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8						
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Case, Transfer and Related Parts [DHH] and [DHG] Figure 241-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]

DODGE RAM STANDARD CAB (BR)

EDGE RAM STAND
SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes:

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmissions

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines

[EW0] = All 8.0L Gas Engines

-1	4746 130	1	7, 8			ET0, EW0	DDX, DEE		HUB, Synchronizer Range W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
2	3821 558	1	7, 8			ET0, EW0			SNAP RING W/[52105028AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3	4338 910	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		SNAP RING W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
									BEARING, Input Gear
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
4	4338 891	1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8						

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
5									RING
	4338 909	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
6									THRUST WASHER, Planetary Carrier
	4338 908	2	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		2	7, 8			EM0	DDP		W/[52105027AC]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
						ET0, EW0			
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		2	7, 8			EM0	DDP		W/[52105024AC]
		2	7, 8				DG0		W/[52105025AC]
		2	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		2	7, 8			EM0	DDP		W/[52105024AD]
		2	7, 8				DG0		W/[52105025AD]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		2	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
7	4797 029	1	7, 8			ET0, EW0	DDX, DEE		GEAR, Input W/[52105027AC]
	5015 447AA	1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
	4797 029	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
	5015 447AA	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
	4797 029	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
	5015 447AA	1	7, 8				DG0		W/[52105025AC]
		1	7, 8				DG0		W/[52105025AD]
8	4746 127	1	7, 8			ET0, EW0	DDX, DEE		BEARING, Input Shaft W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG0		W/[52105024AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
9						ET0, EW0			PLANETARY, Transfer Case
	4797 032	1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
	4797 030AB	1	7, 8			EW0	DDX,		W/[52105024AC]
		1	7, 8			ET0, EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
	4797 032	1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
10									SLEEVE, Range Fork
	4746 129	1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
	4897 955AA	1	7, 8				DG0		W/[52105025AC]
	4897 994AA	1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
	4797 013	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
	4746 129	1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AD]
	4797 013	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
	4897 955AA	1	7, 8				DG0		W/[52105025AD]
	4897 994AA	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
11									SNAP RING, Mainshaft
	4746 128	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
12									SPRING, Synchronizer
	4746 138	2	7, 8				DG0		
		2	7, 8			ET0, EW0	DDX, DEE		
13		2	7, 8			EM0	DDP		KEY, Synchronizer
	4746 137	3	7, 8			EM0, ET0, EW0	DG0		
		3	7, 8			ET0, EW0	DDX, DEE		
		3	7, 8			EM0	DDP		
14									SLEEVE, Synchronizer
	4746 144	1	7, 8			ET0, EW0	DDX, DEE		
		1	7, 8			EM0	DDP		
		1	7, 8			EM0, ET0, EW0	DG0		
15									RING, Blocker

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 139	1	7, 8			ET0,	DDX,		
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		
		1	7, 8			EM0,	DG0		
						ET0,			
						EW0			
16	4746 142	1	7, 8			ET0,	DDX,		SPROCKET, Transfer Case
		1	7, 8			EW0	DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
	4746 256	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
	5086 050AA	1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
	5086 053AA	1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
17	4746 147	1	7, 8			ET0,	DDX,		CHAIN, Transfer Case
						EW0	DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
	4746 257	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
	4746 147	1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.

DDX = 5 Spd. Manual

DEE = 6 Spd. Manual


DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
	4746 257	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
18		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
	5080 068AA	1	7, 8				DG0		MAINSHAFT, Transfer Case W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
	5086 052AA	1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
	5080 068AA	1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
	5086 052AA	1	7, 8				DG0		W/[52105025AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
									SEAL, Main Shaft
19	4210 603	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
20	4338 936	1	7, 8			ET0, EW0	DDX, DEE		PUMP, Transfer Case Oil W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG0		W/[52105025AC]
	4883 596AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
	4338 936	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
	4883 596AA	1	7, 8			ET0, EW0	DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
21	4856 643	1	7, 8			ET0, EW0	DDX, DEE		SNAP RING, Output Bearing W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
22	4883 601AA	1	7, 8			EM0, ET0, EW0	DG0		BEARING, Output Shaft W/[52105028AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
	4897 981AA	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
23	4883 597AA	2	7, 8			EM0,	DG0		SNAP RING W/[52105028AD]
						ET0,			
		2	7, 8			EW0			
						ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105027AC]
		2	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
		2	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105027AD]
	4897 982AA	1	7, 8				DG0		W/[52105025AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
24									BEARING, Output Shaft
	4269 189	1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
25									SPROCKET, Driven
	4746 145	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
	4746 259	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
	4746 145	1	7, 8			ET0, EW0	DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
	4746 259	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
26	8350 3517	1	7, 8			ET0, EW0	DDX, DEE		OUTPUT SHAFT, Transfer Case W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
-27	4746 146	1	7, 8			EM0	DDP		SHAFT, Output W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			EM0	DDP		W/[52105027AD]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	4167 991	1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		SNAP RING, Bearing W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
29	2466 224	1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8			EM0	DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
30	4798 125	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
		1	7, 8			ET0, EW0	DDX, DEE		SEAL, Output Shaft W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions


Gear Train [DHH] and [DHG]
Figure 241-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0,	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
31	4897 983AA	1	7, 8			ET0, EW0	DDX, DEE		YOKE, Transfer Case Output W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
32	4210 973	1	7, 8						WASHER, Transfer Case Yoke W/[52105027AC]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
33	4167 924	1	7, 8			ET0, EW0	DDX, DEE		NUT, Transfer Case Yoke W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
34									HUB, Synchronizer

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 143	1	7, 8			ET0,	DDX,		W/[52015027AC]
		1	7, 8			EW0	DEE		W/[52015027AC]
		1	7, 8			EM0,	DDP		W/[52015028AC]
						ET0,	DG0		W/[52015028AC]
		1	7, 8			EW0	DDX,		W/[52015024AC]
		1	7, 8			ET0,	DEE		W/[52015024AC]
		1	7, 8			EW0	DDP		W/[52015024AC]
		1	7, 8			EM0	DDP		W/[52015024AC]
		1	7, 8			ET0,	DG0		W/[52015025AC]
		1	7, 8			EW0	DDX,		W/[52015024AD]
		1	7, 8			EM0	DEE		W/[52015024AD]
		1	7, 8			EM0	DDP		W/[52015024AD]
		1	7, 8			ET0,	DG0		W/[52015025AD]
		1	7, 8			EW0	DDX,		W/[52015027AD]
		1	7, 8			EM0	DEE		W/[52015027AD]
		1	7, 8			EM0,	DDP		W/[52015027AD]
		1	7, 8			ET0,	DG0		W/[52015028AD]
						EW0			
35									SLEEVE, Range Fork
	4746 129	1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		W/[52105027AC]
	4897 955AA	1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8				DG0		W/[52105025AC]
	4746 129	1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		W/[52105027AD]
	4897 955AA	1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8				DG0		W/[52105025AD]
36									EXTENSION, Transfer Case
	4338 973	1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			

DODGE RAM STANDARD CAB (BR)

SERIES

L = RAM 2500, 3500

LINE

2, 7 = 2500

3, 8 = 3500

BODY

62 = Reg. Cab (134 WB)

63 = Reg. Cab (138 WB)

64 = Reg. Cab (162 WB)

65 = Reg Cab (134 WB)

ENGINE

ETC, ETH, ET0= 5.9L 6 Cyl.

EML,EMM, EM0 = 5.9L 8 Cyl.

EWA, EW0 = 8.0L V10 .

EAA = All engines

EAG = All gas engines

TRANSMISSION

DGP = 47RE 4 Spd. Auto.

DGT = 46RE 4 Spd. Auto.


DDX = 5 Spd. Manual

DEE = 6 Spd. Manual

DBB = All Manual Transmissions

DG0 = All Automatic Transmissions

**Gear Train [DHH] and [DHG]
Figure 241-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
37	6500 318	4	7, 8			ET0,	DDX,		BOLT
						EW0	DEE		
		4	7, 8			EM0	DDP		
		4	7, 8			EM0,	DG0		
						ET0,			
						EW0			
38	5019 020AA	1	7, 8			ET0,	DDX,		SEAL, Input Gear
						EW0	DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105027AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

Forks [DHH] and [DHG]
Figure 241-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[DDP] = 5 Speed Manual Transmissions

[DDX] = 5 Speed Heavy Duty Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmissions

[DG0] = All Automatic Transmissions

[EL0] = All 5.2L 8 Cylinder Gas Engines

[EM0] = All 5.9L 8 Cylinder Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines


EW0 = All 8.0L Gas Engines

1	4798 136	1	7, 8			ET0, EW0	DDX, DEE		FORK, Range W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
2	4746 136	1	7, 8			ET0, EW0	DDX, DEE		FORK, Mode W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Forks [DHH] and [DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
3	4167 969	1	7, 8			ET0, EW0	DDX, DEE		PAD, Shift Fork W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		2	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		2	7, 8			EM0,	DG0		W/[52105028AD]
						ET0, EW0			
		2	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105024AC]
		2	7, 8				DG0		W/[52105025AC]
		2	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		2	7, 8			EM0	DDP		W/[52105024AD]
		2	7, 8				DG0		W/[52105025AD]
4	4746 140	1	7, 8			ET0, EW0	DDX, DEE		PAD, Shift Fork W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks [DHH] and [DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
5									CUP, Shift Fork Spring
	8350 3515	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0, EW0			
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
						ET0, EW0			
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[5210502DAD]
6									SPRING, Mode Fork
	0013 816	1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks [DHH] and [DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
7	4897 962AA	1	7, 8			ET0, EW0	DDX, DEE		SECTOR, Transfer Case W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AC]
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
	5086 049AA	1	7, 8			ET0, EW0	DDX, DEE		W/[52105024AD]
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0, EW0	DDX, DEE		W/[52105027AD]
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]
8									WASHER, (NOT SERVICED) (Not Serviced)
9	4167 964	1	7, 8			ET0, EW0	DDX, DEE		SEAL, O-Ring W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks [DHH] and [DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
						EW0			
	4167 963	1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
10	4167 963	1	7, 8			ET0,	DDX,		SEAL, O-Ring
						EW0	DEE		W/[52105027AC]
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0,	DG0		W/[52105028AC]
						ET0,			
		1	7, 8			ET0,	DDX,		W/[52105024AC]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
						EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0,	DG0		W/[52105028AD]
						ET0,			
						EW0			
11	4897 959AA	1	7, 8						LEVER, Transfer Case
						ET0,	DDX,		W/[52105027AC]
						EW0	DEE		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Forks [DHH] and [DHG]
Figure 241-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AC]
		1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0,	DG0		W/[52105028AD]
12	6100 518	1				EW0			NUT, Hex Flange Lock
13						ET0			GROMMET, Shift Lever
	3467 791	1	7, 8			ET0,	DDX,		W/[52105027AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AC]
		1	7, 8			EM0, ET0,	DG0		W/[52105028AC]
		1	7, 8			EW0			
		1	7, 8			ET0,	DDX,		W/[52105024AC]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AC]
		1	7, 8				DG0		W/[52105025AC]
		1	7, 8			ET0,	DDX,		W/[52105024AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105024AD]
		1	7, 8				DG0		W/[52105025AD]
		1	7, 8			ET0,	DDX,		W/[52105027AD]
		1	7, 8			EW0	DEE		
		1	7, 8			EM0	DDP		W/[52105027AD]
		1	7, 8			EM0, ET0, EW0	DG0		W/[52105028AD]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls [DHH] and [DHG]
Figure 241-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DDC] = 5 Speed Heavy Duty Manual Transmissions

[DG0] = All Automatic Transmissions

1	52105 214AF	1	7, 8						SHIFTER, Transfer Case
2	6101 467	2	7, 8						NUT, Hex Flange, M8x1.25
3	52105 216AB	1	7, 8						RING
4	6502 064	2	7, 8						SCREW, Tapping, M6x1x20
5	6101 727	2	7, 8						BOLT, Hex Head
6	5210 5005	1	7, 8						LEVER, Transfer Case
7									BEZEL, Transfer Case
	5FB39 LAZAB	1	7, 8				DG0		[Agate]
	5FB39 RC8AB	1	7, 8				DG0		[Dark Mist Gray]
	5FB39 VK9AB	1	7, 8				DG0		[Dark Tan]
8	52105 059AB	1	7, 8						BOOT, Gearshift
9	5210 4174	1					DBB		KNOB, Gearshift
10	6502 556	1					DBB		NUT, Hex, M10-1.5
11	5210 5001	1	7, 8						INSERT, Gearshift Knob
12	5210 5006	1	7, 8				DG0		ROD, Gear Shift Control, Transfer Case
13	3467 790	1	7, 8				DG0		SWIVEL, Gearshift Control Rod
14	4377 309	1	7, 8				DG0		CLAMP, Shift Rod
15	0181 086	1							BOLT, Hex Head, .312-18x.75
16	52020 357AA	1	7, 8						CROSSMEMBER, Skid Plate
17	52058 674AD	1	7, 8						SKID PLATE, Front
18	6101 340	2	7, 8						U-NUT, M10-1.50

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 022

Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.

Wheels and Hardware

Wheels And Hardware Fig. 022-130

Wheel Covers and Center Caps


Caps And Covers, Wheel Fig. 022-230





Jack Stowage

Jack And Stowage Fig. 022-340


Spare Tire Stowage

Wheel, Spare Underslung Mounting Fig. 022-430



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	022-400 Spare Tire Stowage
			

Wheels And Hardware
Figure 022-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52113 156AA	6	3, 8		62, 63, 64				WHEEL, Steel, WDW, 16x6, Argent
2	5GE66 S4AAA	4	2, 7		62, 65				WHEEL, Steel, WDV, 16x7.5, Argent
3	52106 367AA	4	2, 7		62, 65				WHEEL, Aluminum, WDZ, 16x8, Forged Aluminum
4	6034 726	32	3, 8		62, 63, 64				NUT, Hex Flange, .56-18, With WDW wheel
5	2530 153	2	3, 8		62, 63, 64				STEM, Wheel Valve
6	52057 949AB	1							
-7	6034 727	32	2, 7		62, 65				NUT, Hex, .516-18 WHEEL, Steel, Spare
	52113 156AA-	1	3, 8		62, 63, 64				With WDW wheel
	5GE66 S4AAA-	1	2, 7		62, 65				With WDV,WDZ wheel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Caps And Covers, Wheel
Figure 022-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:

WDW = Wheels - 16 x 6.0 Steel, 5.35 Offset

WDZ = Wheels - 16 x 8.0 Forged Aluminum

WD5 = Wheels - 16 x 7.0 Cast Aluminum

WMG = Wheel Skins, Bright

WMJ = Hub - Chrome Center

WND = Wheels - 16 x 7.0 Cast Aluminum

1	52039 098AB	4	2, 7		62				CAP, Wheel Center, [WMJ+WDZ]
2	52106 283AB	4	2, 7		62, 65				CAP, Wheel Center, Chrome, [WMJ+WDV]
3	5205 8200	4	2, 7		62, 65				RING, Wheel Trim, 16", [WMC]
4	52106 448AB	2	3, 8		62, 63,				COVER, Wheel, 16" Front
					64				
	52106 449AA	2	3, 8		62, 63,				Rear
					64				
-5									CAP, Wheel Center, Chrome, with Dual Wheels
	52106 863AC-	2	3, 8		62, 63,				[WDW], Front
					64				
	52106 866AC-	2	3, 8		62, 63,				[WDW], Rear
					64				

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Jack And Stowage
Figure 022-340


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									STRAP, Jack Storage
	5203 8253	1	2, 7		62, 65				
	5203 8254	1	3, 8		62, 63, 64				
2									JACK, Screw Type
	52038 317AD	1	2, 7		62, 65				
	52038 318AD	1	3, 8		62, 63, 64				
3	6100 568	3							BOLT AND WASHER, Implement Attaching
4									BRACKET, Jack
	5203 8246	1	2, 3						
		1	7, 8						
5									BAG, Jack Tool Storage
	52020 344AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
6									TOOL, Wrench Adapter
	52020 339AA	1	2, 7		62, 65				
	52020 343AA	1	3, 8		62, 63, 64				Adapter
7									DRIVER, Jack Handle
	52020 330AC	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
8									EXTENSION, Jack Handle
	52020 337AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
9									STRAP, Jack Tool Storage With Storage Tray
	5521 5597	2							
	52038 324AB	2							Without Storage Tray

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Wheel, Spare Underslung Mounting Figure 022-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 452	4							SCREW AND WASHER, Hex Head, M8x1.25x20, Winch Mtg.
2	5201 9948	1							GROMMET, Spare Tire Winch Tube
3	52019 996AB	1							TUBE, Winch Actuator
4									SCREW, Pan Head, .164-18x.50, (NOT SERVICED) (Not Serviced)
5	5205 8707	1							WINCH, Spare Tire Carrier, Spare Tire Carrier
6									PIN, Cotter, (NOT SERVICED) (Not Serviced)
7	5205 8402	1			62				GROMMET, Spare Tire Winch Tube

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year


September 16, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders and Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-230



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders and Components
Figure 23D-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5003 845AA	1							CYLINDER, Ignition Lock
2	4778 125	1							LOCK CYLINDER, Door (Bright)/ Liftgate
3	4778 117	1							TUMBLER, Door and Deck Number 1, Wide
4	4778 118	1							TUMBLER, Door and Deck Number 2, Wide
5	4778 119	1							TUMBLER, Door and Deck Number 3, Wide
6	4778 120	1							TUMBLER, Door and Deck Number 4, Wide
7	5010 879AA	1							TUMBLER, Ignition Number 1, Sidebar
8	5010 880AA	1							TUMBLER, Ignition Number 2, Sidebar
9	5010 881AA	1							TUMBLER, Ignition Number 3, Sidebar
10	5010 882AA	1							TUMBLER, Ignition Number 4, Sidebar
11	5010 883AB	1							SPRING, Ignition Tumbler, Sidebar
12	4378 793	1							SPRING, Cylinder Return
13	4778 121	1							SPRING, Door and Deck Tumbler
14	4778 149	1							CAP, Door Lock Cylinder, Bright
15	4778 150	1							SHUTTER, Door, Deck and Liftgate, Bright
16	5018 701AB	1							KEY, Master
17	6026 125	1							CLIP, Retainer
18	55075 824AB	1							LEVER, Door Lock Cylinder
19	56045 497AC	2							TRANSMITTER, Keyless Entry
20	8350 4802	2							BATTERY, Transmitter

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Windshield Wiper & Washer
Figure 23D-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55154 582AC	2							ARM, Wiper
2	55076 910AA	2							BLADE, Wiper
-3	4897 022AA-	2							REFILL, Wiper Blade
4	6100 568	3							BOLT AND WASHER, Implement Attaching
5	55076 549AH	1							MODULE, Wiper
6									MOTOR, Wiper, Serviced with Wiper Module Assembly, (NOT SERVICED) (Not Serviced)
7									NUT, 1/4x20, (NOT SERVICED) (Not Serviced)
8	55077 279AA	1							HOSE, Windshield Washer
9	4334 799	1							CHECK VALVE, Washer, 3/16
10	5515 4703	1							HOSE, Windshield Washer
11	J323 6813	1							CONNECTOR, Washer Hose, Y, Vacuum 3/16
12	5515 4781	1							HOSE, Windshield Washer, 8.7 O.D.
13	5600 5414	2							NOZZLE, Washer, Windshield
14	4756 656	1							CAP, Washer Reservoir
15	5066 540AA	1							RESERVOIR, Washer
16	4334 568	2							GROMMET, Washer Reservoir
17	5515 5039	1							SENSOR, Washer Fluid Level
18	5515 4758	1							PUMP, Washer, Windshield

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Air Conditioner And Heater Unit Fig. 024-160

Air Conditioner and Heater Plumbing

Plumbing Air Conditioning Fig. 024-220

Plumbing, Heater 5.9L Gas Engine Fig. 024-260

Plumbing, Heater 8.0L Engine Fig. 024-265

Plumbing, Heater Diesel Engine Fig. 024-267

Plumbing, Cabin Heater Diesel Engine Fig. 024-269

Plumbing, Air Conditioning Diesel Engine Fig. 024-280

Air Conditioner and Heater Controls

Controls Heater and Air Conditioning Fig. 024-310

Control, Air Conditioning Fig. 024-350

Air Conditioning Compressor

Compressor Fig. 024-410

Compressor, Air Conditioning Diesel Engine Fig. 024-440

Air Conditioning Compressor Mounting


Mounting, Compressor 5.9L Gas Engine Fig. 024-520







Mounting, Air Conditioning Compressor 8.0L Engine Fig. 024-525

Mounting, Compressor Diesel Engine Fig. 024-530


Air Ducts and Outlets

Air Ducts Fig. 024-630



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioner And Heater Unit
Figure 024-160




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4886 383AA	1							HOUSING, Air Recirculating
2	5012 919AB	1							CASE, Heater And A/C Unit
3	5012 920AB	1							CASE, Heater And A/C Unit
4	4720 026	1							DOOR, Fresh Air
5	4886 070AB	1							ACTUATOR, Fresh Air Door
6	4720 029	1							CLIP, Fresh Air Door
7	4720 023	1							DOOR, Vent
8	4778 420	1							DOOR, Floor Defroster Duct
9	4882 286	1							ACTUATOR, Heater Door
10	4720 279AB	1							ACTUATOR, Heater
11	5012 923AB	1							COUPLING, Servo
12	5012 922AA	1							DOOR, A/C Temperature
13	5012 924AA	1							SERVO, A/C Temperature Door
14	4720 347	1							LEVER, A/C Floor Door Duct
15	4720 348	1							LEVER, A/C Vent Defrost Door
16	4720 278	1							RESISTOR, Blower Motor
17	5012 534AA	1							EVAPORATOR PACKAGE, Air Conditioning
18	4720 039	1							SEAL, Blower Motor
19	5015 866AA	1							MOTOR, Blower with Wheel
20	4720 009	1							BLOWER
21	5210 066	1							TUBE, A/C Motor Cooling
22	4720 037	1							SEAL, Evaporator Drain
23	4720 033	1							SEAL, Heater Tubes
24	4720 034	1							SEAL, Evaporator Tubes
25									U-NUT, Implement Mounting, (NOT SERVICED) (Not Serviced)
26	4720 533	20							SCREW, Heater Housing
27	4720 534	12							SCREW, Pan Head
28	4720 555	1							CLAMP, Heater Core
29	4720 028	1							CLIP, Heater Core
30	5011 724AA	1							COVER, A/C and Heater
31	4720 008	1							CORE, Heater
32	4720 031	1							RETAINER, Wiring Harness
33	5011 713AA	1							DUCT, A/C And Heater
34	4746 208AB	1							HARNESS, A/C And Heater Vacuum
35	5012 921AB	1							WIRING, Resistor Block Jumper
36	4720 032	4							STUD, A/C Heater Housing
37	4778 421	1							DOOR, Floor Defroster Duct
38	4778 415	1							INSULATOR, Air Conditioning
39	4746 884	1							BAFFLE, Air Inlet, without Air Conditioning

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Conditioner And Heater Unit
Figure 024-160




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-40	55056 421AA-	1				ET0			HARNESS, Vacuum
-41	55055 705AB-	1				EM0, EW0			HARNESS ASSEMBLY, vacuum
-42	5013 495AB-	1							COVER, Blower Motor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing Air Conditioning
Figure 024-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code									
EM0 = All 5.9L 8 Cyl Gas Engines									
EW0 = All 8.0L Gas Engines									
1	55055 838AD	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	55055 832AA	1				EW0			LINE, A/C Suction & Discharge
	55055 830AA	1				EM0			
4	5010 432AA	1				EM0			BRACKET, A/C Line
5	4596 152	2				EM0, EW0			CLIP, A/C Quick Disconnect
6	55055 835AB	1				EM0, EW0			LINE, A/C Liquid
7	5503 6022	1	7, 8						CLIP, A/C Liquid Line
8	4897 617AA	1				EW0			SWITCH, A/C High Pressure Cut Off
		1				EM0			
9	5015 805AA	1				ET0			O RING, High Pressure
10	55055 824AB	1				EM0, EW0			CONDENSER, Air Conditioning
11									SCREW, (NOT SERVICED) (Not Serviced)
12	55036 206AD	1							BAND, Accumulator Retaining
13	4761 737AC	2				EM0			O RING, A/C Suction Line
		2				EW0			
14	4728 705	1							O RING, Low Pressure Cutout Switc
15	5018 449AA	1							SWITCH, A/C Cycling
-16	55056 130AA-	1							LABEL, Air Conditioning System

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Heater 5.9L Gas Engine
Figure 024-260




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code
EH0 = All 3.9L V-6 Gas Engines
ELF = "Magnum" 5.2L SMPI V-8 Engine
EL0 = All 5.2L 8 Cyl Gas Engines
EM0 = All 5.9L 8 Cyl Gas Engines

1	4741 932AB	1				EM0			HOSE, 5/8" I.D. 50 Foot Roll
2	55036 503AD	1				EM0			HOSE, Heater
3	55036 413AB	1				EM0			HOSE, Heater
4	6502 017	1				EM0			CLAMP, Heater Hose
5	5503 6160	1				EM0			TUBE, Water Pump Inlet
6	4740 906	1				EM0			O RING, Tube Assy, Heater Return
-7	55056 105AA-	1				EM0			CLIP, Heater Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Plumbing, Heater 8.0L Engine
Figure 024-265




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EW0 = 8.0L Gas Engine

1	5503 6776	1				EW0			HOSE, Heater Return
-2	4637 938	1				EW0			SLEEVE, Heater Hose
3	5503 6777	1				EW0			HOSE, Heater Supply
-4	4637 938	1				EW0			SLEEVE, Heater Hose
5	5503 6415	1				EW0			HOSE AND TUBE, Thermostat, w/ Tube Manifold to Hose
6	5503 6056	1				EW0			CLIP, Heater Hose, Hose
-7	6032 878	1				EW0			STUD, .312-18x2.00, Clip to Cover
8	5503 6735	1				EW0			CLIP, Heater Hose, Hose
9	5505 5328	1				EW0			HOSE, Heater, w/Tube Water Pump to Hose
10	6502 017	1				EW0			CLAMP, Heater Hose

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Plumbing, Heater Diesel Engine
Figure 024-267




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code									
ETC = 5.9L Cummins 24V Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
ET0 = All 5.9L Diesel Engines									
EW0 = All 8.0L Gas Engines									
1	4429 114	3				ETC			SCREW, Hex Flange Head
		3				ETH			
2	4429 089	2				ETC			CLAMP, Tube Retaining
3	4429 631	6				ETC			SCREW, Hex Head
		6				ETH			
4	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			
5	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			
6	5011 901AC	1				ETC			COUPLING, Hose
		1				ETH			
7									CLAMP, Oil Cooler, (NOT SERVICED) (Not Serviced)
8	4429 689	1				ETC			NUT, Hex Flange
9									HOSE, Transmission Oil Cooler, 04638704, (NOT SERVICED) (Not Serviced)
10	4429 812	1				ETC			ELBOW, Oil Cooler Hose
11	4429 812	1				ETC			ELBOW, Oil Cooler Hose
12	55036 506AB	1				ET0			HOSE, Heater, Heater Supply
13	55036 506AB	1				ET0			HOSE, Heater, Heater Return

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Cabin Heater Diesel Engine
 Figure 024-269



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code
 ETC = 5.9L Cummins 24V Diesel Engine
 ETH = 5.9L HO Cummins Turbo Diesel Engine
 ET0 = 5.9L Diesel Engine

1									PLUG, Pipe
	4429 369	1				ETC			
		1				ETH			
2	4429 862	1				ETC			NUT, Hex Flange, M10x1.5
		1				ETH			
3	4429 976	1				ETC			COUPLING, Elbow Hose
		1				ETH			
4	5011 409AA	1				ETC			HOSE, Oil Cooler
		1				ETH			
5	5011 900AA	2				ETC			CLAMP, Heater
		2				ETH			
6	5011 901AC	1				ETC			COUPLING, Hose
		1				ETH			
7	5014 191AA	1				ETC			TUBE, Heater
		1				ETH			

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.					
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.					
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual					
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual					
			EAG = All gas engines	DBB = All Manual Transmissions					
				DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Plumbing, Air Conditioning Diesel Engine
 Figure 024-280


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code ET0 = 5.9L Diesel Engine									
1	55055 838AE	1							ACCUMULATOR, Suction and Discharge Line
2	5503 5607	1							BRACKET, Accumulator, Accumulator Support
3	55055 833AD	1				ET0			LINE, A/C Suction & Discharge
-4	4897 617AA-	1				ET0			SWITCH, A/C High Pressure Cut Off
-5	4728 705	1							O RING, Low Pressure Cutout Switc
6	55055 834AB	1				ET0			LINE, A/C Liquid
7	5503 6022	1	7, 8						CLIP, A/C Liquid Line
8	55055 825AB	1				ET0			CONDENSER, Air Conditioning
9	6502 885	2				ET0			SCREW AND WASHER, Hex Head, M6x1x18.5, Condenser Mounting, Right
10	6100 048	4				ET0			NUT, Hex, M6x1.00
11	55036 206AD	1							BAND, Accumulator Retaining
12	4761 737AC	2				ET0			O RING, A/C Suction Line
13	4741 705	1				ET0			O RING, A/C and Heater
14	4741 705	1				ET0			O RING, A/C and Heater
15	5018 449AA	1							SWITCH, A/C Cycling
16	4728 705	1							O RING, Low Pressure Cutout Switc

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Controls Heater and Air Conditioning
Figure 024-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, Heater
	5015 735AA	1							
	5015 737AA	1							Power Mirror
2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05, Control Mounting
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Control, Air Conditioning
Figure 024-350





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	5015 734AA	1							
	5015 736AA	1							Power Mirror
2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05, Control Mounting
3	5003 986AB	3							KNOB, A/C And Heater Control - Rotary
-4	5003 281AA-	1							BULB, Heater and A/C Control

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Compressor
Figure 024-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Code:

[EM0] =ENGINES - ALL 5.9L 8 CYL GAS

[EW0] = ENGINES - ALL 8.0L GAS

[EML] = MAGNUM 5.9L SMPI V8 Engine

[EM0] = All 5.9L 8 Cyl Gas Engines

[ET0] = All 5.9L Turbo Diesel Engines


[EW0] = All 8.0L Gas Engines

1	55055 540AM	1				EM0,			COMPRESSOR, Air Conditioning
2	4882 008	1				EW0 EM0, EW0			CLUTCH, A/C Compressor

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Compressor, Air Conditioning Diesel Engine
Figure 024-440




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code [ET0] = 5.9L Diesel Engine

1	55055 339AH	1				ET0			COMPRESSOR, Air Conditioning
-2	5016 127AA-	1				ET0			CLUTCH, A/C Compressor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Mounting, Compressor 5.9L Gas Engine
Figure 024-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code [EH0] = 3.9L Gas Engine

Note: Sales Code [EL0] = 5.2L Gas Engine

Note: Sales Code [EM0] = 5.9L Gas Engine

1									BOLT, (NOT SERVICED) (Not Serviced)
2									BOLT, (NOT SERVICED) (Not Serviced)
3	5301 0252	1				EM0			BRACE, A/C Compressor
4	6034 246	1				EM0			BOLT, Hex Head, .375-16x.75
5									NUT, Lock, (NOT SERVICED) (Not Serviced)
6	5300 8614	1				EM0			BRACKET, Alternator And Compressor
7	3300 2201	1				EM0			BUSHING, Idler Pulley
8									BOLT, (NOT SERVICED) (Not Serviced)
9	6034 247	1				EM0			BOLT, Hex Head, .375-16x.25
10	5300 9508	1				EM0			PULLEY, Idler


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mounting, Air Conditioning Compressor 8.0L Engine
Figure 024-525




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code [EW0] = 8.0L Gas Engine

1	5301 0014	1				EW0			BRACE, A/C Compressor, Compressor Mounting Bracket
2									SCREW, (NOT SERVICED) (Not Serviced)
3	0154 910AA	1				EW0			SCREW
4									SCREW, (NOT SERVICED) (Not Serviced)
5									SCREW, (NOT SERVICED) (Not Serviced)
6	5300 5619	1				EW0			BRACKET, A/C Compressor, Compressor Mounting

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Mounting, Compressor Diesel Engine
Figure 024-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code [ETC] = 5.9L Cummins 24V Diesel Engine

Note: Sales Code [ETH] = 5.9L HO Cummins Turbo Diesel Engine

Note: Sales Code [ET0] = 5.9L Diesel Engine

1	4638 933	1				ETC			CONNECTOR, Water Inlet
		1				ETH			
2									SCREW, M8x1.25x100, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Air Ducts
Figure 024-630

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: All other distribution ducts are serviced in instrument panel.

1	5505 5442	1							ADAPTER, Defroster Duct
2	5503 6517	1							BAFFLE, Air Intake
3	55115 857AC	1							DUCT, Air Distribution



DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC, ETH] Fig. 025-110

Vacuum Canister

Vacuum Canister, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA] Fig. 025-310

Emission Harness

Emission Control Vacuum Harness, 3.9 L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA] Fig. 025-410


Leak Detection Pump, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA] Fig. 025-420

Vacuum Pump, 5.9L Diesel [ETC,ETH] Fig. 025-430

Air Pumps

Air Pump, 5.9L [EMM], 8.0L [EWA] Fig. 025-510

Air Injection Plumbing, 5.9L [EMM], 8.0L [EWA] Fig. 025-520



025-100 Emission Labels	025-300 Vacuum Canister	025-400 Emission Harness	025-500 Air Pumps

Emission Labels, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA], 5.9L Diesel [ETC,ETH]
Figure 025-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes

Check the VIN Number for the 'Z' Code GVW Rating

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

[EHC] = 3.9L Magnum V-6

[ELF] = 5.2L Magnum V-8

[EML] = 5.9L Magnum V-8

[EMM] = 5.9L Magnum V-8

[EWA] = 8.0L Magnum V-10

[XCJ] = Emissions Tracking

1							LABEL, Emission		
52113 793AA	1	2, 7	62	EML			[Federal]		
52113 795AA	1	2, 7	65	EML			[Federal]		
52113 809AA	1	2, 7	62	EML			[Clean Fuel Fleet]		
52113 811AA	1	2, 7	65	EML			[Clean Fuel Fleet]		
52113 812AA	1	3	62	EML			[Canada]		
52113 813AA	1	2, 7	62	EML			[Canada]		
52113 816AA	1	2, 7	65	EML			[Canada]		
52113 817AA	1	8	62	EML			[Canada]		
52113 818AA	1	3, 8	63, 64	EML			[Canada]		
52113 819AA	1		62	EW0		DG0	[Canada]		
52113 821AA	1	2, 7	65	EW0		DG0	[Canada]		
52113 822AA	1	3, 8	63, 64	EW0		DG0	[Canada]		
52113 823AA	1	3, 8	62, 63, 64	EMM			[Engine Label]]		
52113 824AA	1			EW0			[Engine Label]]		
52113 825AA	1			EM0			[Emission - Export]		
52113 827AA	1	3, 8	62, 63, 64	EMM			[Body Label]		
52113 831AA	1			EW0			[Body Label]		

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

CATALYST

CHRYSLER CORPORATION

IMPORTANT VEHICLE INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 19XX MODEL YEAR NEW LIGHT-DUTY TRUCKS WITH A CURB WEIGHT GREATER THAN POUNDS AT ALL ALTITUDES.

* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.

◦ ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS.

CAUTION : APPLY PARKING BRAKE WHEN SERVICING VEHICLE.

XX LITER
NCR5.2T5FEX3
NCRTG


SPARK PLUGS

IDLE *
TIMING BTC

MAN
X


AUTO
X

NO OTHER ADJUSTMENTS NEEDED



1

Vacuum Canister, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 025-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	53030 893AB	1				EM0, EW0			BRACKET, Vapor Canister
2	6100 048	4				ET0			NUT, Hex, M6x1.00
		4				EM0, EW0			
3									SCREW, [M8x1.25x13.00], (NOT SERVICED) (Not Serviced)
4	53031 584AC	1				EM0, EW0			CANISTER, Fuel Vapor
5	5303 0837	1				EM0, EW0			CANISTER, Vapor

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Emission Control Vacuum Harness, 3.9 L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 025-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EH0]= All 3.9L Gas Engines

[ELF]= Magnum 5.2L V-8 Engines

[EMM]= Magnum 5.9L V-8 Engines

[EM0]= All 5.9L Gas Engines

[EW0]= All 8.0L Gas Engines

1	53031 035AC	1				EMM, EW0			HARNESS, Vacuum Canister Purge
	53031 130AC	1				EML			
2	5303 2154	1				EW0			HARNESS, Emission Control
	5303 2153	1				EM0			
3	6503 159	1				EW0			STUD, Double Ended, M6x1.0x38
4	4669 475AB	1				EMM, EW0			SOLENOID, Duty Cycle Purge
5	4669 475AB	1				EML			SOLENOID, Duty Cycle Purge
-6									BRACKET PACKAGE, LDP/DCP And Filter
	4897 709AA-	1				EML			
		1				EW0			
7	6035 956AA	1				EMM, EW0			SCREW, .250-14X1.500
-8	6101 839	3				EML			SCREW AND WASHER, Hex Head, M8x1.25x40
9	53031 611AC	1				EM0, EW0			HOSE, Carbon Canister
-10									HARNESS, Emission Control Vacumn
	5304 1076	1				EW0			
	5503 6098	1				EM0			


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Leak Detection Pump, 3.9L [EHC], 5.2L [ELF], 5.9L [EML], 5.9L [EMM], 8.0L [EWA]
Figure 025-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EH0]= All 3.9L Gas Engines									
[ELF]= Magnum 5.2L V-8 Engines									
[EML]= Magnum 5.9L V-8 Engines									
[EM0]= All 5.9L Gas Engines									
[EW0]= All 8.0L Gas Engines									
1	4891 415AB	1				EML			PUMP, Leak Detection
		1				EW0			
2	4897 709AA	1				EML			BRACKET PACKAGE, LDP/DCP
		1				EW0			And Filter
3	5303 0877	1				EML			HOSE, Filter to Leak Detection Pump
		1				EW0			
4	6101 839	3				EML			SCREW AND WASHER, Hex Head,
									M8x1.25x40
5	4612 901	1				EML			FILTER, Fuel Vapor Vent
		1				EW0			
6									SCREW, M6x1.00x11.00, (NOT
									SERVICED) (Not Serviced)
7									NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
	6100 051	1				EML			
		1				EW0			
8	6035 482	3				EML			SCREW, Tapping, .19-16x.375
		3				EW0			

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Vacuum Pump, 5.9L Diesel [ETC,ETH] Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[ETC]= 5.9L, 24 Valve Cummins Diesels									
[ETH]= 5.9L High Output Cummins Turbo Diesels									
1									GASKET, Hydraulic Pump
	4638 531	1				ETC			
		1				ETH	DBB		
2									PLUG, Pipe
	4429 568	1				ETC			
		1				ETH	DBB		
3									PLUG, Pipe
	4429 369	1				ETC	DBB		
		1				ETH	DBB		
4									PLUG, Expansion
	5003 614AA	4				ETC			
		4				ETH	DBB		
5									O RING
	5003 604AA	2				ETC			
		2				ETH	DBB		
6									SCREW, Hex Head, m12X1.75X.35
	4429 637	1				ETC			
		1				ETH	DBB		
7									NUT, Hex Flange, M10x1.5
	4429 862	1				ETC			
		1				ETH	DBB		
8									SCREW, Hex Head, M8x1.25x12
	5011 818AA	1				ETC			
		1				ETH	DBB		
9									NUT, Hex Flange, M10x1.5
	4429 862	1				ETC			
		1				ETH	DBB		
10									HUB, Hydraulic Brake Pump
	4728 162	1				ETC			
		1				ETH	DBB		
11									PUMP, Power Steering
	4883 960AA	1				ETC			
		1				ETH	DBB		
12									STUD
	4761 972	4				ETC			
		4				ETH	DBB		
13									GEAR, Accessory Drive

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Vacuum Pump, 5.9L Diesel [ETC,ETH]
Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5011 797AA	1				ETC			PUMP, Vacuum
		1				ETH	DBB		
	5019 734AA	1				ETC			CHECK VALVE, Vacuum Pump
		1				ETH	DBB		
15	5011 617AA	1				ETC			NIPPLE, Pump
		1				ETH	DBB		
16	5003 637AA	1				ETC			SCREW
		1				ETH	DBB		
17	5011 421AA	1				ETC			HOSE, Vacuum Pump
		1				ETH	DBB		
18	5015 841AA	1				ETC			BRACKET, Vacuum Pump
		1				ETH	DBB		
19	5011 799AA	1				ETC			CONNECTOR, Vacuum, With Caps
		1				ETH	DBB		
20	4638 529	1				ETC			
		1				ETH	DBB		

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Air Pump, 5.9L [EMM], 8.0L [EWA]
Figure 025-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EMM]= Magnum 5.9L V-8 Engines

[EW0]= All 8.0L Gas Engines

1									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	3				EMM			
		3				EW0			
2									PULLEY, Air Pump
	5300 8638	1				EMM			
		1				EW0			
3									BOLT, [.375-16x5.0], (NOT SERVICED) (Not Serviced)
4									PUMP, Air
	5303 0503	1				EMM			
		1				EW0			
5									BRACKET, Air Pump And Tensioner
	53005 621AB	1				EW0			
	5300 8344	1				EMM			
6	53010 013AB	1				EW0			BRACE, Alternator
7									BOLT, [.312-18x.75], (NOT SERVICED) (Not Serviced)


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Injection Plumbing, 5.9L [EMM], 8.0L [EWA]
Figure 025-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EMM]= Magnum 5.9L V-8 Engines

[EW0]= All 8.0L Gas Engines

1	53031 701AA	1				EW0			FILTER, Air Pump
2									CAP, Air Pump Filter, (NOT REQUIRED)
3	5304 1045	2				EMM EW0			CLAMP, Hose
4	5303 0565 5304 0053	1 1				EMM EW0			TUBE, Air Pump Inlet
5									REDUCER, Air Pump Inlet, (NOT REQUIRED)
6									BRACKET, Air Pump Silencer Filter, (NOT REQUIRED)
7	6033 560	4				EW0			NUT AND WASHER, Hex Nut-Coned Washer, .25-20
8	5303 0577	1 1				EMM EW0			VALVE, Air Injection
9	5303 0217	1 1				EMM EW0			HOSE, Relief Valve
10	5303 0535	1				EMM			TUBE, Fuel
-11	5304 1060	1				EW0			HOSE, Relief Valve
12	2448 762	1 1				EMM EW0			CLAMP, Hose
13	53030 649AB	1 1				EMM EW0			TUBE, Aspirator Downstream
14	6502 468	4 4				EMM EW0			SCREW, Hex Flange Head, M8x1. 25x20
15	5303 0467	2 2				EMM EW0			VALVE, Air Injection
16	53031 557AB	1				EMM			TUBE, Aspirator Downstream


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Air Injection Plumbing, 5.9L [EMM], 8.0L [EWA]
Figure 025-520

[illegible]

DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – DBR

Doors and Related Parts

GROUP DBR - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door


Door, Front Shell And Hinges	Fig. DBR-110
Door, Front Glass And Regulators	Fig. DBR-120
Door, Front Lock And Controls	Fig. DBR-130

Exterior Mirror

Exterior Mirror	Fig. DBR-515
-----------------	--------------


Weatherstrips and Seals

Door, Front Weatherstrips And Seals	Fig. DBR-610
-------------------------------------	--------------



DBR-100 Front Door	DBR-500 Exterior Mirror	DBR-600 Weatherstrips and Seals	

Door, Front Shell And Hinges
Figure DBR-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55023 572AH	1							Right
	55023 573AH	1							Left
-2									PANEL, Door Outer
	5502 3570	1							Right
	5502 3571	1							Left
-3	5513 4612	1							WATERDAM, Front Door, Right
-4	5513 4613	1							WATERDAM, Front Door, Left
5									HINGE, Door
	55075 956AB	1							Upper Right
	55075 957AB	1							Upper Left
	55275 464AA	2							Lower
-6	6504 804	4							STUD, M8-1.25x46, Double Thread
-7	55256 920AC-	4							WASHER, Flat
-8	6102 034AA-	4							NUT AND WASHER, Hex, M8x1.25
9	6503 538	8							SCREW AND WASHER, Hex Head, M8x1.25x30
10									SCREW, Body To Hinge, (NOT SERVICED) (Not Serviced)
11	5507 4736	AR							SHIM, Door Hinge, Body Hinge
12	4440 486	2							PLUG, Body, 19.05mm x 31.75mm,
									Access Hole
13	5513 5002	2							PATCH, Waterdam Speaker
14	5534 6416	2							REINFORCEMENT, Door Inner
15	6034 715	8							CLIP, Speaker

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Glass And Regulators
Figure DBR-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	55135 396AC	1							Right
	55135 397AC	1							Left
2									REGULATOR, Front Door Window
	5507 5812	1							Manual, Right
	5507 5813	1							Manual, Left
	5515 4924	1							Electric w/Motor, Right
	5515 4925	1							Electric w/Motor, Left
3	6504 055	8							SCREW, Hex Head, M6x1x16,
									Regulator
4	6502 691	4							NUT, Hex Flange Lock, M6x1, Glass
									To Regulator
5	FW80 PX9	2							HANDLE, Window Regulator
6	5507 6218	2							SPACER, Door Handle
7									CHANNEL, Front Door Glass Lower
	5507 5774	1							Right
	5507 5775	1							Left
8	6504 055	4							SCREW, Hex Head, M6x1x16, Front
									Lower Channel
9									CHANNEL, Glass Run Lower
	4883 358AA	1							Right
	4883 359AA	1							Left
10									SCREW, (NOT SERVICED) (Not
									Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions


Door, Front Lock And Controls
Figure DBR-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	55076 288AB	1							Right
	55076 289AB	1							Left
	55076 290AB	1							Power, Right
	55076 291AB	1							Power, Left
-2									CLIP, Latch Link
	4658 674	2			62				Right
	4658 675	1			62				Left
3	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1, Latch
4									HANDLE, Interior Door
	5507 5338	1							Door Inside, Right
	5507 5339	1							Door Inside, Left
5	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Handle
6									REMOTE CONTROL, Door
	5507 6124	1							Right
	5507 6125	1							Left
7	6503 124	4							SCREW, Hex Head Tapping, M6x1x20, Remote Control
8									LINK, Remote Handle to Latch
	5507 4726	1							w/Sleeve, Inside Handle to Latch, Right
	5507 4727	1							Left
9									HANDLE, Front Door Exterior
	5527 5022	1							Right
	5527 5023	1							Left
10	6101 443	4							NUT AND WASHER, Hex, M5x.80
11									SCREW, (NOT SERVICED) (Not Serviced)
12	5507 4724	2							LINK, Exterior Door Handle, Exterior Handle to Latch
13									LINK, Key Cylinder To Latch
	5507 6004	1							Right
	5507 6005	1							Left
14									CLIP, Lever Key Cylinder, (NOT SERVICED) (Not Serviced)
15									KNOB, Door
	JS24 RC3	1							[C3]
	JS24 SK5	1							[K9]
	JS24 MAZ	1							[AZ]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Door, Front Lock And Controls Figure DBR-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									SPRING, Outside Door Handle, (NOT SERVICED) (Not Serviced)
17									CLIP, Lock Retaining, (NOT SERVICED) (Not Serviced)
18									BRACKET, Handle Retaining, Serviced in Handle, (NOT SERVICED) (Not Serviced)
19	5507 6354	1							ROD, Inside Lock to Latch Right
	5507 6355	1							Left

DODGE RAM STANDARD CAB (BR)-

L = RAM 2500, 3500

CAB (BR)
LINE

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg. Cab (134 WB)



ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Exterior Mirror
Figure DBR-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:

[GPU] = Mirrors - 6 x 9 Black
[GPV] = Mirrors - 6 x 9 Power Heated, Black
[GTS] = Mirrors - Power Heated, Fold-Away



1									MIRROR, Outside Rearview
	55076 478AE	1							Manual, Foldaway, Right
	55076 479AE	1							Manual, Foldaway, Left
	55076 488AF	1							Electric Heated, Foldaway [GTS], Right
	55076 489AF	1							Electric Heated, Foldaway [GTS, GPV], Left
	55076 744AG	1							Electric Heated [GPV], Right
	55077 122AF	1							Electric Heated, Foldaway, Middle East, Right
2	J420 0408	6							NUT AND WASHER, Hex Nut-Coned Washer, M5 x 0.80
3									MIRROR KIT, Trailor Tow
	55156 334AC	1							[GPD], Right
	55156 335AC	1							[GPD], Left
-4	5513 5182	2							SEAL, Mirror Opening
-5									BRACKET, Mirror
	55156 129AB-	1							Right
	55156 128AC-	1							Left
-6									GLASS, Mirror Replacement
	5019 890AA-	1							Foldaway [GPU], Right
	5019 891AA-	1							Foldaway [GPU], Left
	5019 892AA-	1							Elect - Heated Foldaway [GTS], Right
	5019 893AA-	1							Elect - Heated Foldaway [GTS], Left
		1							Elect - Heated [GPV], Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Door, Front Weatherstrips And Seals
Figure DBR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5513 5304	2							SEAL, B-Pillar, B Pillar Door Molding
2									SEAL, Glass Run, Front
	55135 252AB	1							Right
	55135 253AB	1							Left
3	5513 4598	2							WEATHERSTRIP, Front Door Belt
4									WEATHERSTRIP, Door Belt
	55275 504AC	1							Right
	55275 505AC	1							Left
5									SEAL, Body Side, Foam Block
	55275 508AA	1							Right
	55275 509AA	1							Left
6									RETAINER, Bodyside Seal
	55135 004AC	1							Right
	55135 005AC	1							Left
7	55275 436AF	2							WEATHERSTRIP, Body Side
8	55276 286AA	2							WEATHERSTRIP, Front Door
9	55275 394AB	2				62, 63, 64			MOLDING, Door
10	0153 341	20							SCREW, Pan Head, .64-18x.50
11									SEAL, Front Door Lower, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Group – EBR

Exterior Ornamentation

GROUP EBR - Exterior Ornamentation

Illustration Title Group-Fig. No.

Nameplates


Nameplates Fig. EBR-140









Moldings and Ornamentation

Moldings Fig. EBR-210


Decals and Tapestripes

Decals Fig. EBR-350



EBR-100 Nameplates	EBR-200 Moldings and Ornamentation	EBR-300 Decals and Tapestripes	
   	 	 	

Nameplates Figure EBR-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55296 307AB	2							NAMEPLATE, Door, V8 MAGNUM
2	55295 306AB	2							NAMEPLATE, Door, V10 MAGNUM
3	55274 860AB	2							NAMEPLATE, Cab, Laramie SLT
4	55295 313AC	2	2, 7		62, 65				NAMEPLATE, Front Fender, Ram 2500 Cummins
5	55295 314AC	2	3, 8		62, 63, 64				NAMEPLATE, Front Fender, Ram 3500 Cummins
6	55077 386AA	2							NAMEPLATE, Sport
7	55295 311AB	2	2, 7		62, 65				NAMEPLATE, Front Fender, Ram 2500
8	55295 312AB	2	3, 8		62, 63, 64				NAMEPLATE, Front Fender, Ram 3500

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Mouldings
Figure EBR-210

[illegible]

DODGE RAM STANDARD CAB (BR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Decals
Figure EBR-350


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECAL, Dodge
	5DV7 3PX9	1							[KTX]
	5DV7 3TA1	1							[KTA]
2									DECAL, 4 x 4
	5DV7 6PX9	1	7, 8						[KRX]
	5DV7 6TA1	1	7, 8						[KRA]











DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

Group – IBR

Interior Trim




IBR-100 Headliner and Visor	IBR-200 Moldings, Scuff Plates	IBR-300 Carpet	IBR-400 Door Trim Panels-Front and Rear
			
IBR-500 Front Seats and Attaching Parts	IBR-700 Seat Belts-Front and Rear	IBR-800 Adjusters, Covers, Shields, and Risers	IBR-900 Rear Storage Compartment
			

GROUP IBR - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Sunvisor Headliners Coat Hook Assist Straps	Fig. IBR-110
Moldings, Scuff Plates	
A-pillar	Fig. IBR-210
B-pillar	Fig. IBR-220
Cowl And Sill	Fig. IBR-230
Carpet	
Carpets-Mats-Scuff Plates	Fig. IBR-310
Door Trim Panels-Front and Rear	
Front Door Trim Panels	Fig. IBR-410
Front Seats and Attaching Parts	
Seat, Front, Trim Code [D2,D3]	Fig. IBR-510
Seat, Front, Trim Code [SX]	Fig. IBR-520
Seat, Front, Trim Code [S9]	Fig. IBR-530
Seat, Front, Trim Code [R1]	Fig. IBR-540
Seat, Front, TrimCode [DP]	Fig. IBR-550
Seat Belts-Front and Rear	
Belts - Shoulder Bench And 40/20/40 Seating	Fig. IBR-710
Belts - Lap Bench Seat	Fig. IBR-720
Belts - Lap 40/20/40 Seat	Fig. IBR-730
Adjusters, Covers, Shields, and Risers	
Adjusters - Bench Seat	Fig. IBR-810
Recliner	Fig. IBR-820
Adjusters - Split Bench Seat	Fig. IBR-830
Seat - Floor Attaching	Fig. IBR-840
Rear Storage Compartment	
Rear Storage Base Model	Fig. IBR-910
Rear Storage	Fig. IBR-920


Sunvisor Headliners Coat Hook Assist Straps
Figure IBR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									VISOR
	5ES00 TL2AF	1						O0	Without Mirror, Right
	5ES01 TL2AF	1						O0	Without Mirror, Left
2	5ES02 TL2AF	1						O0	VISOR, W/Mirror, With Mirror, Right
-3									LABEL, Diesel Starting
	53040 084AA-	1							CANADA
	53040 085AA-	1							
-4	55350 848AA-	2							LABEL, Air Bag Warning
5	5EZ9 2SL2	2						O0	BRACKET, Sunvisor
6	0152 383	2							SCREW, Pan Head, .19-16x.75
7	6036 201AA	6							SCREW, Oval Head Tapping, .164x18x.984
8									HEADLINER
	5FE24 TL2AD	1						O0	Without Overhead Console
	5FE25 TL2AH	1						O0	With Overhead Console, Without Grab Handle
9	5FY27 TL2AB	1						O0	HOOK, Coat

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

A-pillar
Figure IBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5ES4 4LAZ	1						O0	[AZ], Without Infinity, Right
	5ES4 4RC3	1						O0	[C3], Without Infinity, Right
	5ES4 4RK5	1						O0	[K9], Without Infinity, Right
	5ES5 7LAZ	1						O0	[AZ], Without Infinity, Left
	5ES5 7RC3	1						O0	[C3], Without Infinity, Left
	5ES5 7RK5	1						O0	[K9], Without Infinity, Left
	5GK68 LAZAA	1						O0	[AZ], With Infinity, Right
	5GK68 RC3AA	1						O0	[C3], With Infinity, Right
	5GK68 RK5AA	1						O0	[K9], With Infinity, Right
	5GK69 LAZAA	1						O0	[AZ], With Infinity, Left
	5GK69 RC3AA	1						O0	[C3], With Infinity, Left
	5GK69 RK5AA	1						O0	[K9], With Infinity, Left
2	5521 4846	2						O0	CLIP, Trim Panel
3	6503 910	2							NUT
4									HANDLE, Roof Grab
	5DX76 LAZAC	1						O0	[AZ]
	5DX76 RC3AC	1						O0	[C3]
	5DX76 RK5AC	1						O0	[K9]
5	6504 432	2							SCREW, Pan Head, M6-1.00x29.00
6									PLUG, Assist and Grab Handle
	H526 TAZ	2						O0	[AZ]
	H526 TC3	2						O0	[C3]
	H526 TK5	2						O0	[K9]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

B-pillar
Figure IBR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, B Pillar Upper Trim
	5EU5 6LAZ	1						O0	[AZ], Right
	5EU5 6RC3	1						O0	[C3], Right
	5EU5 6RK5	1						O0	[K9], Right
	5EU5 7LAZ	1						O0	[AZ], Left
	5EU5 7RC3	1						O0	[C3], Left
	5EU5 7RK5	1						O0	[K9], Left
2									PLUG, Seat Belt Opening
	5FV88 LAZAA	2						O0	[AZ]
	5FV88 RC3AA	2						O0	[C3]
	5FV88 RK5AA	2						O0	[K9]
3									ADJUSTER, Seat Belt Turning Loop
	QQ83 LAZAA	1						O0	[AZ]
	QQ83 RC3AA	1						O0	[C3]
	QQ83 RK5AA	1						O0	[K9]
4	5521 4846	6						O0	CLIP, Trim Panel

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Sill
Figure IBR-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0154 562	8							SCREW, Pan Head, .19-16x1.50
2	4386 474	2							SILENCER, Wheelhouse
3									INSULATION, Dash Panel
	55350 884AC	1							Diesel
	55350 755AD	1							Gas Only
4									PANEL, Cowl
	5FH91 LAZAB	1						O0	[AZ], Left
	5FH91 RC3AB	1						O0	[C3], Left
	5FH91 RK5AB	1						O0	[K9], Left
	5FH90 LAZAB	1						O0	[AZ], Right
	5FH90 RC3AB	1						O0	[C3], Right
	5FH90 RK5AB	1						O0	[K9], Right
-5	5521 4846	2						O0	CLIP, Trim Panel
6									PANEL, Side Sill
	5FH8 0LAZ	1						O0	[AZ], Right
	5FH8 0RC3	1						O0	[C3], Right
	5FH8 0RK5	1						O0	[K9], Right
	5FH8 1LAZ	1						O0	[AZ], Left
	5FH8 1RC3	1						O0	[C3], Left
	5FH8 1RK5	1						O0	[K9], Left
7	6031 321	4							PIN, Retainer

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Carpets-Mats-Scuff Plates
Figure IBR-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Front Floor
	5FY48 LAZAF	1						O0	[AZ]
	5FY48 RC8AF	1						O0	[C3]
	5FY48 VK9AF	1						O0	[K9]
2									MAT, Full Floor, Rubber
	5DY35 DX9AF	1						O0	Without Rear Stowage
	5EJ08 DX9AF	1						O0	With Rear Stowage
3									MAT KIT, Floor - Front
	8220 3771	1			E, L				[AZ]
	8220 3772	1			E, L				[C3]
	8220 3773	1			E, L				[K9]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Door Trim Panels
Figure IBR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; When replacing Door Trim Panel installer must replace X-mas tree style pin 6505878AA.


1									PANEL, Door Trim Front
	RH60 1AZAA	1						D2	[AZ], With Power Doors or Locks, Right
	RH60 1C3AA	1						D2	[C3], With Power Doors or Locks, Right
	RH61 1AZAA	1						D2	[AZ], With Power Doors or Locks, Left
	PL68 RC3	1						D2	[C3], Right
	PL68 LAZ	1						D2	[AZ], Right
	PL59 LAZ	1						D2	[AZ], Left
	PL59 RC3	1						D2	[C3], Left
	RH60 1AZAA	1						D3	[AZ], With Power Doors or Locks, Right
	RH60 1C3AA	1						D3	[C3], With Power Doors or Locks, Right
	RH61 1AZAA	1						D3	[AZ], With Power Doors or Locks, Left
	RH61 1C3AA	1						D3	[C3], With Power Doors or Locks, Left
	PL68 LAZ	1						D3	[AZ], Right
	PL68 RC3	1						D3	[C3], Right
	PL59 LAZ	1						D3	[AZ], Left
	PL59 RC3	1						D3	[C3], Left
	UP63 1K5AA	1						DP	[K9], Left
	UP63 1AZAA	1						DP	[AZ], Left
	UP62 1AZAA	1						DP	[AZ], Right
	UP62 1K5AA	1						DP	[K9], Right
	RH61 1K5AA	1						R1	[K9], Left
	RH61 1C3AA	1						R1	[C3], Left
	RH61 1AZAA	1						R1	[AZ], Left
	RH60 1K5AA	1						R1	[K9], Right
	RH60 1C3AA	1						R1	[C3], Right
	RH60 1AZAA	1						R1	[AZ], Right
	PL59 LAZ	1						S9	[AZ], Left
	PL59 RC3	1						S9	[C3], Left
	PL68 LAZ	1						S9	[AZ], Right
	PL68 RC3	1						S9	[C3], Right
	PL68 LAZ	1						SX	[AZ], Right
	PL68 RC3	1						SX	[C3], Right
	PL59 LAZ	1						SX	[AZ], Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Front Door Trim Panels
Figure IBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-2	PL59 RC3	1						SX	[C3], Left
	KM64 RC3								PLUG, Mirror Switch
		1						D2	
		1						D3	
3	6505 878AA	1						S9	
								SX	PIN, Push
		12						D2	With Power
		10						D2	Without Power
		12						D3	With Power
		10						D3	Without Power
		12						DP	
4		12						R1	
		10						S9	
		10						SX	
									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5									PULL CUP, Front Door Trim Panel
		4741 403	1					D2	Without Power, Left
		4741 402	1					D2	Without Power, Right
		4741 405	1					D2	With Power, Left
		4741 404	1					D2	With Power, Right
		4741 402	1					D3	Without Power, Right
		4741 403	1					D3	Without Power, Left
		4741 405	1					D3	With Power, Left
		4741 404	1					D3	With Power, Right
		4741 405	1					DP	Left
		4741 404	1					DP	Right
		4741 405	1					R1	Left
		4741 404	1					R1	Right
		4741 403	1					S9	Left
		4741 402	1					S9	Right
			1					SX	Right
		4741 403	1					SX	Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Seat, Front, Trim Code [D2,D3]
Figure IBR-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ18 1AZAA	1						D2	[AZ]
	SQ18 1C3AA	1						D2	[C3]
	SQ22 1AZAA	1						D3	[AZ]
	SQ22 1C3AA	1						D3	[C3]
2									COVER, Front Seat Cushion
	SQ20 1AZAA	1						D2	[AZ]
	SQ20 1C3AA	1						D2	[C3]
	SQ24 1AZAA	1						D3	[AZ]
	SQ24 1C3AA	1						D3	[C3]
3									BACK, Front Seat
	SQ19 1AZAA	1						D2	[AZ]
	SQ19 1C3AA	1						D2	[C3]
	SQ23 1AZAA	1						D3	[AZ]
	SQ23 1C3AA	1						D3	[C3]
4									COVER, Seat Back
	SQ21 1AZAA	1						D2	[AZ]
	SQ21 1C3AA	1						D2	[C3]
	SQ25 1AZAA	1						D3	[AZ]
	SQ25 1C3AA	1						D3	[C3]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Seat, Front, Trim Code [SX]
Figure IBR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	US82 1AZAA	1						SX	[AZ], Right
	US82 1C3AA	1						SX	[C3], Right
	US83 1AZAA	1						SX	[AZ], Left
	US83 1C3AA	1						SX	[C3], Left
	US84 1AZAA	1						SX	[AZ], Center
	US84 1C3AA	1						SX	[C3], Center
2									COVER, Front Seat Cushion
	US48 1AZAA	1						SX	[AZ], Right
	US48 1C3AA	1						SX	[C3], Right
	US49 1AZAA	1						SX	[AZ], Left
	US49 1C3AA	1						SX	[C3], Left
	US50 1AZAA	1						SX	[AZ], Center
	US50 1C3AA	1						SX	[C3], Center
3									BACK, Front Seat
	SQ80 1AZAA	1						SX	[AZ], Right
	SQ80 1C3AA	1						SX	[C3], Right
	SQ81 1AZAA	1						SX	[AZ], Left
	SQ81 1C3AA	1						SX	[C3], Left
4									COVER, Front Seat Back
	SQ84 1AZAA	1						SX	[AZ], Right
	SQ84 1C3AA	1						SX	[C3], Right
	SQ85 1AZAA	1						SX	[AZ], Left
	SQ85 1C3AA	1						SX	[C3], Left
5									BASE, Armrest
	UQ25 1AZAB	1						SX	[AZ]
	UQ25 1C3AB	1						SX	[C3]
6									LID, Armrest Bin
	UP98 1AZAA	1						SX	[AZ]
	UP98 1C3AA	1						SX	[C3]
7	4778 673	1						SX	BEZEL, Armrest, Lid
8	5278 455AA	1						SX	BEZEL, Armrest, Base
9	4773 684	1						SX	PIN, Armrest Lid Hinge
10	4773 685	1						SX	SPRING, Armrest Lid Hinge
11	5278 456AA	1						SX	LINER, Armrest Lid
12	4797 715	1						SX	BEZEL, Armrest, Lid Latch Release Push Button, Lid Latch Release Button
13	4773 507	1						SX	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [SX]
Figure IBR-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						SX	Right
	4773 419	1						SX	Left
-16	5278 457AA-	1						SX	SPRING, Coinholder




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [S9]
Figure IBR-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UQ51 1AZAA	1						S9	[AZ], Left
	UQ51 1C3AA	1						S9	[C3], Left
	UQ50 1C3AA	1						S9	[C3], Right
	UQ50 1AZAA	1						S9	[AZ], Right
	US84 1AZAA	1						S9	[AZ], Center
	US84 1C3AA	1						S9	[C3], Center
2									COVER, Front Seat Cushion
	UQ55 1AZAA	1						S9	[AZ], Left
	UQ55 1C3AA	1						S9	[C3], Left
	UQ54 1AZAA	1						S9	[AZ], Right
	UQ54 1C3AA	1						S9	[C3], Right
	US50 1AZAA	1						S9	[AZ], Center
	US50 1C3AA	1						S9	[C3], Center
3									BACK, Front Seat
	SQ68 1AZAA	1						S9	[AZ], Right
	SQ68 1C3AA	1						S9	[C3], Right
	SQ69 1AZAA	1						S9	[AZ], Left
	SQ69 1C3AA	1						S9	[C3], Left
4									COVER, Seat Back
	SQ74 1AZAA	1						S9	[AZ], Right
	SQ74 1C3AA	1						S9	[C3], Right
	SQ75 1AZAA	1						S9	[AZ], Left
	SQ75 1C3AA	1						S9	[C3], Left
5									BASE, Armrest
	UQ25 1AZAB	1						S9	[AZ]
	UQ25 1C3AB	1						S9	[C3]
6									LID, Armrest Bin
	UP98 1AZAA	1						S9	[AZ]
	UP98 1C3AA	1						S9	[C3]
7	4778 673	1						S9	BEZEL, Armrest, Lid
8	5278 455AA	1						S9	BEZEL, Armrest, Base
9	4773 684	1						S9	PIN, Armrest Lid Hinge
10	4773 685	1						S9	SPRING, Armrest Lid Hinge
11	5278 456AA	1						S9	LINER, Armrest Lid
12	4797 715	1						S9	BEZEL, Armrest, Lid Latch Release Push Button
13	4773 507	1						S9	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [S9]
Figure IBR-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						S9	Right
	4773 419	1						S9	Left
-16	5278 457AA-	1						S9	SPRING, Coinholder




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [R1]
Figure IBR-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	UQ59 1K5AA	1						R1	[K9], Center
	UQ59 1C3AA	1						R1	[C3], Center
	UQ59 1AZAA	1						R1	[AZ], Center
	UQ63 1K5AA	1						R1	[K9], Left
	UQ63 1C3AA	1						R1	[C3], Left
	UQ63 1AZAA	1						R1	[AZ], Left
	UQ61 1K5AA	1						R1	[K9], Left,Power Seat
	UQ61 1C3AA	1						R1	[C3], Left,Power Seat
	UQ61 1AZAA	1						R1	[AZ], Left,Power Seat
	UQ60 1K5AA	1						R1	[K9], Right
	UQ60 1C3AA	1						R1	[C3], Right
	UQ60 1AZAA	1						R1	[AZ], Right
2									COVER, Front Seat Cushion
	UQ58 1K5AA	1						R1	[K9], Center
	UQ58 1C3AA	1						R1	[C3], Center
	UQ58 1AZAA	1						R1	[AZ], Center
	UQ57 1K5AA	1						R1	[K9], Left
	UQ57 1C3AA	1						R1	[C3], Left
	UQ57 1AZAA	1						R1	[AZ], Left
	UQ56 1C3AA	1						R1	[C3], Right
	UQ56 1K5AA	1						R1	[K9], Right
	UQ56 1AZAA	1						R1	[AZ], Right
	WJ97 1AZAA	1						R1	[AZ], Left,Power Seat
	WJ97 1C3AA	1						R1	[C3], Left,Power Seat
	WJ97 1K5AA	1						R1	[K9], Left,Power Seat
3									BACK, Front Seat
	SQ93 1AZAA	1						R1	[AZ], Left,Power Seat
	SQ93 1C3AA	1						R1	[C3], Left,Power Seat
	SQ93 1K5AA	1						R1	[K9], Left,Power Seat
	SQ94 1AZAA	1						R1	[AZ], Right
	SQ94 1C3AA	1						R1	[C3], Right
	SQ94 1K5AA	1						R1	[K9], Right
	SQ95 1AZAA	1						R1	[AZ], Left
	SQ95 1C3AA	1						R1	[C3], Left
	SQ95 1K5AA	1						R1	[K9], Left
4									COVER, Seat Back
	SQ62 1AZAA	1						R1	[AZ], Right
	SQ62 1C3AA	1						R1	[C3], Right
	SQ62 1K5AA	1						R1	[K9], Right
	SQ63 1AZAA	1						R1	[AZ], Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, Trim Code [R1]
Figure IBR-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	SQ63 1C3AA	1						R1	[C3], Left
	SQ63 1K5AA	1						R1	[K9], Left
									BASE, Armrest
	UP81 1AZAB	1						R1	[AZ]
	UP81 1C3AB	1						R1	[C3]
6	UP81 1K5AB	1						R1	[K9]
									LID, Armrest Bin
	UP98 1AZAA	1						R1	[AZ]
	UP98 1C3AA	1						R1	[C3]
7	UP98 1K5AA	1						R1	[K9]
	4778 673	1						R1	BEZEL, Armrest, Lid
	5278 455AA	1						R1	BEZEL, Armrest, Base
9	4773 684	1						R1	PIN, Armrest Lid Hinge
10	4773 685	1						R1	SPRING, Armrest Lid Hinge
11	5278 456AA	1						R1	LINER, Armrest Lid
12	4797 715	1						R1	BEZEL, Armrest, Lid Latch Release Push Button, Lid Latch Release Push Button
13	4773 507	1						R1	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket
	4773 418	1						R1	Right
	4773 419	1						R1	Left
-16	5278 457AA-	1						R1	SPRING, Coinholder

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, TrimCode [DP]
Figure IBR-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SQ26 1AZAA	1						DP	[AZ], Right
	SQ26 1K5AA	1						DP	[K9], Right
	SQ27 1AZAA	1						DP	[AZ], Left
	SQ27 1K5AA	1						DP	[K9], Left
	SQ32 1AZAA	1						DP	[AZ], Center
	SQ32 1K5AA	1						DP	[K9], Center
2									COVER, Front Seat Cushion
	SQ33 1AZAA	1						DP	[AZ], Center
	SQ33 1K5AA	1						DP	[K9], Center
	SQ48 1AZAA	1						DP	[AZ], Right
	SQ48 1K5AA	1						DP	[K9], Right
	SQ49 1AZAA	1						DP	[AZ], Left
	SQ49 1K5AA	1						DP	[K9], Left
3									BACK, Front Seat
	SQ28 1AZAA	1						DP	[AZ], Right
	SQ28 1K5AA	1						DP	[K9], Right
	SQ29 1AZAA	1						DP	[AZ], Left
	SQ29 1K5AA	1						DP	[K9], Left
4									COVER, Seat Back
	SQ58 1AZAA	1						DP	[AZ], Right
	SQ58 1K5AA	1						DP	[K9], Right
	SQ59 1AZAA	1						DP	[AZ], Left
	SQ59 1K5AA	1						DP	[K9], Left
5									BASE, Armrest
	UR09 1AZAB	1						DP	[AZ]
	UR09 1K5AB	1						DP	[K9]
6									LID, Armrest Bin
	UP98 1AZAA	1						DP	[AZ]
	UP98 1K5AA	1						DP	[K9]
7	4778 673	1						DP	BEZEL, Armrest, Lid
8	5278 455AA	1						DP	BEZEL, Armrest, Base
9	4773 684	1						DP	PIN, Armrest Lid Hinge
10	4773 685	1						DP	SPRING, Armrest Lid Hinge
11	5278 456AA	1						DP	LINER, Armrest Lid
12	4797 715	1						DP	BEZEL, Armrest, Lid Latch Release
									Push Button, Lid Latch Release
									Push Button
13	4773 507	1						DP	BOLT, Armrest Pivot
14									SCREW, (NOT SERVICED) (Not Serviced)
15									COVER, Bracket

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines


TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DGO = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Seat, Front, TrimCode [DP]
Figure IBR-550

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4773 418	1						DP	Right
	4773 419	1						DP	Left
-16	5278 457AA-	1						DP	SPRING, Coinholder




DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts - Shoulder Bench And 40/20/40 Seating
Figure IBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 803AA	2							SCREW, Shoulder
2	6036 108AA	4							SCREW, Pan Head
3									SEAT BELT, Front Outer
	5GT80 LAZAA	1						O0	[AZ, C3], Right
	5GT80 RK5AA	1						O0	[K9], Right
	5GT81 LAZAA	1						O0	[AZ, C3], Left
	5GT81 RK5AA	1						O0	[K9], Left
4	4856 560	1						O0	EXTENDER, Seat Belt
5	55361 000AA	2							ADJUSTER, Seat Belt Turning Loop
6	55350 849AA	2							KNOB, Seat Belt Adjuster
7	55350 950AC	2							ANCHOR, Tether
8									BUTTON, BELT WEBBING
	5093 280AA	1						O0	[AZ, C3]
	5093 281AA	1						O0	[K9]

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts - Lap Bench Seat
Figure IBR-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAP BELT, Two Buckles
	5EX6 0SAZ	1						D3	
		1						D2	
2									SEAT BELT, Buckle And Tip
	5EX6 1SAZ	1						D3	
		1						D2	
3									BEZEL, Seat Belt
	JU98 1AZ	1						D3	[AZ]
		1						D2	[AZ]
	JU98 1C3	1						D3	[C3]
		1						D2	[C3]
4									RETAINER, Seat Belt Bezel
	4746 336	1						D3	
		1						D2	
-5	4856 560	1						O0	EXTENDER, Seat Belt

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Belts - Lap 40/20/40 Seat
Figure IBR-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAP BELT, Buckle Half
	5EX6 2SAZ	1						DP	[AZ]
	5EX6 2TK5	1						DP	[K9]
	5EX6 2SAZ	1						R1	[AZ, C3]
	5EX6 2TK5	1						R1	[K9]
	5EX6 2SAZ	1						S9	[AZ, C3]
		1						SX	[AZ, C3]
2									LAP BELT, Tip Half
	5EX6 3SAZ	1						DP	[AZ]
	5EX6 3TK5	1						DP	[K9]
	5EX6 3SAZ	1						R1	[AZ, C3]
	5EX6 3TK5	1						R1	[K9]
	5EX6 3SAZ	1						S9	[AZ, C3]
		1						SX	[AZ, C3]
3									SEAT BELT, Buckle Half
	5EX6 4SAZ	1						DP	[AZ]
	5EX6 4TK5	2						DP	[K9]
	5EX6 4SAZ	2						DP	[AZ, C3]
	5EX6 4TK5	2						R1	[K9]
	5EX6 4SAZ	1						S9	[AZ, C3]
		2						SX	[AZ, C3]
4									SEAT BELT, Front
	5EX6 6SAZ	1						DP	[AZ]
	5EX6 6TK5	1						DP	[K9]
		1						R1	[K9]
	5EX6 6SAZ	1						R1	[AZ, C3]
-5	4856 560	1						O0	EXTENDER, Seat Belt
-6									SHIELD, Seat Belt
	4864 650	1						DP	
		1						R1	
		1						S9	
		1						SX	
-7	5017 032AB-	1						O0	ANCHOR PACKAGE, Child Seat Tether

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Adjusters - Bench Seat
Figure IBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat
	5003 472AA	1						D2	Right
	5003 470AA	1						D2	Left
	5003 472AA	1						D3	Right
	5003 470AA	1						D3	Left
2									LOCK BAR, Seat Belt
	5531 4569	1						D2	Left
	5531 4568	1						D2	Right
	5531 4569	1						D3	Left
	5531 4568	1						D3	Right
-3	J400 3926	2							WASHER, Flat, .437x.875x.135
4									BOLT, Seat Belt Anchor
	4746 341	2						D2	
		2						D3	
5									BRACKET, Seat Riser
	4746 329	1						D2	
		1						D3	
6									BOLT, M6x1.00x12.00, (NOT SERVICED) (Not Serviced)
7									WIRE, Slave Seat Adjuster
	4886 207AA	1						D2	
		1						D3	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Recliner Figure IBR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOLT, Front Seat Recliner
	4746 335	4						D2	
		4						D3	
		4						DP	
		4						R1	
		4						S9	
		4						SX	
2									LATCH, Seat, With Bench Seat
	4883 795AA	1						D2	Left
	4883 794AA	1						D2	Right
		1						D3	Right
	4883 795AA	1						D3	Left
3									RECLINER, Seat Back
	4883 818AA	1						DP	Right
	4883 819AA	1						DP	Left
		1						R1	Left
	4883 818AA	1						R1	Right
	4883 819AA	1						S9	Left
	4883 818AA	1						S9	Right
	4883 819AA	1						SX	Left
	4883 818AA	1						SX	Right
4									BEZEL, Front Seat Back Latch
	4746 339	2						DP	
		2						R1	
		2						S9	
		2						SX	
5									SCREW, (NOT SERVICED) (Not Serviced)
6									HANDLE, Seat Release
	5003 054AA	1						DP	
		2						R1	
		1						S9	
		2						SX	
7									HANDLE, Recliner
	5519 6020	1						DP	Right
	5519 6021	1						DP	Left
		1						R1	Left
	5519 6020	1						R1	Right
	5519 6021	1						S9	Left
	5519 6020	1						S9	Right
		1						SX	Right

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)


ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML,EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Recliner
Figure IBR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5519 6021	1						SX	Left
									SCREW, Pan Head, M4x.7x14
	6101 634	2						DP	
		2						R1	
9		2						S9	
		2						SX	
									HANDLE, Lumbar
	4797 891	1						DP	
		1						R1	

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005


Adjusters - Split Bench Seat
Figure IBR-830

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Manual Seat, Passenger Outboard
	5003 504AA	1						DP	
		1						R1	
		1						S9	
		1						SX	
2									ADJUSTER, Manual Seat, Passenger Inboard
	5017 017AA	1						DP	
		1						R1	
		1						S9	
		1						SX	
3									ADJUSTER, Manual Seat, Driver Inboard
	5017 013AA	1						R1	
		1						S9	
		1						SX	
4									ADJUSTER, Manual Seat, Driver Outboard
	5003 470AA	1						R1	
		1						S9	
		1						SX	
5									BOLT, Adjuster to Seat Frame
	4746 334	12						DP	
		16						R1	
		16						S9	
		16						SX	
6									BOLT, Pivot
	5003 520AA	2						DP	
		1						R1	
		2						S9	
		2						SX	
7									ADJUSTER, Power Seat
	5017 015AA	1						DP	
		1						R1	
8									BRACKET, Mounting, Seat Switch, Serviced in Seat Complete, (NOT SERVICED) (Not Serviced)
9									SWITCH, Seat
	4373 666	1						DP	
		1						R1	
10									BEZEL, Seat Adjuster Switch


DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.					
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.					
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual					
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual					
			EAG = All gas engines	DBB = All Manual Transmissions					
				DG0 = All Automatic Transmissions					

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Adjusters - Split Bench Seat Figure IBR-830



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4746 477	1						DP	
11		1						R1	SCREW, (NOT SERVICED) (Not Serviced)
12									SCREW, (NOT SERVICED) (Not Serviced)
13									WIRE, Slave Seat Adjuster
	4886 202AA	1						DP	
		1						R1	
		1						S9	
		1						SX	

DODGE RAM STANDARD CAB (BR)



SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML, EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005




Seat - Floor Attaching
Figure IBR-840



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW AND WASHER, M10x1.5x45
	6505 401AA	2							Bench Seat
		4							40/20/40 Seat
2	6502 337	2							NUT, M10x1.5
3	6504 794AA	2							STUD, Double Ended, M10x1.5x59
4	0152 477	2							NUT, Hex Flange Lock, .437-20
5	J400 3926	2							WASHER, Flat, .437x.875x.135

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Rear Storage Base Model Figure IBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BAG, Jack Tool Storage
	52020 344AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
2	52038 324AB	2							STRAP, Jack Tool Storage
3									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)

L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0= 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Rear Storage
Figure IBR-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Trim Cab Back
	UE22 LAZAA	1						O0	[AZ]
	UE22 RC8AA	1						O0	[C3]
	UE22 VK9AA	1						O0	[K9]
2	55215 598AB	2							BIN, Cab Back Panel
3	0154 788	5							SCREW, Round Head, .19-16x.625
4	55214 730AC	1							TRAY, Floor Storage
5									BAG, Jack Tool Storage
	52020 344AA	1	2, 7		62, 65				
		1	3, 8		62, 63, 64				
6	4761 195	1						O0	BEZEL, Storage Bin
7	0154 562	3							SCREW, Pan Head, .19-16x1.50
8	5521 5597	2							STRAP, Jack Tool Storage
9									FASTENER, Trim Panel Attaching
	5DV6 2LAZ	5						O0	[AZ]
	5DV6 2RC8	5						O0	[C3]
10									PANEL, Cab Back Trim
	QP04 LAZAB	1						O0	[AZ]
	QP04 RC8AB	1						O0	[C3]
11									COVER, Child Tether
	WH14 LAZAA	1						O0	[AZ]
	WH14 RC8AA	1						O0	[C3]
	WH14 VK9AA	1						O0	[K9]


DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005



Group – SBR









Body Sheet Metal Except Doors



Group – SBR

Body Sheet Metal Except Doors

SBR-1100 Roof Panels	SBR-1300 Tailgate		
			


SBR-200 Floor Pans	SBR-300 Plugs	SBR-400 Front Fenders	SBR-500 Hood & Hood Release
			
SBR-600 Cowl and Dash Panel	SBR-700 Glass and Rear View Mirror	SBR-800 Aperture Panel	SBR-900 Quarter Panel and Pillar
			

GROUP SBR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SBR-210
Floor Box And Panel	Fig. SBR-220
Plugs	
Plugs	Fig. SBR-310
Front Fenders	
Fender Front	Fig. SBR-410
Hood & Hood Release	
Hood And Hood Release	Fig. SBR-510
Cowl and Dash Panel	
Cowl And Dash Panel	Fig. SBR-610
Glass and Rear View Mirror	
Glass, Windshield, Backlite, Mirror	Fig. SBR-710
Aperture Panel	
Aperture Panel Bodyside	Fig. SBR-810
Quarter Panel and Pillar	
Quarter Panel	Fig. SBR-910
Roof Panels	
Roof Panel	Fig. SBR-1110
Tailgate	
Tailgate	Fig. SBR-1310



Floor Pan
Figure SBR-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 273AC	1							PAN, Center Floor
2	4490 835AB	2							REINFORCEMENT, Shoulder Belt
3									PANEL, Floor Outer
	5527 4918	1							Right
	5527 4919	1							Left
4									SUPPORT, Cowl Side
	5527 4570	1							Right
	5527 4571	1							Left
5									SUPPORT, Underbody Hold Down
	5527 4926	1							Right
	55274 927AB	1							Left
6	5527 4580	2							SUPPORT, Underbody Hold Down
7	5527 4706	1							REINFORCEMENT, Seat Belt
8	6504 794AA	2							Anchor
9									STUD, Double Ended, M10x1.5x59
									PLATE, Seat Mounting Tapping, (NOT SERVICED) (Not Serviced)
10									TAPPING PLATE, Floor to Instrument Panel Mount, (NOT SERVICED) (Not Serviced)

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Box And Panel
Figure SBR-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5534 5618	1			62				CROSSMEMBER, Rear Box, [#5]
2	5527 5107	1							PANEL, Cab Back
3	55276 498AA	1							REINFORCEMENT, Cab Back
4	55275 375AB	1			62				PANEL, Box Floor
5	5502 3626	1			62				PANEL, Front Box
6	5527 5253	1			62				CROSSMEMBER, Rear Box
7	55275 476AA	1			62				CROSSMEMBER, Rear Box
8	5527 4770	2			62				CROSSMEMBER, Rear Box, [#3 and #4]
9	5534 6091	2			62				TAPPING PLATE, Floor Crossmember, Tie Downs, Also Serviced in Crossmember #1 and #2
10									BRACKET, Box Floor Center, (NOT SERVICED) (Not Serviced)
11									BRACE, Box Side Wheelhouse
	5534 5734	2			62				Right
	5534 5735	2			62				Left
12	5502 3614	2			62				WHEELHOUSE, Rear Inner
13									REINFORCEMENT, Quarter Rear Corner
	55274 806AB	1			62				Right
	55274 807AB	1			62				Left
14									EXTENSION, Wheel House
	55276 288AA	1	3, 8		62				Dual Wheel, Front,Right
	55276 289AA	1	3, 8		62				Dual Wheel, Front,Left
	55276 476AA	1	3, 8		62				Right Rear
		1	2, 7		62				Right Rear
	55276 477AA	1	3, 8		62				Left Rear
		1	2, 7		62				Left Rear
15	5527 5186	1			62				SILL, Box
16	55275 466AA	4			62				ISOLATOR
-17	5527 5188	2			62				TAPPING PLATE, Sill to Frame
18									REINFORCEMENT, Cab Back to Floor
	5527 5092	1							Right
	5527 5093	1							Left
-19	6506 318AA-	8	3, 8		62				SCREW AND WASHER, Hex Head, M10x1.5x45
20									PANEL, Box Side
	4856 380AB	1			62				Right

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Floor Box And Panel
Figure SBR-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	4856 381AB	1			62				Left
	55023 620AB	1			62				PANEL, Box Side Outer
	55023 621AC	1			62				Right
22	4856 384AB	1			62				Left
	4856 385AB	1			62				PANEL, Box Side, Dual Wheels
	6503 221	2							Right
23									Left
									PIN

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

Plugs
Figure SBR-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
2	55276 319AA	2			62				PLUG, Floor
3	4475 385	2							PLUG, Plenum Lower Push Rod Access
4	5503 5931	2							SEAL, Plenum Drain
5	5255 216	2							PLUG, Body, .875 Diameter
6	1774 076	2							PLUG, Body Side
7	55257 380AA	6							PLUG
8	4586 055	12							PLUG, Floor Pan
-9	5600 6990	1							PLUG, Sealing, Antenna Hole
-10	52108 193AB-	1							PLUG, Dash Panel Clutch Opening, 2 1/2 Inches Round Rubber
11	4084 000	2							PLUG, Hood, Round
12	4475 385	2							PLUG, Hood Rear, Oval


DODGE RAM STANDARD CAB (BR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fender Front
Figure SBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Codes:									
[Z3A] = Gross Vehicle Weight Rating 10500#									
[Z3B] = Gross Vehicle Weight Rating 11000#									
1	55275 310AH	1							WHEELHOUSE, Front Inner Right
	55275 311AH	1							Left
2	5502 3530	1							REINFORCEMENT, Fender Right
	5502 3531	1							Left
3	55234 708AG	1							PANEL, Fender Right
	55234 709AG	1							Left
-4	6503 757	2							SCREW AND WASHER, Hex Head, M8-1.25x22.00, Fender Outer to Aperture
-5	6502 282	12							SCREW, Hex Head, M8x1.25x30, Fender Inner to Radiator Closure
-6	6503 461	AR							SCREW, Fender Outer to Radiator Closure
7	5523 4648	1							REINFORCEMENT, Fender Right,Upper
	5523 4649	1							Left,Upper
8	55275 396AB	1							REINFORCEMENT, Fender Right
	55275 397AB	1							Left
9	5534 6014	1	2, 3		62, 65				SHIELD, Wheelhouse 2 Wheel Drive, Use For All Ram 2500, Use For Ram 3500 With Gross Vehicle Weight #10,500, [Z3A] Only, Right
	5534 6015	1	2, 3		62, 65				2 Wheel Drive, Use For All Ram 2500, Use For Ram 3500 With Gross Vehicle Weight #10,500, [Z3A] Only, Left
	5534 6052	1	3, 7, 8						All 4 Wheel Drive and For Ram 3500 With Gross Vehicle Weight #11,000, [Z3B], Right
	5534 6053	1	3, 7, 8						All 4 Wheel Drive and For Ram 3500 With Gross Vehicle Weight #11,000, [Z3B], Left
10	3420 1631	18							RIVET, M6.25x28 Black, Attach Front Fender

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Fender Front
Figure SBR-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SEAL, Fender To Cowl
	55135 108AB	1							Right
	55135 109AB	1							Left
-12									LABEL, Battery Jump Start
	5304 0076	2							
	5304 0081	1							CANADA

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Hood And Hood Release
Figure SBR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code [MFN] = Grille Body Color									
1	55075 923AD	1							HOOD
2	5523 4899	2							BUMPER, Hood to Fender, Upper
3	2276 804	2							BUMPER, Hood
4	6036 199AA	2							SCREW, Round Head, .312-18x1.50
5	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Hood Hinge
6									HINGE, Hood Right
	55075 794AC	1							Left
-7	55075 795AC	1							Left
	6503 661	6							SCREW AND WASHER, Hex Head, M8x1.25x25, Hood Hinge to Cowl End Attach
8	6500 787	1							RIVET, M5x11.30, Skid Plate
9	5507 5178	1							SKID PLATE, Secondary Hood Catch
10	5527 5379	1							LATCH, Hood
11	6101 455	2							SCREW AND WASHER, Hex Head, M6x1x20
12	5507 6343	1							RELEASE, Hood Latch
-13	5207 294	1							GROMMET, Hood Latch Release
14	6503 794	3							CLIP, M6.3x11.2
-15	6504 288	6							SCREW AND WASHER, Hex Head, Grille Bracket to Hood
16	55076 367AB	1							CATCH, Hood Safety
17	5507 5937	1							STRIKER, Hood Latch
18									ROD, Hood Safety Catch
	5527 5195	1							Without [MFN], Sports Appearance Group
	55275 477AA	1							With [MFN], Sports Appearance Group
19	55275 133AB	1							GUIDE, Hood Safety
20	6502 655	1							SCREW, Hex Head, M6x1x15
21	0154 782	3							SCREW, Hex Head, .19-16x.5, Attach Guide Hood Safety Catch
22	55135 340AB	1							SEAL, Hood To Plenum
-23									SEAL, Cowl
	5513 5342	1							Right
	5513 5343	1							Left
-24	5503 6839	2							TAPE, Hood To Seal
-25	6100 557	2							BOLT AND CONED WASHER, Hex Head, M6x20x14

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Cowl And Dash Panel
Figure SBR-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55274 586AH	1							PANEL, Dash
2	55275 298AC	1							PANEL, Cowl And Plenum
3	5527 4644	1							PANEL, Plenum End Right
	5527 4645	1							Left
4	55274 643AC	1							PANEL, Cowl And Plenum
5	5502 3557	1							SUPPORT, Steering Column, Upper
6	5527 5302	1							PANEL, Cowl Side Right
	5527 5303	1							Left
7	5527 4575	1							SUPPORT, Steering Column
8	5513 5342	1							SEAL, Cowl Right
	5513 5343	1							Left
9	6503 274	4							NUT, Push On
10	55215 683AD	1							INSULATION, Dash Panel, Outer Plenum
11	55036 871AB	1							PANEL, Cowl Top
12	55350 212AD	1							INSULATION, Dash Panel, Diesel
13	6503 339	5							NUT, Plastic, Cowl Top to Cover
14	6503 336	5							STUD, .250-20x16.2
15	5527 4588	1							REINFORCEMENT, Hood Hinge Right
	5527 4589	1							Left
16	5523 4637	1							REINFORCEMENT, Brake Booster
17	52108 193AB	1							PLUG, 2 1/2 Inches Rubber

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Glass, Windshield, Backlite, Mirror
Figure SBR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINDSHIELD
	4798 841AB	1							With Shade Ban, Up to 7/10/01
	5083 951AA	1							Without Shade Ban, After 7/10/01
2	55276 389AA	1							MOLDING, Windshield
3	55275 388AC	2							SPACER, Windshield
4	4278 662	1							SPACER
5	5507 6401	AR							BUTTON, Rear View Mirror
6									SCREW, [.190-24x.375], (NOT SERVICED) (Not Serviced)
7	55076 403AB	1							MIRROR, Inside Rear View
8	55076 402AB	1							MIRROR, Inside Rear View, Electric
9	5534 6646	1							BACKLITE, Tinted
10	55346 644AG	1							WINDOW KIT, Slider - Manual Rear
11									GLASS, Backlite, Sliding
	5012 880AC	1							Right
	5012 881AC	1							Left
12	5011 532AB	1							CHANNEL, Sliding Backlite, Upper
13	5011 533AB	1							CHANNEL, Sliding Backlite, Lower
14	4773 094AB	1							LATCH, Sliding Window
-15	4864 015	1							INSTALLATION PACKAGE, Windshield Glass

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture Panel Bodyside
Figure SBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 4600	1							TAPPING PLATE, Side Pillar Hinge Right
	5527 4601	1							Left
2	5003 138AB	1							PANEL, Body Side Aperture Rear Right
	5003 139AB	1							Left
3	5527 5222	1							BRACKET, Aperture to Fender Right
	5527 5223	1							Left
4	55275 282AB	1							PANEL, Roof Rail to A Pillar Right
	55275 283AB	1							Left
5	4490 835AB	2							REINFORCEMENT, Shoulder Belt
6	5527 4840	1							PANEL, Quarter Right
	5527 4841	1							Left
7	4512 871AB	2							RETAINER, Door Lock Striker
8	5503 6334	2							EXHAUSTER, Quarter Panel
9	5525 6000	2							PLATE, Front Door Striker
10	55362 034AA	2							SHIM, Door Striker
11	4780 259	2							STRIKER, Door
12	6503 120	4							SCREW AND WASHER, Button Head Torx
13	5527 5366	1							BAFFLE, Body Side Hinge Pillar Right
	5527 5367	1							Left
14	5513 5346	1							BAFFLE, A Pillar Right
	5513 5347	1							Left
15	55134 858AB	1							BAFFLE, B Pillar Right
	55134 859AB	1							Left
16	5527 5284	1							PANEL, Quarter Inner Right,Upper
	5527 5285	1							Left,Upper
17	55275 294AB	1							PANEL, Quarter Inner Right,Lower
	55275 295AB	1							Left,Lower
18	55274 562AC	1							GUSSET, Cowl Plenum To Cowl Side Right
	55274 563AC	1							Left

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500 3, 8 = 3500	62 = Reg. Cab (134 WB) 63 = Reg. Cab (138 WB) 64 = Reg. Cab (162 WB) 65 = Reg Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl. EML,EMM, EM0 = 5.9L 8 Cyl. EWA, EW0 = 8.0L V10 . EAA = All engines EAG = All gas engines	DGP = 47RE 4 Spd. Auto. DGT = 46RE 4 Spd. Auto. DDX = 5 Spd. Manual DEE = 6 Spd. Manual DBB = All Manual Transmissions DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Aperture Panel Bodyside
Figure SBR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

19									SEAL, Body Side
	55275 508AA	1							Right
	55275 509AA	1							Left

DODGE RAM STANDARD CAB (BR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.					
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.					
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual					
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual					
			EAG = All gas engines	DBB = All Manual Transmissions					
				DG0 = All Automatic Transmissions					

Quarter Panel
Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side
	4856 380AB	1			62				Right
	4856 381AB	1			62				Left
2									PANEL, Box Side Outer
	55023 620AB	1			62				Right
	55023 621AC	1			62				Left
3									PANEL, Box Side, Dual Wheels
	4856 384AB	1			62				Right
	4856 385AB	1			62				Left
4									REINFORCEMENT, Quarter Rear Corner
	55274 806AC	1			62				Right
	55274 807AC	1			62				Left
5									DOOR, Fuel Fill
	55076 234AB	1	2, 7		62				Dual Wheel
	55076 235AB	1	3, 8		62				Label, Unleaded Fuel Only
6									English
	4206 059	1							French
	4490 411	1							Label, Fuel, Diesel
7									BUMPER, Fuel Door
	4428 652	1							
8									
	5507 6327	2	2, 7		62				Dual Wheel
	5534 5963	2	3, 8		62				FENDER, Dual Wheel
9									Right
	5003 144AA	1	3, 8		62				Left
	5003 145AA	1	3, 8		62				SHIELD, Wheelhouse, Four Wheel Drive
10									Drive
	5534 6010	2	7		62				RETAINER
-11									
	6502 871	32	3, 8		62				RIVET, M6.25x28 Black
12									STRIKER, Door Latch
	3420 1631	14	7, 8						SCREW AND WASHER, Hex Head, M8-1.25x30
13									
	55362 119AA	2			62				
14									
	6100 576	2							
15									BOX, Pickup
	4874 785AB	1			62				Dual Wheel
	4882 570AB	1			62				REINFORCEMENT, Box Side
16									Right
	5527 4780	2			62				Left
	5527 4781	2			62				SCREW, Stake, M6x1x20
17									BRACKET, Stop Lamp
	6506 974AA	18	3, 8		62				
18									

DODGE RAM STANDARD CAB (BR)

SERIES
L = RAM 2500, 3500


LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0 = 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions


Quarter Panel
Figure SBR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5534 4816	1			62				Right
	5534 4817	1			62				Left
19	5534 5598	2	3, 8		62				EXTENSION, Wheel House, Dual Wheel
20	6503 259	2			62				SCREW, Tapping, M6x1x20
-21	3420 2335	4			62				FASTENER, M7.4 Christmas Tree
22									SHIELD, Splash
	55276 478AA	1	3, 8		62				Right,Front
	55276 479AA	1	3, 8		62				Left,Front
	55276 480AA	1	3, 8		62				Right,Rear
	55276 481AA	1	3, 8		62				Left,Rear
23	6503 267	40	3, 8		62				SCREW, Round Head, M6x1x25
24	6101 712	40	3, 8		62				NUT, U, M6x1
25	6506 318AA	8			62				SCREW AND WASHER, Hex Head, M10x1.5x45
26	6502 780	16	3, 8		62				STUD, M6x1.0x18.0

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

Roof Panel Figure SBR-1110

[illegible]

DODGE RAM STANDARD CAB (BR)-

L = RAM 2500, 3500

LINE
2, 7 = 2500
3, 8 = 3500

BODY
62 = Reg. Cab (134 WB)
63 = Reg. Cab (138 WB)
64 = Reg. Cab (162 WB)
65 = Reg Cab (134 WB)

ENGINE
ETC, ETH, ET0 = 5.9L 6 Cyl.
EML, EMM, EM0 = 5.9L 8 Cyl.
EWA, EW0 = 8.0L V10 .
EAA = All engines
EAG = All gas engines

TRANSMISSION
DGP = 47RE 4 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DDX = 5 Spd. Manual
DEE = 6 Spd. Manual
DBB = All Manual Transmissions
DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005

Tailgate
Figure SBR-1310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5527 5016	1			62				PIVOT, Tailgate
2	55274 833AE	1	3, 8		62				TAILGATE Dual Wheel
	55274 915AE	1			62				
3									CABLE, Tailgate
	55345 124AB	1			62				Right
	55345 125AB	1			62				Left
4	5527 4842	2			62				BUMPER, Tailgate
5	5527 4916	1			62				PIVOT, Tailgate
6									LATCH, Tailgate
	55275 484AA	1			62				Right
	55275 485AA	1			62				Left
7	55075 698AC	2			62				ROD, Tailgate Handle to Latch
8									REINFORCEMENT, Box Side
	5527 5020	1			62				Right
	5527 5021	1			62				Left
9	55074 580AB	1			62				HANDLE, Liftgate
-10	4658 674	1			62				CLIP, Latch Link
11									SCREW AND WASHER, Tapping, M6-1.0x20.0, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)
12	6036 019AA	2			62				SCREW
13	6036 018AA	2			62				BOLT, Shoulder
14	6034 460	2			62				STRIKER, Tailgate Latch, .375-16x1. 988
15									SCREW, .190-16x.500, (NOT SERVICED) (Not Serviced)
16	5527 4917	1			62				PIVOT, Tailgate
17	55274 936AC	2			62				BUSHING, Tailgate Pivot
18	5507 4751	1			62				ESCUTCHEON, Tail Gate Handle
19	0181 088	1	2, 3						BOLT, Hex Head, .312-18x1.00
		1	7, 8						

DODGE RAM STANDARD CAB (BR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L = RAM 2500, 3500	2, 7 = 2500	62 = Reg. Cab (134 WB)	ETC, ETH, ET0= 5.9L 6 Cyl.	DGP = 47RE 4 Spd. Auto.
	3, 8 = 3500	63 = Reg. Cab (138 WB)	EML,EMM, EM0 = 5.9L 8 Cyl.	DGT = 46RE 4 Spd. Auto.
		64 = Reg. Cab (162 WB)	EWA, EW0 = 8.0L V10 .	DDX = 5 Spd. Manual
		65 = Reg Cab (134 WB)	EAA = All engines	DEE = 6 Spd. Manual
			EAG = All gas engines	DBB = All Manual Transmissions
				DG0 = All Automatic Transmissions

AR = Use as required - = Non illustrated part # = New this model year

September 16, 2005